

F

E

D

C

B

A

F




E

D

C

B

A



コード・ CODE	△マークの色 MARK COLOR	接点部メッキ CONTACT AREA PLATE	圧接部メッキ I. D. AREA PLATE	下地メッキ UNDER PLATE
LEAD FREE	G1 白 WHITE	金 GOLD	金 GOLD	
LEAD FREE	G2 橙 ORANGE	金 GOLD	0.1μm MIN.	
LEAD FREE	G3 緑 GREEN	金 GOLD	0.25μm MIN.	
	GS1 黄 YELLOW	金 GOLD	0.1μm MIN.	
	GS2 茶 BROWN	金 GOLD	0.76μm MIN.	
	GS3 青 BLUE	金 GOLD	0.25μm MIN.	
	GS4 金 GOLD	金 GOLD	1.27μm MIN.	
LEAD FREE	GS17F 黄 YELLOW	金 GOLD	0.1μm MIN.	
LEAD FREE	GS27F 茶 BROWN	金 GOLD	0.76μm MIN.	
LEAD FREE	GS37F 青 BLUE	金 GOLD	0.25μm MIN.	
LEAD FREE	GS47F 金 GOLD	金 GOLD	1.27μm MIN.	
LEAD FREE	T2 黒 BLACK	錫 TIN	0.9μm MIN.	
		リフロー処理 (前メッキ) REFLOW (PRE-PLATED)		

60	73.66	77.46	77.63	80.83
50	60.96	64.76	64.93	68.13
40	48.26	52.06	52.23	55.43
34	40.64	44.44	44.61	47.81
30	35.56	39.36	39.53	42.73
26	30.48	34.28	34.45	37.65
20	22.86	26.66	26.83	30.03
16	17.78	21.58	21.75	24.95
14	15.24	19.04	19.21	22.41
10	10.16	13.96	14.13	17.33
極数 No. of Ckt.	A 寸法 DIM.A	B 寸法 DIM.B	C 寸法 DIM.C	D 寸法 DIM.D

REVISED

EC NO: J2013-0569

DRINKMATSUYAMA

2012/12/04

CHKD:KASAKAWA

2012/12/18

APPR:YOITO

2012/12/19

REV

DESCRIPTION

10 UNDER ±0.2

10 OVER 30 UNDER ±0.25

30 OVER ±0.3

ANGULAR ±3 °

DRAFT WHERE APPLICABLE

MUST REMAIN

WITHIN DIMENSIONS

DIMENSION STYLE

MM ONLY

DRAWN BY

DATE

CHECKED BY

DATE

APPROVED BY

DATE

MATERIAL NO.

SEE SHEET 2

SIZE

A3

SCALE

4:1

DESIGN UNITS

METRIC

THIRD ANGLE

PROJECTION

TITLE

QIK FLECS FEMALE ASSY

DOCUMENT NO.

SD-5320-001

SHEET NO.

1 OF 2

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX

INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

	10	9	8	7	6	5	4	3	2	1																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
F	注記 NOTES 1. 材料 ハウジング : ガラス繊維 15% 入り PBTP (UL94V-0), 黒色 ターミナル : リン青銅 MATERIAL HOUSING : PBTP (15%G.F.), UL94V-0, BLACK TERMINAL : PHOS.BRO. 2. 適用電線 : 1.27ピッチリボンケーブル 被覆外径 : Ø 1.14 MAX. 芯線 : AWG#26 ~ #28 (芯線 1本構成) 単線 : AWG#28 FOR USE WITH AWG#26 & #28 STRANDED WIRE (CONSISTS OF 7 CONDUCTORS) AND #28 SOLID WIRE. 1.14 DIA. MAX. INSULATION RIBBON CABLE WITH 1.27 CENTERS. 3. 適合ストレーンリリーフ : 5328-N MATES WITH STRAIN RELIEF OF 5328 SERIES					4. 嵌合相手 : 5330,5332,5340,5342 シリーズ MATES WITH CONNECTOR SERIES OF 5330,5332,5340 & 5342 5. 使用符号の説明 LEGEND 5320 - N A * - * ベースナンバー BASE NUMBER 回路数 CIRCUIT SIZE アンダーハウジング分離タイプ UNLOADED UPPER HOUSING ターミナルのメッキコード PLATING CODE OF TERMINAL ハウジングの色 MATERIAL COLOR BLANK : BLACK GY : GRAY					△ トレードマーク : MX プラス 1 文字の製造工場を示すアルファベットにて構成 但し、J は JAPAN を示す。(例 MX J) キャビティ番号 : 1桁の数字で表示 金型番号 : アルファベット 1 文字にて構成。 部品番号 : 5327 と表示 FORMED BY MX AND 1 MORE LETTER OF ALPHABET WHICH MEAN THE MANUFACTORY, BUT 'J' MEANS JAPAN. (TO TRADE MARK) (e.g. MXJ) AND BY 1 DIGIT NUMBER (TO CAVITY NO.) AND BY 1 LETTER OF ALPHABET (TO MOLD NO.) PART NO. : INDICATE 5327 △ 部品番号 : 5325 と表示 その他は △ と同じ形で記載 PART NO. : INDICATE 5325 INDICATE THE SAME △, OTHERWISE ENG.NO.					F																																																																																																																																																																																																																																																																																																																																																																																																																																																														
E	<table><tr><td>39-53 -5641</td><td>5320-64AGS37F-GY</td><td>39-53 -5640</td><td>5320-64AGS27F-GY</td><td>39-53 -4649</td><td>5320-64AGS17F-GY</td><td></td><td></td><td>39-53 -3644</td><td>5320-64AGS37F</td><td>39-53 -4647</td><td>5320-64AGS27F</td><td>39-53 -4646</td><td>5320-64AGS17F</td><td>64</td></tr><tr><td>▲ -5601</td><td>▲ -60AGS37F-GY</td><td>▲ -5600</td><td>▲ -60AGS27F-GY</td><td>▲ -4609</td><td>▲ -60AGS17F-GY</td><td></td><td></td><td>▲ -3604</td><td>▲ -60AGS37F</td><td>▲ -4607</td><td>▲ -60AGS27F</td><td>▲ -4606</td><td>▲ -60AGS17F</td><td>60</td></tr><tr><td>▲ -5501</td><td>▲ -50AGS37F-GY</td><td>▲ -5500</td><td>▲ -50AGS27F-GY</td><td>▲ -4509</td><td>▲ -50AGS17F-GY</td><td>39-53 -4508</td><td>5320-50AGS47F</td><td>▲ -3504</td><td>▲ -50AGS37F</td><td>▲ -4507</td><td>▲ -50AGS27F</td><td>▲ -4506</td><td>▲ -50AGS17F</td><td>50</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>▲ -3444</td><td>▲ -44AGS37F</td><td></td><td></td><td></td><td></td><td>44</td></tr><tr><td>▲ -5401</td><td>▲ -40AGS37F-GY</td><td>▲ -5400</td><td>▲ -40AGS27F-GY</td><td>▲ -4409</td><td>▲ -40AGS17F-GY</td><td></td><td></td><td></td><td></td><td>▲ -4407</td><td>▲ -40AGS27F</td><td>▲ -4406</td><td>▲ -40AGS17F</td><td>40</td></tr><tr><td>▲ -5341</td><td>▲ -34AGS37F-GY</td><td>▲ -5340</td><td>▲ -34AGS27F-GY</td><td>▲ -4349</td><td>▲ -34AGS17F-GY</td><td>-4348</td><td>-34AGS47F</td><td>-3344</td><td>-34AGS37F</td><td>-4347</td><td>-34AGS27F</td><td>-4346</td><td>-34AGS17F</td><td>34</td></tr><tr><td>▲ -5301</td><td>▲ -30AGS37F-GY</td><td>▲ -5300</td><td>▲ -30AGS27F-GY</td><td>▲ -4309</td><td>▲ -30AGS17F-GY</td><td></td><td></td><td>-3304</td><td>-30AGS37F</td><td>-4307</td><td>-30AGS27F</td><td>-4306</td><td>-30AGS17F</td><td>30</td></tr><tr><td>▲ -5261</td><td>▲ -26AGS37F-GY</td><td>▲ -5260</td><td>▲ -26AGS27F-GY</td><td>▲ -4269</td><td>▲ -26AGS17F-GY</td><td>-4268</td><td>-26AGS47F</td><td>-3264</td><td>-26AGS37F</td><td>-4267</td><td>-26AGS27F</td><td>-4266</td><td>-26AGS17F</td><td>26</td></tr><tr><td>▲ -5201</td><td>▲ -20AGS37F-GY</td><td>▲ -5200</td><td>▲ -20AGS27F-GY</td><td>▲ -4209</td><td>▲ -20AGS17F-GY</td><td></td><td></td><td>-3204</td><td>-20AGS37F</td><td>-4207</td><td>-20AGS27F</td><td>-4206</td><td>-20AGS17F</td><td>20</td></tr><tr><td>▲ -5161</td><td>▲ -16AGS37F-GY</td><td>▲ -5160</td><td>▲ -16AGS27F-GY</td><td>▲ -4169</td><td>▲ -16AGS17F-GY</td><td>▲ -4168</td><td>▲ -16AGS47F</td><td>-3164</td><td>-16AGS37F</td><td>-4167</td><td>-16AGS27F</td><td>-4166</td><td>-16AGS17F</td><td>16</td></tr><tr><td>▲ -5141</td><td>▲ -14AGS37F-GY</td><td>▲ -5140</td><td>▲ -14AGS27F-GY</td><td>▲ -4149</td><td>▲ -14AGS17F-GY</td><td>39-53 -4148</td><td>5320-14AGS47F</td><td>-3144</td><td>-14AGS37F</td><td>-4147</td><td>-14AGS27F</td><td>-4146</td><td>-14AGS17F</td><td>14</td></tr><tr><td>▼</td><td>▼</td><td>▼</td><td>▼</td><td>▼</td><td>▼</td><td>▼</td><td>▼</td><td>▼</td><td>▼</td><td>▼</td><td>▼</td><td>▼</td><td>▼</td><td>12</td></tr><tr><td>39-53 -5101</td><td>5320-10AGS37F-GY</td><td>39-53 -5100</td><td>5320-10AGS27F-GY</td><td>39-53 -4109</td><td>5320-10AGS17F-GY</td><td></td><td></td><td>39-53 -3104</td><td>5320-10AGS37F</td><td>39-53 -4107</td><td>5320-10AGS27F</td><td>39-53 -4106</td><td>5320-10AGS17F</td><td>10</td></tr><tr><td>EDP NO.</td><td>ENG. NO.</td><td>EDP NO.</td><td>ENG. NO.</td><td>EDP NO.</td><td>ENG. NO.</td><td>EDP NO.</td><td>ENG. NO.</td><td>EDP NO.</td><td>ENG. NO.</td><td>EDP NO.</td><td>ENG. NO.</td><td>EDP NO.</td><td>ENG. NO.</td><td>NO. OF CKTS.</td></tr><tr><td>5320-NAGS37F-GY -LEAD FREE-</td><td>5320-NAGS27F-GY -LEAD FREE-</td><td>5320-NAGS17F-GY -LEAD FREE-</td><td>5320-NAGS47F -LEAD FREE-</td><td>5320-NAGS37F -LEAD FREE-</td><td>5320-NAGS27F -LEAD FREE-</td><td>5320-NAGS17F -LEAD FREE-</td><td>5320-NAGS47F -LEAD FREE-</td><td>5320-NAGS37F -LEAD FREE-</td><td>5320-NAGS27F -LEAD FREE-</td><td>5320-NAGS17F -LEAD FREE-</td><td>5320-NAGS47F -LEAD FREE-</td><td>5320-NAGS37F -LEAD FREE-</td><td>5320-NAGS27F -LEAD FREE-</td><td>5320-NAGS17F -LEAD FREE-</td></tr><tr><td>39-51-7647</td><td>5320-64AGS3-GY</td><td>39-51-7646</td><td>5320-64AGS2-GY</td><td>39-51-7645</td><td>5320-64AGS1-GY</td><td></td><td></td><td>39-51-2642</td><td>5320-64AGS3</td><td>39-51-2641</td><td>5320-64AGS2</td><td>39-51-2640</td><td>5320-64AGS1</td><td>64</td></tr><tr><td>▲ -7607</td><td>▲ -60AGS3-GY</td><td>▲ -7606</td><td>▲ -60AGS2-GY</td><td>▲ -7605</td><td>▲ -60AGS1-GY</td><td></td><td></td><td>▲ -2602</td><td>▲ -60AGS3</td><td>▲ -2601</td><td>▲ -60AGS2</td><td>▲ -2600</td><td>▲ -60AGS1</td><td>60</td></tr><tr><td>▲ -7507</td><td>▲ -50AGS3-GY</td><td>▲ -7506</td><td>▲ -50AGS2-GY</td><td>▲ -7505</td><td>▲ -50AGS1-GY</td><td>39-51-8509</td><td>5320-50AGS4</td><td>▲ -2502</td><td>▲ -50AGS3</td><td>▲ -2501</td><td>▲ -50AGS2</td><td>▲ -2500</td><td>▲ -50AGS1</td><td>50</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>▲ -2442</td><td>▲ -44AGS3</td><td></td><td></td><td></td><td></td><td>44</td></tr><tr><td>▲ -7407</td><td>▲ -40AGS3-GY</td><td>▲ -7406</td><td>▲ -40AGS2-GY</td><td>▲ -7405</td><td>▲ -40AGS1-GY</td><td></td><td></td><td>▲ -2402</td><td>▲ -40AGS3</td><td>▲ -2401</td><td>▲ -40AGS2</td><td>▲ -2400</td><td>▲ -40AGS1</td><td>40</td></tr><tr><td>▲ -7347</td><td>▲ -34AGS3-GY</td><td>▲ -7346</td><td>▲ -34AGS2-GY</td><td>▲ -7345</td><td>▲ -34AGS1-GY</td><td>-8349</td><td>-34AGS4</td><td>-2342</td><td>-34AGS3</td><td>-2341</td><td>-34AGS2</td><td>-2340</td><td>-34AGS1</td><td>34</td></tr><tr><td>▲ -7307</td><td>▲ -30AGS3-GY</td><td>▲ -7306</td><td>▲ -30AGS2-GY</td><td>▲ -7305</td><td>▲ -30AGS1-GY</td><td></td><td></td><td>-2302</td><td>-30AGS3</td><td>-2301</td><td>-30AGS2</td><td>-2300</td><td>-30AGS1</td><td>30</td></tr><tr><td>▲ -7267</td><td>▲ -26AGS3-GY</td><td>▲ -7266</td><td>▲ -26AGS2-GY</td><td>▲ -7265</td><td>▲ -26AGS1-GY</td><td>-8269</td><td>-26AGS4</td><td>-2262</td><td>-26AGS3</td><td>-2261</td><td>-26AGS2</td><td>-2260</td><td>-26AGS1</td><td>26</td></tr><tr><td>▲ -7207</td><td>▲ -20AGS3-GY</td><td>▲ -7206</td><td>▲ -20AGS2-GY</td><td>▲ -7205</td><td>▲ -20AGS1-GY</td><td></td><td></td><td>-2202</td><td>-20AGS3</td><td>-2201</td><td>-20AGS2</td><td>-2200</td><td>-20AGS1</td><td>20</td></tr><tr><td>▲ -7167</td><td>▲ -16AGS3-GY</td><td>▲ -7166</td><td>▲ -16AGS2-GY</td><td>▲ -7165</td><td>▲ -16AGS1-GY</td><td>▲ -8169</td><td>▲ -16AGS4</td><td>-2162</td><td>-16AGS3</td><td>-2161</td><td>-16AGS2</td><td>-2160</td><td>-16AGS1</td><td>16</td></tr><tr><td>▲ -7147</td><td>▲ -14AGS3-GY</td><td>▲ -7146</td><td>▲ -14AGS2-GY</td><td>▲ -7145</td><td>▲ -14AGS1-GY</td><td>39-51-8149</td><td>5320-14AGS4</td><td>-2142</td><td>-14AGS3</td><td>-2141</td><td>-14AGS2</td><td>-2140</td><td>-14AGS1</td><td>14</td></tr><tr><td>▼</td><td>▼</td><td>▼</td><td>▼</td><td>▼</td><td>▼</td><td>▼</td><td>▼</td><td>▼</td><td>▼</td><td>▼</td><td>▼</td><td>▼</td><td>▼</td><td>12</td></tr><tr><td>39-51-7107</td><td>5320-10AGS3-GY</td><td>39-51-7106</td><td>5320-10AGS2-GY</td><td>39-51-7105</td><td>5320-10AGS1-GY</td><td></td><td></td><td>39-51-2102</td><td>5320-10AGS3</td><td>39-51-2101</td><td>5320-10AGS2</td><td>39-51-2100</td><td>5320-10AGS1</td><td>10</td></tr><tr><td>EDP NO.</td><td>ENG. NO.</td><td>EDP NO.</td><td>ENG. NO.</td><td>EDP NO.</td><td>ENG. NO.</td><td>EDP NO.</td><td>ENG. NO.</td><td>EDP NO.</td><td>ENG. NO.</td><td>EDP NO.</td><td>ENG. NO.</td><td>EDP NO.</td><td>ENG. NO.</td><td>NO. OF CKTS.</td></tr><tr><td>5320-NAGS3-GY</td><td>5320-NAGS2-GY</td><td>5320-NAGS1-GY</td><td>5320-NAGS4</td><td>5320-NAGS3</td><td>5320-NAGS2</td><td>5320-NAGS1</td><td>5320-NAGS4</td><td>5320-NAGS3</td><td>5320-NAGS2</td><td>5320-NAGS1</td><td>5320-NAGS4</td><td>5320-NAGS3</td><td>5320-NAGS2</td><td>5320-NAGS1</td></tr></table>											39-53 -5641	5320-64AGS37F-GY	39-53 -5640	5320-64AGS27F-GY	39-53 -4649	5320-64AGS17F-GY			39-53 -3644	5320-64AGS37F	39-53 -4647	5320-64AGS27F	39-53 -4646	5320-64AGS17F	64	▲ -5601	▲ -60AGS37F-GY	▲ -5600	▲ -60AGS27F-GY	▲ -4609	▲ -60AGS17F-GY			▲ -3604	▲ -60AGS37F	▲ -4607	▲ -60AGS27F	▲ -4606	▲ -60AGS17F	60	▲ -5501	▲ -50AGS37F-GY	▲ -5500	▲ -50AGS27F-GY	▲ -4509	▲ -50AGS17F-GY	39-53 -4508	5320-50AGS47F	▲ -3504	▲ -50AGS37F	▲ -4507	▲ -50AGS27F	▲ -4506	▲ -50AGS17F	50									▲ -3444	▲ -44AGS37F					44	▲ -5401	▲ -40AGS37F-GY	▲ -5400	▲ -40AGS27F-GY	▲ -4409	▲ -40AGS17F-GY					▲ -4407	▲ -40AGS27F	▲ -4406	▲ -40AGS17F	40	▲ -5341	▲ -34AGS37F-GY	▲ -5340	▲ -34AGS27F-GY	▲ -4349	▲ -34AGS17F-GY	-4348	-34AGS47F	-3344	-34AGS37F	-4347	-34AGS27F	-4346	-34AGS17F	34	▲ -5301	▲ -30AGS37F-GY	▲ -5300	▲ -30AGS27F-GY	▲ -4309	▲ -30AGS17F-GY			-3304	-30AGS37F	-4307	-30AGS27F	-4306	-30AGS17F	30	▲ -5261	▲ -26AGS37F-GY	▲ -5260	▲ -26AGS27F-GY	▲ -4269	▲ -26AGS17F-GY	-4268	-26AGS47F	-3264	-26AGS37F	-4267	-26AGS27F	-4266	-26AGS17F	26	▲ -5201	▲ -20AGS37F-GY	▲ -5200	▲ -20AGS27F-GY	▲ -4209	▲ -20AGS17F-GY			-3204	-20AGS37F	-4207	-20AGS27F	-4206	-20AGS17F	20	▲ -5161	▲ -16AGS37F-GY	▲ -5160	▲ -16AGS27F-GY	▲ -4169	▲ -16AGS17F-GY	▲ -4168	▲ -16AGS47F	-3164	-16AGS37F	-4167	-16AGS27F	-4166	-16AGS17F	16	▲ -5141	▲ -14AGS37F-GY	▲ -5140	▲ -14AGS27F-GY	▲ -4149	▲ -14AGS17F-GY	39-53 -4148	5320-14AGS47F	-3144	-14AGS37F	-4147	-14AGS27F	-4146	-14AGS17F	14	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	12	39-53 -5101	5320-10AGS37F-GY	39-53 -5100	5320-10AGS27F-GY	39-53 -4109	5320-10AGS17F-GY			39-53 -3104	5320-10AGS37F	39-53 -4107	5320-10AGS27F	39-53 -4106	5320-10AGS17F	10	EDP NO.	ENG. NO.	EDP NO.	ENG. NO.	EDP NO.	ENG. NO.	EDP NO.	ENG. NO.	EDP NO.	ENG. NO.	EDP NO.	ENG. NO.	EDP NO.	ENG. NO.	NO. OF CKTS.	5320-NAGS37F-GY -LEAD FREE-	5320-NAGS27F-GY -LEAD FREE-	5320-NAGS17F-GY -LEAD FREE-	5320-NAGS47F -LEAD FREE-	5320-NAGS37F -LEAD FREE-	5320-NAGS27F -LEAD FREE-	5320-NAGS17F -LEAD FREE-	5320-NAGS47F -LEAD FREE-	5320-NAGS37F -LEAD FREE-	5320-NAGS27F -LEAD FREE-	5320-NAGS17F -LEAD FREE-	5320-NAGS47F -LEAD FREE-	5320-NAGS37F -LEAD FREE-	5320-NAGS27F -LEAD FREE-	5320-NAGS17F -LEAD FREE-	39-51-7647	5320-64AGS3-GY	39-51-7646	5320-64AGS2-GY	39-51-7645	5320-64AGS1-GY			39-51-2642	5320-64AGS3	39-51-2641	5320-64AGS2	39-51-2640	5320-64AGS1	64	▲ -7607	▲ -60AGS3-GY	▲ -7606	▲ -60AGS2-GY	▲ -7605	▲ -60AGS1-GY			▲ -2602	▲ -60AGS3	▲ -2601	▲ -60AGS2	▲ -2600	▲ -60AGS1	60	▲ -7507	▲ -50AGS3-GY	▲ -7506	▲ -50AGS2-GY	▲ -7505	▲ -50AGS1-GY	39-51-8509	5320-50AGS4	▲ -2502	▲ -50AGS3	▲ -2501	▲ -50AGS2	▲ -2500	▲ -50AGS1	50									▲ -2442	▲ -44AGS3					44	▲ -7407	▲ -40AGS3-GY	▲ -7406	▲ -40AGS2-GY	▲ -7405	▲ -40AGS1-GY			▲ -2402	▲ -40AGS3	▲ -2401	▲ -40AGS2	▲ -2400	▲ -40AGS1	40	▲ -7347	▲ -34AGS3-GY	▲ -7346	▲ -34AGS2-GY	▲ -7345	▲ -34AGS1-GY	-8349	-34AGS4	-2342	-34AGS3	-2341	-34AGS2	-2340	-34AGS1	34	▲ -7307	▲ -30AGS3-GY	▲ -7306	▲ -30AGS2-GY	▲ -7305	▲ -30AGS1-GY			-2302	-30AGS3	-2301	-30AGS2	-2300	-30AGS1	30	▲ -7267	▲ -26AGS3-GY	▲ -7266	▲ -26AGS2-GY	▲ -7265	▲ -26AGS1-GY	-8269	-26AGS4	-2262	-26AGS3	-2261	-26AGS2	-2260	-26AGS1	26	▲ -7207	▲ -20AGS3-GY	▲ -7206	▲ -20AGS2-GY	▲ -7205	▲ -20AGS1-GY			-2202	-20AGS3	-2201	-20AGS2	-2200	-20AGS1	20	▲ -7167	▲ -16AGS3-GY	▲ -7166	▲ -16AGS2-GY	▲ -7165	▲ -16AGS1-GY	▲ -8169	▲ -16AGS4	-2162	-16AGS3	-2161	-16AGS2	-2160	-16AGS1	16	▲ -7147	▲ -14AGS3-GY	▲ -7146	▲ -14AGS2-GY	▲ -7145	▲ -14AGS1-GY	39-51-8149	5320-14AGS4	-2142	-14AGS3	-2141	-14AGS2	-2140	-14AGS1	14	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	12	39-51-7107	5320-10AGS3-GY	39-51-7106	5320-10AGS2-GY	39-51-7105	5320-10AGS1-GY			39-51-2102	5320-10AGS3	39-51-2101	5320-10AGS2	39-51-2100	5320-10AGS1	10	EDP NO.	ENG. NO.	EDP NO.	ENG. NO.	EDP NO.	ENG. NO.	EDP NO.	ENG. NO.	EDP NO.	ENG. NO.	EDP NO.	ENG. NO.	EDP NO.	ENG. NO.	NO. OF CKTS.	5320-NAGS3-GY	5320-NAGS2-GY	5320-NAGS1-GY	5320-NAGS4	5320-NAGS3	5320-NAGS2	5320-NAGS1	5320-NAGS4	5320-NAGS3	5320-NAGS2	5320-NAGS1	5320-NAGS4	5320-NAGS3	5320-NAGS2	5320-NAGS1	C
39-53 -5641	5320-64AGS37F-GY	39-53 -5640	5320-64AGS27F-GY	39-53 -4649	5320-64AGS17F-GY			39-53 -3644	5320-64AGS37F	39-53 -4647	5320-64AGS27F	39-53 -4646	5320-64AGS17F	64																																																																																																																																																																																																																																																																																																																																																																																																																																																																
▲ -5601	▲ -60AGS37F-GY	▲ -5600	▲ -60AGS27F-GY	▲ -4609	▲ -60AGS17F-GY			▲ -3604	▲ -60AGS37F	▲ -4607	▲ -60AGS27F	▲ -4606	▲ -60AGS17F	60																																																																																																																																																																																																																																																																																																																																																																																																																																																																
▲ -5501	▲ -50AGS37F-GY	▲ -5500	▲ -50AGS27F-GY	▲ -4509	▲ -50AGS17F-GY	39-53 -4508	5320-50AGS47F	▲ -3504	▲ -50AGS37F	▲ -4507	▲ -50AGS27F	▲ -4506	▲ -50AGS17F	50																																																																																																																																																																																																																																																																																																																																																																																																																																																																
								▲ -3444	▲ -44AGS37F					44																																																																																																																																																																																																																																																																																																																																																																																																																																																																
▲ -5401	▲ -40AGS37F-GY	▲ -5400	▲ -40AGS27F-GY	▲ -4409	▲ -40AGS17F-GY					▲ -4407	▲ -40AGS27F	▲ -4406	▲ -40AGS17F	40																																																																																																																																																																																																																																																																																																																																																																																																																																																																
▲ -5341	▲ -34AGS37F-GY	▲ -5340	▲ -34AGS27F-GY	▲ -4349	▲ -34AGS17F-GY	-4348	-34AGS47F	-3344	-34AGS37F	-4347	-34AGS27F	-4346	-34AGS17F	34																																																																																																																																																																																																																																																																																																																																																																																																																																																																
▲ -5301	▲ -30AGS37F-GY	▲ -5300	▲ -30AGS27F-GY	▲ -4309	▲ -30AGS17F-GY			-3304	-30AGS37F	-4307	-30AGS27F	-4306	-30AGS17F	30																																																																																																																																																																																																																																																																																																																																																																																																																																																																
▲ -5261	▲ -26AGS37F-GY	▲ -5260	▲ -26AGS27F-GY	▲ -4269	▲ -26AGS17F-GY	-4268	-26AGS47F	-3264	-26AGS37F	-4267	-26AGS27F	-4266	-26AGS17F	26																																																																																																																																																																																																																																																																																																																																																																																																																																																																
▲ -5201	▲ -20AGS37F-GY	▲ -5200	▲ -20AGS27F-GY	▲ -4209	▲ -20AGS17F-GY			-3204	-20AGS37F	-4207	-20AGS27F	-4206	-20AGS17F	20																																																																																																																																																																																																																																																																																																																																																																																																																																																																
▲ -5161	▲ -16AGS37F-GY	▲ -5160	▲ -16AGS27F-GY	▲ -4169	▲ -16AGS17F-GY	▲ -4168	▲ -16AGS47F	-3164	-16AGS37F	-4167	-16AGS27F	-4166	-16AGS17F	16																																																																																																																																																																																																																																																																																																																																																																																																																																																																
▲ -5141	▲ -14AGS37F-GY	▲ -5140	▲ -14AGS27F-GY	▲ -4149	▲ -14AGS17F-GY	39-53 -4148	5320-14AGS47F	-3144	-14AGS37F	-4147	-14AGS27F	-4146	-14AGS17F	14																																																																																																																																																																																																																																																																																																																																																																																																																																																																
▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	12																																																																																																																																																																																																																																																																																																																																																																																																																																																																
39-53 -5101	5320-10AGS37F-GY	39-53 -5100	5320-10AGS27F-GY	39-53 -4109	5320-10AGS17F-GY			39-53 -3104	5320-10AGS37F	39-53 -4107	5320-10AGS27F	39-53 -4106	5320-10AGS17F	10																																																																																																																																																																																																																																																																																																																																																																																																																																																																
EDP NO.	ENG. NO.	EDP NO.	ENG. NO.	EDP NO.	ENG. NO.	EDP NO.	ENG. NO.	EDP NO.	ENG. NO.	EDP NO.	ENG. NO.	EDP NO.	ENG. NO.	NO. OF CKTS.																																																																																																																																																																																																																																																																																																																																																																																																																																																																
5320-NAGS37F-GY -LEAD FREE-	5320-NAGS27F-GY -LEAD FREE-	5320-NAGS17F-GY -LEAD FREE-	5320-NAGS47F -LEAD FREE-	5320-NAGS37F -LEAD FREE-	5320-NAGS27F -LEAD FREE-	5320-NAGS17F -LEAD FREE-	5320-NAGS47F -LEAD FREE-	5320-NAGS37F -LEAD FREE-	5320-NAGS27F -LEAD FREE-	5320-NAGS17F -LEAD FREE-	5320-NAGS47F -LEAD FREE-	5320-NAGS37F -LEAD FREE-	5320-NAGS27F -LEAD FREE-	5320-NAGS17F -LEAD FREE-																																																																																																																																																																																																																																																																																																																																																																																																																																																																
39-51-7647	5320-64AGS3-GY	39-51-7646	5320-64AGS2-GY	39-51-7645	5320-64AGS1-GY			39-51-2642	5320-64AGS3	39-51-2641	5320-64AGS2	39-51-2640	5320-64AGS1	64																																																																																																																																																																																																																																																																																																																																																																																																																																																																
▲ -7607	▲ -60AGS3-GY	▲ -7606	▲ -60AGS2-GY	▲ -7605	▲ -60AGS1-GY			▲ -2602	▲ -60AGS3	▲ -2601	▲ -60AGS2	▲ -2600	▲ -60AGS1	60																																																																																																																																																																																																																																																																																																																																																																																																																																																																
▲ -7507	▲ -50AGS3-GY	▲ -7506	▲ -50AGS2-GY	▲ -7505	▲ -50AGS1-GY	39-51-8509	5320-50AGS4	▲ -2502	▲ -50AGS3	▲ -2501	▲ -50AGS2	▲ -2500	▲ -50AGS1	50																																																																																																																																																																																																																																																																																																																																																																																																																																																																
								▲ -2442	▲ -44AGS3					44																																																																																																																																																																																																																																																																																																																																																																																																																																																																
▲ -7407	▲ -40AGS3-GY	▲ -7406	▲ -40AGS2-GY	▲ -7405	▲ -40AGS1-GY			▲ -2402	▲ -40AGS3	▲ -2401	▲ -40AGS2	▲ -2400	▲ -40AGS1	40																																																																																																																																																																																																																																																																																																																																																																																																																																																																
▲ -7347	▲ -34AGS3-GY	▲ -7346	▲ -34AGS2-GY	▲ -7345	▲ -34AGS1-GY	-8349	-34AGS4	-2342	-34AGS3	-2341	-34AGS2	-2340	-34AGS1	34																																																																																																																																																																																																																																																																																																																																																																																																																																																																
▲ -7307	▲ -30AGS3-GY	▲ -7306	▲ -30AGS2-GY	▲ -7305	▲ -30AGS1-GY			-2302	-30AGS3	-2301	-30AGS2	-2300	-30AGS1	30																																																																																																																																																																																																																																																																																																																																																																																																																																																																
▲ -7267	▲ -26AGS3-GY	▲ -7266	▲ -26AGS2-GY	▲ -7265	▲ -26AGS1-GY	-8269	-26AGS4	-2262	-26AGS3	-2261	-26AGS2	-2260	-26AGS1	26																																																																																																																																																																																																																																																																																																																																																																																																																																																																
▲ -7207	▲ -20AGS3-GY	▲ -7206	▲ -20AGS2-GY	▲ -7205	▲ -20AGS1-GY			-2202	-20AGS3	-2201	-20AGS2	-2200	-20AGS1	20																																																																																																																																																																																																																																																																																																																																																																																																																																																																
▲ -7167	▲ -16AGS3-GY	▲ -7166	▲ -16AGS2-GY	▲ -7165	▲ -16AGS1-GY	▲ -8169	▲ -16AGS4	-2162	-16AGS3	-2161	-16AGS2	-2160	-16AGS1	16																																																																																																																																																																																																																																																																																																																																																																																																																																																																
▲ -7147	▲ -14AGS3-GY	▲ -7146	▲ -14AGS2-GY	▲ -7145	▲ -14AGS1-GY	39-51-8149	5320-14AGS4	-2142	-14AGS3	-2141	-14AGS2	-2140	-14AGS1	14																																																																																																																																																																																																																																																																																																																																																																																																																																																																
▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	12																																																																																																																																																																																																																																																																																																																																																																																																																																																																
39-51-7107	5320-10AGS3-GY	39-51-7106	5320-10AGS2-GY	39-51-7105	5320-10AGS1-GY			39-51-2102	5320-10AGS3	39-51-2101	5320-10AGS2	39-51-2100	5320-10AGS1	10																																																																																																																																																																																																																																																																																																																																																																																																																																																																
EDP NO.	ENG. NO.	EDP NO.	ENG. NO.	EDP NO.	ENG. NO.	EDP NO.	ENG. NO.	EDP NO.	ENG. NO.	EDP NO.	ENG. NO.	EDP NO.	ENG. NO.	NO. OF CKTS.																																																																																																																																																																																																																																																																																																																																																																																																																																																																
5320-NAGS3-GY	5320-NAGS2-GY	5320-NAGS1-GY	5320-NAGS4	5320-NAGS3	5320-NAGS2	5320-NAGS1	5320-NAGS4	5320-NAGS3	5320-NAGS2	5320-NAGS1	5320-NAGS4	5320-NAGS3	5320-NAGS2	5320-NAGS1																																																																																																																																																																																																																																																																																																																																																																																																																																																																
D	<table><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>39-51-0605</td><td>5320-60AG3</td><td>15-29-3602</td><td>5320-60AG2</td><td>15-29-3601</td><td>5320-60AG1</td><td>64</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>▲ -0505</td><td>▲ -50AG3</td><td>▲ -3502</td><td>▲ -50AG2</td><td>▲ -3501</td><td>▲ -50AG1</td><td>60</td></tr><tr><td>39-52-1504</td><td>5320-50AT2</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>50</td></tr><tr><td>▲ -1404</td><td>▲ -40AT2</td><td></td><td></td><td></td><td></td><td></td><td></td><td>▲ -0405</td><td>▲ -40AG3</td><td>▲ -3402</td><td>▲ -40AG2</td><td>▲ -3401</td><td>▲ -40AG1</td><td>44</td></tr><tr><td>▲ -1344</td><td>▲ -34AT2</td><td></td><td></td><td></td><td></td><td></td><td></td><td>▲ -0345</td><td>▲ -34AG3</td><td>▲ -3342</td><td>▲ -34AG2</td><td>▲ -3341</td><td>▲ -34AG1</td><td>40</td></tr><tr><td>▲ -1304</td><td>▲ -30AT2</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>▲ -3301</td><td>▲ -30AG1</td><td>34</td></tr><tr><td>▲ -1264</td><td>▲ -26AT2</td><td></td><td></td><td></td><td></td><td></td><td></td><td>▲ -0265</td><td>▲ -26AG3</td><td>▲ -3262</td><td>▲ -26AG2</td><td>▲ -3261</td><td>▲ -26AG1</td><td>30</td></tr><tr><td>▲ -1204</td><td>▲ -20AT2</td><td></td><td></td><td></td><td></td><td></td><td></td><td>▲ -0205</td><td>▲ -20AG3</td><td>▲ -3202</td><td>▲ -20AG2</td><td>▲ -3201</td><td>▲ -20AG1</td><td>26</td></tr><tr><td>▲ -1164</td><td>▲ -16AT2</td><td></td><td></td><td></td><td></td><td></td><td></td><td>▲ -0165</td><td>▲ -16AG3</td><td>▲ -3162</td><td>▲ -16AG2</td><td>▲ -3161</td><td>▲ -16AG1</td><td>20</td></tr><tr><td>▲ -1144</td><td>▲ -14AT2</td><td></td><td></td><td></td><td></td><td></td><td></td><td>▲ -0145</td><td>▲ -14AG3</td><td>▲ -3142</td><td>▲ -14AG2</td><td>▲ -3141</td><td>▲ -14AG1</td><td>16</td></tr><tr><td>▼</td><td>▼</td><td>▼</td><td>▼</td><td>▼</td><td>▼</td><td>▼</td><td>▼</td><td>▼</td><td>▼</td><td>▼</td><td>▼</td><td>▼</td><td>▼</td><td>14</td></tr><tr><td>39-52-1104</td><td>5320-10AT2</td><td>39-51-0105</td><td>5320-10AG3</td><td>15-29-3102</td><td>5320-10AG2</td><td>15-29-3101</td><td>5320-10AG1</td><td></td><td></td><td></td><td></td><td></td><td></td><td>12</td></tr><tr><td>EDP NO.</td><td>ENG. NO.</td><td>EDP NO.</td><td>ENG. NO.</td><td>EDP NO.</td><td>ENG. NO.</td><td>EDP NO.</td><td>ENG. NO.</td><td>EDP NO.</td><td>ENG. NO.</td><td>EDP NO.</td><td>ENG. NO.</td><td>EDP NO.</td><td>ENG. NO.</td><td>NO. OF CKTS.</td></tr><tr><td>5320-NAT2</td><td>-LEAD FREE-</td><td>5320-NAG3</td><td>5320-NAG2</td><td>5320-NAG1</td><td>5320-NAG4</td><td>5320-NAG3</td><td>5320-NAG2</td><td>5320-NAG1</td><td>5320-NAG4</td><td>5320-NAG3</td><td>5320-NAG2</td><td>5320-NAG1</td><td>5320-NAG4</td><td>NO. OF CKTS.</td></tr></table>																			39-51-0605	5320-60AG3	15-29-3602	5320-60AG2	15-29-3601	5320-60AG1	64									▲ -0505	▲ -50AG3	▲ -3502	▲ -50AG2	▲ -3501	▲ -50AG1	60	39-52-1504	5320-50AT2													50	▲ -1404	▲ -40AT2							▲ -0405	▲ -40AG3	▲ -3402	▲ -40AG2	▲ -3401	▲ -40AG1	44	▲ -1344	▲ -34AT2							▲ -0345	▲ -34AG3	▲ -3342	▲ -34AG2	▲ -3341	▲ -34AG1	40	▲ -1304	▲ -30AT2											▲ -3301	▲ -30AG1	34	▲ -1264	▲ -26AT2							▲ -0265	▲ -26AG3	▲ -3262	▲ -26AG2	▲ -3261	▲ -26AG1	30	▲ -1204	▲ -20AT2							▲ -0205	▲ -20AG3	▲ -3202	▲ -20AG2	▲ -3201	▲ -20AG1	26	▲ -1164	▲ -16AT2							▲ -0165	▲ -16AG3	▲ -3162	▲ -16AG2	▲ -3161	▲ -16AG1	20	▲ -1144	▲ -14AT2							▲ -0145	▲ -14AG3	▲ -3142	▲ -14AG2	▲ -3141	▲ -14AG1	16	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	14	39-52-1104	5320-10AT2	39-51-0105	5320-10AG3	15-29-3102	5320-10AG2	15-29-3101	5320-10AG1							12	EDP NO.	ENG. NO.	EDP NO.	ENG. NO.	EDP NO.	ENG. NO.	EDP NO.	ENG. NO.	EDP NO.	ENG. NO.	EDP NO.	ENG. NO.	EDP NO.	ENG. NO.	NO. OF CKTS.	5320-NAT2	-LEAD FREE-	5320-NAG3	5320-NAG2	5320-NAG1	5320-NAG4	5320-NAG3	5320-NAG2	5320-NAG1	5320-NAG4	5320-NAG3	5320-NAG2	5320-NAG1	5320-NAG4	NO. OF CKTS.	D																																																																																																																																																																																																																																																
								39-51-0605	5320-60AG3	15-29-3602	5320-60AG2	15-29-3601	5320-60AG1	64																																																																																																																																																																																																																																																																																																																																																																																																																																																																
								▲ -0505	▲ -50AG3	▲ -3502	▲ -50AG2	▲ -3501	▲ -50AG1	60																																																																																																																																																																																																																																																																																																																																																																																																																																																																
39-52-1504	5320-50AT2													50																																																																																																																																																																																																																																																																																																																																																																																																																																																																
▲ -1404	▲ -40AT2							▲ -0405	▲ -40AG3	▲ -3402	▲ -40AG2	▲ -3401	▲ -40AG1	44																																																																																																																																																																																																																																																																																																																																																																																																																																																																
▲ -1344	▲ -34AT2							▲ -0345	▲ -34AG3	▲ -3342	▲ -34AG2	▲ -3341	▲ -34AG1	40																																																																																																																																																																																																																																																																																																																																																																																																																																																																
▲ -1304	▲ -30AT2											▲ -3301	▲ -30AG1	34																																																																																																																																																																																																																																																																																																																																																																																																																																																																
▲ -1264	▲ -26AT2							▲ -0265	▲ -26AG3	▲ -3262	▲ -26AG2	▲ -3261	▲ -26AG1	30																																																																																																																																																																																																																																																																																																																																																																																																																																																																
▲ -1204	▲ -20AT2							▲ -0205	▲ -20AG3	▲ -3202	▲ -20AG2	▲ -3201	▲ -20AG1	26																																																																																																																																																																																																																																																																																																																																																																																																																																																																
▲ -1164	▲ -16AT2							▲ -0165	▲ -16AG3	▲ -3162	▲ -16AG2	▲ -3161	▲ -16AG1	20																																																																																																																																																																																																																																																																																																																																																																																																																																																																
▲ -1144	▲ -14AT2							▲ -0145	▲ -14AG3	▲ -3142	▲ -14AG2	▲ -3141	▲ -14AG1	16																																																																																																																																																																																																																																																																																																																																																																																																																																																																
▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	14																																																																																																																																																																																																																																																																																																																																																																																																																																																																
39-52-1104	5320-10AT2	39-51-0105	5320-10AG3	15-29-3102	5320-10AG2	15-29-3101	5320-10AG1							12																																																																																																																																																																																																																																																																																																																																																																																																																																																																
EDP NO.	ENG. NO.	EDP NO.	ENG. NO.	EDP NO.	ENG. NO.	EDP NO.	ENG. NO.	EDP NO.	ENG. NO.	EDP NO.	ENG. NO.	EDP NO.	ENG. NO.	NO. OF CKTS.																																																																																																																																																																																																																																																																																																																																																																																																																																																																
5320-NAT2	-LEAD FREE-	5320-NAG3	5320-NAG2	5320-NAG1	5320-NAG4	5320-NAG3	5320-NAG2	5320-NAG1	5320-NAG4	5320-NAG3	5320-NAG2	5320-NAG1	5320-NAG4	NO. OF CKTS.																																																																																																																																																																																																																																																																																																																																																																																																																																																																
C	<table><tr><td rowspan="5">REVISED EC NO.: J2013-0569 DRAWN: KIMATSUYAMA CHKD: KASAKAWA APPR: YO ITO</td><td rowspan="5">DESCRIPTION 2012/12/04 2012/12/18 2012/12/19</td><td colspan="2">GENERAL TOLERANCES (UNLESS SPECIFIED)</td><td colspan="2">DIMENSION STYLE MM ONLY</td><td>SCALE 4:1</td><td>DESIGN UNITS METRIC</td><td colspan="2">THIRD ANGLE PROJECTION</td></tr><tr><td>10 UNDER</td><td>± 0.2</td><td>DRAWN BY SMATSUZAKI</td><td>DATE 1997/04/23</td><td colspan="3" rowspan="2">QIK FLECS FEMALE ASSY</td></tr><tr><td>10 OVER 30 UNDER</td><td>± 0.25</td><td>CHECKED BY KTOJO</td><td>DATE 1997/10/13</td></tr><tr><td>30 OVER</td><td>± 0.3</td><td>APPROVED BY YO ITO</td><td>DATE 2012/12/19</td><td colspan="3" rowspan="2">molex</td></tr><tr><td colspan="2">ANGULAR ±3 °</td><td colspan="2">MATERIAL NO.</td><td>DOCUMENT NO.</td><td>SHEET NO.</td></tr><tr><td colspan="2">DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS</td><td colspan="2">SEE CHART</td><td colspan="2">SD-5320-001</td><td colspan="2">2 OF 2</td></tr><tr><td colspan="2"></td><td colspan="2">SIZE A3</td><td colspan="6">THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION</td></tr></table>											REVISED EC NO.: J2013-0569 DRAWN: KIMATSUYAMA CHKD: KASAKAWA APPR: YO ITO	DESCRIPTION 2012/12/04 2012/12/18 2012/12/19	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE 4:1	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION		10 UNDER	± 0.2	DRAWN BY SMATSUZAKI	DATE 1997/04/23	QIK FLECS FEMALE ASSY			10 OVER 30 UNDER	± 0.25	CHECKED BY KTOJO	DATE 1997/10/13	30 OVER	± 0.3	APPROVED BY YO ITO	DATE 2012/12/19	molex			ANGULAR ±3 °		MATERIAL NO.		DOCUMENT NO.	SHEET NO.	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SEE CHART		SD-5320-001		2 OF 2				SIZE A3		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION						C																																																																																																																																																																																																																																																																																																																																																																																																														
REVISED EC NO.: J2013-0569 DRAWN: KIMATSUYAMA CHKD: KASAKAWA APPR: YO ITO	DESCRIPTION 2012/12/04 2012/12/18 2012/12/19	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE 4:1	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
		10 UNDER	± 0.2	DRAWN BY SMATSUZAKI	DATE 1997/04/23	QIK FLECS FEMALE ASSY																																																																																																																																																																																																																																																																																																																																																																																																																																																																								
		10 OVER 30 UNDER	± 0.25	CHECKED BY KTOJO	DATE 1997/10/13																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
		30 OVER	± 0.3	APPROVED BY YO ITO	DATE 2012/12/19	molex																																																																																																																																																																																																																																																																																																																																																																																																																																																																								
		ANGULAR ±3 °		MATERIAL NO.					DOCUMENT NO.	SHEET NO.																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SEE CHART		SD-5320-001		2 OF 2																																																																																																																																																																																																																																																																																																																																																																																																																																																																								
		SIZE A3		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																																																																																																																																																																																																																																																																																																																																																																																																																																																																										
B	<table><tr><td rowspan="5">REVISED EC NO.: J2013-0569 DRAWN: KIMATSUYAMA CHKD: KASAKAWA APPR: YO ITO</td><td rowspan="5">DESCRIPTION 2012/12/04 2012/12/18 2012/12/19</td><td colspan="2">GENERAL TOLERANCES (UNLESS SPECIFIED)</td><td colspan="2">DIMENSION STYLE MM ONLY</td><td>SCALE 4:1</td><td>DESIGN UNITS METRIC</td><td colspan="2">THIRD ANGLE PROJECTION</td></tr><tr><td>10 UNDER</td><td>± 0.2</td><td>DRAWN BY SMATSUZAKI</td><td>DATE 1997/04/23</td><td colspan="3" rowspan="2">QIK FLECS FEMALE ASSY</td></tr><tr><td>10 OVER 30 UNDER</td><td>± 0.25</td><td>CHECKED BY KTOJO</td><td>DATE 1997/10/13</td></tr><tr><td>30 OVER</td><td>± 0.3</td><td>APPROVED BY YO ITO</td><td>DATE 2012/12/19</td><td colspan="3" rowspan="2">molex</td></tr><tr><td colspan="2">ANGULAR ±3 °</td><td colspan="2">MATERIAL NO.</td><td>DOCUMENT NO.</td><td>SHEET NO.</td></tr><tr><td colspan="2">DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS</td><td colspan="2">SEE CHART</td><td colspan="2">SD-5320-001</td><td colspan="2">2 OF 2</td></tr><tr><td colspan="2"></td><td colspan="2">SIZE A3</td><td colspan="6">THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION</td></tr></table>											REVISED EC NO.: J2013-0569 DRAWN: KIMATSUYAMA CHKD: KASAKAWA APPR: YO ITO	DESCRIPTION 2012/12/04 2012/12/18 2012/12/19	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE 4:1	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION		10 UNDER	± 0.2	DRAWN BY SMATSUZAKI	DATE 1997/04/23	QIK FLECS FEMALE ASSY			10 OVER 30 UNDER	± 0.25	CHECKED BY KTOJO	DATE 1997/10/13	30 OVER	± 0.3	APPROVED BY YO ITO	DATE 2012/12/19	molex			ANGULAR ±3 °		MATERIAL NO.		DOCUMENT NO.	SHEET NO.	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SEE CHART		SD-5320-001		2 OF 2				SIZE A3		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION						B																																																																																																																																																																																																																																																																																																																																																																																																														
REVISED EC NO.: J2013-0569 DRAWN: KIMATSUYAMA CHKD: KASAKAWA APPR: YO ITO	DESCRIPTION 2012/12/04 2012/12/18 2012/12/19	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE 4:1	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
		10 UNDER	± 0.2	DRAWN BY SMATSUZAKI	DATE 1997/04/23	QIK FLECS FEMALE ASSY																																																																																																																																																																																																																																																																																																																																																																																																																																																																								
		10 OVER 30 UNDER	± 0.25	CHECKED BY KTOJO	DATE 1997/10/13																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
		30 OVER	± 0.3	APPROVED BY YO ITO	DATE 2012/12/19	molex																																																																																																																																																																																																																																																																																																																																																																																																																																																																								
		ANGULAR ±3 °		MATERIAL NO.					DOCUMENT NO.	SHEET NO.																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SEE CHART		SD-5320-001		2 OF 2																																																																																																																																																																																																																																																																																																																																																																																																																																																																								
		SIZE A3		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																																																																																																																																																																																																																																																																																																																																																																																																																																																																										
A	<table><tr><td rowspan="5">REVISED EC NO.: J2013-0569 DRAWN: KIMATSUYAMA CHKD: KASAKAWA APPR: YO ITO</td><td rowspan="5">DESCRIPTION 2012/12/04 2012/12/18 2012/12/19</td><td colspan="2">GENERAL TOLERANCES (UNLESS SPECIFIED)</td><td colspan="2">DIMENSION STYLE MM ONLY</td><td>SCALE 4:1</td><td>DESIGN UNITS METRIC</td><td colspan="2">THIRD ANGLE PROJECTION</td></tr><tr><td>10 UNDER</td><td>± 0.2</td><td>DRAWN BY SMATSUZAKI</td><td>DATE 1997/04/23</td><td colspan="3" rowspan="2">QIK FLECS FEMALE ASSY</td></tr><tr><td>10 OVER 30 UNDER</td><td>± 0.25</td><td>CHECKED BY KTOJO</td><td>DATE 1997/10/13</td></tr><tr><td>30 OVER</td><td>± 0.3</td><td>APPROVED BY YO ITO</td><td>DATE 2012/12/19</td><td colspan="3" rowspan="2">molex</td></tr><tr><td colspan="2">ANGULAR ±3 °</td><td colspan="2">MATERIAL NO.</td><td>DOCUMENT NO.</td><td>SHEET NO.</td></tr><tr><td colspan="2">DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS</td><td colspan="2">SEE CHART</td><td colspan="2">SD-5320-001</td><td colspan="2">2 OF 2</td></tr><tr><td colspan="2"></td><td colspan="2">SIZE A3</td><td colspan="6">THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION</td></tr></table>											REVISED EC NO.: J2013-0569 DRAWN: KIMATSUYAMA CHKD: KASAKAWA APPR: YO ITO	DESCRIPTION 2012/12/04 2012/12/18 2012/12/19	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE 4:1	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION		10 UNDER	± 0.2	DRAWN BY SMATSUZAKI	DATE 1997/04/23	QIK FLECS FEMALE ASSY			10 OVER 30 UNDER	± 0.25	CHECKED BY KTOJO	DATE 1997/10/13	30 OVER	± 0.3	APPROVED BY YO ITO	DATE 2012/12/19	molex			ANGULAR ±3 °		MATERIAL NO.		DOCUMENT NO.	SHEET NO.	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SEE CHART		SD-5320-001		2 OF 2				SIZE A3		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION						A																																																																																																																																																																																																																																																																																																																																																																																																														
REVISED EC NO.: J2013-0569 DRAWN: KIMATSUYAMA CHKD: KASAKAWA APPR: YO ITO	DESCRIPTION 2012/12/04 2012/12/18 2012/12/19	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE 4:1	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
		10 UNDER	± 0.2	DRAWN BY SMATSUZAKI	DATE 1997/04/23	QIK FLECS FEMALE ASSY																																																																																																																																																																																																																																																																																																																																																																																																																																																																								
		10 OVER 30 UNDER	± 0.25	CHECKED BY KTOJO	DATE 1997/10/13																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
		30 OVER	± 0.3	APPROVED BY YO ITO	DATE 2012/12/19	molex																																																																																																																																																																																																																																																																																																																																																																																																																																																																								
		ANGULAR ±3 °		MATERIAL NO.					DOCUMENT NO.	SHEET NO.																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SEE CHART		SD-5320-001		2 OF 2																																																																																																																																																																																																																																																																																																																																																																																																																																																																								
		SIZE A3		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																																																																																																																																																																																																																																																																																																																																																																																																																																																																										
	10	9	8	7	6	5	4	3	2	1																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
tb_frame_A3_J_AM_S Rev G 2012/01/25																																																																																																																																																																																																																																																																																																																																																																																																																																																																														

10

9

8

7

6






5

4

3

2

1



⊕ 0.6 (.024)	Y
⊕ 0.3 (.012)	Z

NOTES

1. MATERIAL

HOUSING : G.F. 15% PBTP (UL94V-0)

TERMINAL : PHOSPHOR BRONZE

2. FOR USE WITH AWG#26 & #28 STRANDED WIRE (CONSISTS OF 7 CONDUCTORS) AND #28 SOLID WIRE.

1.14(.045) DIA. MAX. INSULATION RIBBON CABLE WITH 1.27(.050) CENTERS.

3. MATES WITH STRAIN RELIEF OF 5328 SERIES.

4. MATES WITH CONNECTOR SERIES OF 5330,5332,5340,5342,5576 & 5578.

5. LEGEND

5320 - N A * - *

BASE NUMBER _____ MATERIAL COLOR _____

CIRCUIT SIZE _____ BLANK : BLACK

UNLOADED UPPER HOUSING _____ GY : GREY

PLATING CODE OF TERMINAL _____

CODE : *	Δ MARK COLOR	CONTACT AREA PLATE	I. D. AREA PLATE	UNDER PLATE
GS1	YELLOW	GOLD 0.1μm(4μ") MIN.	TIN-LEAD 1 μm(39μ") MIN.	NICKEL 1 μm(39μ") MIN.
GS3	BLUE	GOLD 0.25μm(10μ") MIN.	TIN 1 μm(39μ") MIN.	
LEAD FREE GS17F	YELLOW	GOLD 0.1μm(4μ") MIN.		
LEAD FREE GS37F	BLUE	GOLD 0.25μm(10μ") MIN.		
LEAD FREE T2	BLACK	TIN 0.9μm(35μ") MIN. REFLOW (PRE-PLATED)	WITHOUT	WITHOUT

64	78.74 (3.100)	82.54 (3.250)	82.71 (3.256)	85.91 (3.382)
60	73.66 (2.900)	77.46 (3.050)	77.63 (3.056)	80.83 (3.182)
50	60.96 (2.400)	64.76 (2.550)	64.93 (2.556)	68.13 (2.682)
40	48.26 (1.900)	52.06 (2.050)	52.23 (2.056)	55.43 (2.182)
34	40.64 (1.600)	44.44 (1.750)	44.61 (1.756)	47.81 (1.882)
30	35.56 (1.400)	39.36 (1.550)	39.53 (1.556)	42.73 (1.682)
26	30.48 (1.200)	34.28 (1.350)	34.45 (1.356)	37.65 (1.482)
20	22.86 (.900)	26.66 (1.050)	26.83 (1.056)	30.03 (1.182)
16	17.78 (.700)	21.58 (.850)	21.75 (.856)	24.95 (.982)
14	15.24 (.600)	19.04 (.750)	19.21 (.756)	22.41 (.882)
12	12.70 (.500)	16.50 (.650)	16.67 (.656)	19.87 (.782)
10	10.16 (.400)	13.96 (.550)	14.13 (.556)	17.33 (.682)
NO. OF CKTS.	DIM. A	DIM. B	DIM. C	DIM. D

REVISED EC NO: J2013-0569 DRWN:KATSUYAMA 2012/11/16 CHKD:KASAKAWA 2012/12/18 APPR:YOITO 2012/12/19	DESCRIPTION	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE 4:1	DESIGN UNITS METRIC	 THIRD ANGLE PROJECTION	
		10 UNDER	± 0.2	DRAWN BY HIRAMOTO	DATE 1990/07/11	TITLE QIK FLECS FEMALE ASSY ENGLISH ONLY			
		10 OVER 30 UNDER	± 0.25	CHECKED BY MSASAO	DATE				
		30 OVER	± 0.3	APPROVED BY YOITO	DATE 2012/12/19				
		ANGULAR ±3 °		MATERIAL NO.					DOCUMENT NO.
	REV	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SEE SHEET 2		SD-5320-002			1 OF 2
		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION							

fb_frame_A3_J_AM_S
Rev G 2012/01/25

	10	9	8	7	6	5	4	3	2	1																																																				
F												F																																																		
E												E																																																		
D												D																																																		
C												C																																																		
B												B																																																		
A												A																																																		
<table><tr><td rowspan="10">REVISED EC NO: J2006-0712 DRAWN:AYANAGI MOTO 2005/10/03 CHKD:MTANAKA 2005/10/06 APPR:NUKI TA 2005/10/14 K</td><td rowspan="10">DESCRIPTION REV</td><td colspan="2">GENERAL TOLERANCES (UNLESS SPECIFIED)</td><td colspan="2">DIMENSION STYLE MM ONLY</td><td>SCALE 4:1</td><td>DESIGN UNITS METRIC</td><td colspan="2">THIRD ANGLE PROJECTION</td></tr><tr><td>10 UNDER</td><td>±0.2</td><td>DRAWN BY HHIRAMOTO</td><td>DATE 1990/07/11</td><td colspan="4" rowspan="2">QIK FLECS FEMALE ASSY ENGLISH ONLY</td></tr><tr><td>10 OVER 30 UNDER</td><td>±0.25</td><td>CHECKED BY MSASAO</td><td>DATE</td></tr><tr><td>30 OVER</td><td>±0.3</td><td>APPROVED BY HIKESUGI</td><td>DATE</td><td colspan="4" rowspan="2">MOLEX INCORPORATED</td></tr><tr><td>ANGULAR</td><td>±3 °</td><td colspan="2">MATERIAL NO.</td><td>DOCUMENT NO.</td><td>SHEET NO.</td></tr><tr><td colspan="2">DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS</td><td colspan="2">SEE CHART</td><td colspan="2">SD-5320-002</td><td>2 OF 2</td></tr><tr><td colspan="2"></td><td colspan="2">SIZE A3</td><td colspan="4">THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION</td></tr></table>												REVISED EC NO: J2006-0712 DRAWN:AYANAGI MOTO 2005/10/03 CHKD:MTANAKA 2005/10/06 APPR:NUKI TA 2005/10/14 K	DESCRIPTION REV	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE 4:1	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION		10 UNDER	±0.2	DRAWN BY HHIRAMOTO	DATE 1990/07/11	QIK FLECS FEMALE ASSY ENGLISH ONLY				10 OVER 30 UNDER	±0.25	CHECKED BY MSASAO	DATE	30 OVER	±0.3	APPROVED BY HIKESUGI	DATE	MOLEX INCORPORATED				ANGULAR	±3 °	MATERIAL NO.		DOCUMENT NO.	SHEET NO.	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SEE CHART		SD-5320-002		2 OF 2			SIZE A3		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION			
REVISED EC NO: J2006-0712 DRAWN:AYANAGI MOTO 2005/10/03 CHKD:MTANAKA 2005/10/06 APPR:NUKI TA 2005/10/14 K	DESCRIPTION REV	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE 4:1	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION																																																						
		10 UNDER	±0.2	DRAWN BY HHIRAMOTO	DATE 1990/07/11	QIK FLECS FEMALE ASSY ENGLISH ONLY																																																								
		10 OVER 30 UNDER	±0.25	CHECKED BY MSASAO	DATE																																																									
		30 OVER	±0.3	APPROVED BY HIKESUGI	DATE	MOLEX INCORPORATED																																																								
		ANGULAR	±3 °	MATERIAL NO.						DOCUMENT NO.	SHEET NO.																																																			
		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SEE CHART		SD-5320-002		2 OF 2																																																						
				SIZE A3		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																																																								
		tb_frame_A3_J_ME_S Rev. D 2004/04/02																																																												
			9	8	7	6	5	4	3	2	EN-02JA(021)																																																			

注記

- 材料 ハウジング : ガラス繊維 15% 入り PBTP (UL94V-0), 黒色
ターミナル : リン青銅
- 適用電線 : 1.27 ピッチリボンケーブル 被覆外径 : $\varnothing 1.14$ MAX.
より線 : AWG#26 ~ #28 (芯線 7 本構成)
単線 : AWG#28
- 適合ストレインリリーフ : 5328-N
- 嵌合相手 : 5330, 5332, 5340, 5342 シリーズ
- 使用符号の説明

5320 - N A *

ベースナンバー _____






極数 _____

アッパーハウジング分離タイプ _____

ターミナルのメッキコード _____

コード:*	△マークの色	接点部メッキ	圧接部メッキ	下地メッキ
GS1	黄	金 $0.1\mu\text{m}$ MIN.	半田 $1\mu\text{m}$ MIN.	ニッケル $1\mu\text{m}$ MIN.
GS3	青	金 $0.25\mu\text{m}$ MIN.		
LEAD FREE GS17F	黄	金 $0.1\mu\text{m}$ MIN.	錫 $1\mu\text{m}$ MIN.	
LEAD FREE GS37F	青	金 $0.25\mu\text{m}$ MIN.		
LEAD FREE T2	黒	錫 $0.9\mu\text{m}$ MIN. リフロー処理 (前メッキ)	—	—

60	73.66	77.46	77.63	80.83
50	60.96	64.76	64.93	68.13
40	48.26	52.06	52.23	55.43
34	40.64	44.44	44.61	47.81
30	35.56	39.36	39.53	42.73
26	30.48	34.28	34.45	37.65
20	22.86	26.66	26.83	30.03
16	17.78	21.58	21.75	24.95
14	15.24	19.04	19.21	22.41
10	10.16	13.96	14.13	17.33
極数	A 寸法	B 寸法	C 寸法	D 寸法



0.6	Y
0.3	Z

REVISED EC NO: J2013-0569 DRW:KMATSUYAMA 2012/12/04 CHK:D.KASAKAWA 2012/12/18 APPR:Y01TO 2012/12/19	DESCRIPTION	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE 4:1	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION		
		10 UNDER	±0.2	H.HIRAMOTO	DATE 1990/07/10	TITLE QIK FLECS FEMALE ASSY				
		10 OVER 30 UNDER	±0.25	CHECKED BY M.SASAO	DATE					
		30 OVER	±0.3	APPROVED BY Y01TO	DATE 2012/12/19	molex				
		ANGULAR ±3 °		MATERIAL NO.						
	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SEE SHEET 2		SD-5320-007			1 OF 2		
REV				SIZE A3	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION					

tb_frame_A3_J_AM_S
Rev G 2012/01/25