$V_{\rm S}$

 $V_{\rm DS(AZ)max}$



Smart Octal Low-Side Switch Features

Product Summary

Supply voltage

On resistance

Drain source clamping voltage



60

8.0

4.5 - 5.5 V



V

Ω

- Protection
 - Overload, short circuit Overtemperature Overvoltage
- Low Quiescent Current< 10µA
- 16 bit SPI (for Daisychain)
- Direct Parallel Control of Four Channels
- ♦ PWM input (demux)
- ♦ Parallel Inputs High or Low Active Programmable
- Programmable functions

Boolean operation

Overload behavior

Overtemperature behavior

Switching time

- ♦ General Fault Flag
- Digital Ports Compatible to 5V and 3,3 V Micro Controllers
- ◆ Electrostatic Discharge (ESD) Protection
- Full reverse current capability without latch up
- ♦ Green Product (RoHS compliant)
- AEC qualified


Application

- µC-compatible 8-channel low-side switch
- Switch for Automotive and Industrial Applications
- Solenoids, Relays and Resistive Loads

General description

The TLE 7230 R is an Octal Low-Side Switch in Smart Power Technology (SPT) with a Serial Peripheral Interface (SPI) and eight open drain DMOS output stages. It is protected by embedded protection functions and designed for automotive and industrial applications. The output stages are controlled via an SPI Interface. Additionally, four channels can be controlled in parallel for PWM applications. These features make the TLE 7230 R particularly suitable for engine management and body systems.

Detailed Block Diagram





Power PG-DSO 36-47



Power SO 36 package

Pin Description

1 GND Ground 2 NC not connected 3 NC not connected 4 OUT1 Output Channel 1 5 OUT2 Output Channel 2 6 IN1 Input Channel 1 7 IN2 Input Channel 2 8 VS Supply Voltage 9 Reset Reset 10 CS Chip Select 11 PRG Program 12 IN3 Input Channel 3 13 IN4 Input Channel 3 14 OUT3 Output Channel 3 15 OUT4 Output Channel 4 16 NC not connected 17 NC not connected 18 GND Ground 19 GND Ground 20 NC not connected 21 NC not connected 22 OUT5 Output Channel 5 23 OUT6 Output Channel 6 24 NC not connected 25 VDO Supply for digital Outputs 26 Fault General Fault Flag 27 SO Serial Data Output 28 SCLK Serial Clock 29 SI Serial Data Input 30 NC not connected 31 NC not connected 32 OUT7 Output Channel 7 33 OUT8 Output Channel 7 33 OUT8 Output Channel 8 34 NC not connected	Pin	Symbol	Function
NC not connected NC not connected OUT1 Output Channel 1 DUT2 Output Channel 2 IN1 Input Channel 1 IN2 Input Channel 2 Supply Voltage Reset Reset Chip Select Input Channel 3 Input Channel 3 Input Channel 3 Input Channel 3 Input Channel 4 OUT3 Input Channel 3 Input Channel 4 OUT3 Output Channel 3 IN4 Input Channel 3 IN5 OUT4 Output Channel 4 INC not connected INC NC N		_	
3 NC not connected 4 OUT1 Output Channel 1 5 OUT2 Output Channel 2 6 IN1 Input Channel 1 7 IN2 Input Channel 2 8 VS Supply Voltage 9 Reset Reset 10 CS Chip Select 11 PRG Program 12 IN3 Input Channel 3 13 IN4 Input Channel 3 14 OUT3 Output Channel 3 15 OUT4 Output Channel 4 16 NC not connected 17 NC not connected 18 GND Ground 19 GND Ground 20 NC not connected 21 NC not connected 22 OUT5 Output Channel 5 23 OUT6 Output Channel 6 24 NC not connected 25 VDO Supply for digital Outputs 26 Fault General Fault Flag 27 SO Serial Data Output 28 SCLK Serial Clock 29 SI Serial Data Input 30 NC not connected 31 NC not connected 32 OUT7 Output Channel 7 33 OUT8 Output Channel 7 34 NC not connected			
4 OUT1 Output Channel 1 5 OUT2 Output Channel 2 6 IN1 Input Channel 1 7 IN2 Input Channel 2 8 VS Supply Voltage 9 Reset Reset 10 CS Chip Select 11 PRG Program 12 IN3 Input Channel 3 13 IN4 Input Channel 3 14 OUT3 Output Channel 3 15 OUT4 Output Channel 4 16 NC not connected 17 NC not connected 18 GND Ground 19 GND Ground 20 NC not connected 21 NC not connected 22 OUT5 Output Channel 5 23 OUT6 Output Channel 6 24 NC not connected 25 VDO Supply for digital Outputs 26 Fault General Fault Flag 27 SO Serial Data Output 28 SCLK Serial Clock 29 SI Serial Data Input 30 NC not connected 31 NC not connected 32 OUT7 Output Channel 7 33 OUT8 Output Channel 7 33 OUT8 Output Channel 8 34 NC not connected			
5 OUT2 Output Channel 2 6 IN1 Input Channel 1 7 IN2 Input Channel 2 8 VS Supply Voltage 9 Reset Reset 10 CS Chip Select 11 PRG Program 12 IN3 Input Channel 3 13 IN4 Input Channel 3 14 OUT3 Output Channel 3 15 OUT4 Output Channel 4 16 NC not connected 17 NC not connected 18 GND Ground 19 GND Ground 20 NC not connected 21 NC not connected 22 OUT5 Output Channel 5 23 OUT6 Output Channel 6 24 NC not connected 25 VDO Supply for digital Outputs 26 Fault General Fault Flag 27 SO Serial Data Output 28 SCLK Serial Clock 29 SI Serial Data Input 30 NC not connected 31 NC not connected 32 OUT7 Output Channel 7 33 OUT8 Output Channel 7 33 OUT8 Output Channel 8 34 NC not connected			
6 IN1 Input Channel 1 7 IN2 Input Channel 2 8 VS Supply Voltage 9 Reset Reset 10 CS Chip Select 11 PRG Program 12 IN3 Input Channel 3 13 IN4 Input Channel 4 14 OUT3 Output Channel 3 15 OUT4 Output Channel 4 16 NC not connected 17 NC not connected 18 GND Ground 19 GND Ground 20 NC not connected 21 NC not connected 22 OUT5 Output Channel 5 23 OUT6 Output Channel 6 24 NC not connected 25 VDO Supply for digital Outputs 26 Fault General Fault Flag 27 SO Serial Data Output 28 SCLK Serial Clock 29 SI Serial Data Input 30 NC not connected 31 NC not connected 32 OUT7 Output Channel 7 33 OUT8 Output Channel 7 33 OUT8 Output Channel 8 34 NC not connected			·
7 IN2 Input Channel 2 8 VS Supply Voltage 9 Reset Reset 10 CS Chip Select 11 PRG Program 12 IN3 Input Channel 3 13 IN4 Input Channel 4 14 OUT3 Output Channel 3 15 OUT4 Output Channel 4 16 NC not connected 17 NC not connected 18 GND Ground 19 GND Ground 20 NC not connected 21 NC not connected 22 OUT5 Output Channel 5 23 OUT6 Output Channel 6 24 NC not connected 25 VDO Supply for digital Outputs 26 Fault General Fault Flag 27 SO Serial Data Output 28 SCLK Serial Clock 29 SI Serial Data Input 30 NC not connected 31 NC not connected 32 OUT7 Output Channel 7 33 OUT8 Output Channel 7 33 OUT8 Output Channel 8 34 NC not connected			-
8 VS Supply Voltage 9 Reset Reset 10 CS Chip Select 11 PRG Program 12 IN3 Input Channel 3 13 IN4 Input Channel 4 14 OUT3 Output Channel 3 15 OUT4 Output Channel 4 16 NC not connected 17 NC not connected 18 GND Ground 19 GND Ground 20 NC not connected 21 NC not connected 22 OUT5 Output Channel 5 23 OUT6 Output Channel 6 24 NC not connected 25 VDO Supply for digital Outputs 26 Fault General Fault Flag 27 SO Serial Data Output 28 SCLK Serial Clock 29 SI Serial Data Input 30 NC not connected 31 NC not connected 32 OUT7 Output Channel 7 33 OUT8 Output Channel 7 33 OUT8 Output Channel 8 34 NC not connected			•
9 Reset Reset 10 CS Chip Select 11 PRG Program 12 IN3 Input Channel 3 13 IN4 Input Channel 4 14 OUT3 Output Channel 3 15 OUT4 Output Channel 4 16 NC not connected 17 NC not connected 18 GND Ground 19 GND Ground 20 NC not connected 21 NC not connected 22 OUT5 Output Channel 5 23 OUT6 Output Channel 6 24 NC not connected 25 VDO Supply for digital Outputs 26 Fault General Fault Flag 27 SO Serial Data Output 28 SCLK Serial Clock 29 SI Serial Data Input 30 NC not connected 31 NC not connected 32 OUT7 Output Channel 7 33 OUT8 Output Channel 8 34 NC not connected			-
10 CS Chip Select 11 PRG Program 12 IN3 Input Channel 3 13 IN4 Input Channel 4 14 OUT3 Output Channel 3 15 OUT4 Output Channel 4 16 NC not connected 17 NC not connected 18 GND Ground 19 GND Ground 20 NC not connected 21 NC not connected 22 OUT5 Output Channel 5 23 OUT6 Output Channel 6 24 NC not connected 25 VDO Supply for digital Outputs 26 Fault General Fault Flag 27 SO Serial Data Output 28 SCLK Serial Clock 29 SI Serial Data Input 30 NC not connected 31 NC not connected 32 OUT7 Output Channel 7 33 OUT8 Output Channel 8 34 NC not connected			
11 PRG Program 12 IN3 Input Channel 3 13 IN4 Input Channel 4 14 OUT3 Output Channel 3 15 OUT4 Output Channel 4 16 NC not connected 17 NC not connected 18 GND Ground 19 GND Ground 20 NC not connected 21 NC not connected 22 OUT5 Output Channel 5 23 OUT6 Output Channel 6 24 NC not connected 25 VDO Supply for digital Outputs 26 Fault General Fault Flag 27 SO Serial Data Output 28 SCLK Serial Clock 29 SI Serial Data Input 30 NC not connected 31 NC not connected 32 OUT7 Output Channel 7 33 OUT8 Output Channel 8 34 NC not connected			
12 IN3 Input Channel 3 13 IN4 Input Channel 4 14 OUT3 Output Channel 3 15 OUT4 Output Channel 4 16 NC not connected 17 NC not connected 18 GND Ground 19 GND Ground 20 NC not connected 21 NC not connected 22 OUT5 Output Channel 5 23 OUT6 Output Channel 6 24 NC not connected 25 VDO Supply for digital Outputs 26 Fault General Fault Flag 27 SO Serial Data Output 28 SCLK Serial Clock 29 SI Serial Data Input 30 NC not connected 31 NC not connected 32 OUT7 Output Channel 7 33 OUT8 Output Channel 8 34 NC not connected			·
13 IN4 Input Channel 4 14 OUT3 Output Channel 3 15 OUT4 Output Channel 4 16 NC not connected 17 NC not connected 18 GND Ground 19 GND Ground 20 NC not connected 21 NC not connected 22 OUT5 Output Channel 5 23 OUT6 Output Channel 6 24 NC not connected 25 VDO Supply for digital Outputs 26 Fault General Fault Flag 27 SO Serial Data Output 28 SCLK Serial Clock 29 SI Serial Data Input 30 NC not connected 31 NC not connected 32 OUT7 Output Channel 7 33 OUT8 Output Channel 8 34 NC not connected			
14 OUT3 Output Channel 3 15 OUT4 Output Channel 4 16 NC not connected 17 NC not connected 18 GND Ground 19 GND Ground 20 NC not connected 21 NC not connected 22 OUT5 Output Channel 5 23 OUT6 Output Channel 6 24 NC not connected 25 VDO Supply for digital Outputs 26 Fault General Fault Flag 27 SO Serial Data Output 28 SCLK Serial Clock 29 SI Serial Data Input 30 NC not connected 31 NC not connected 32 OUT7 Output Channel 7 33 OUT8 Output Channel 8 34 NC not connected			-
15 OUT4 Output Channel 4 16 NC not connected 17 NC not connected 18 GND Ground 19 GND Ground 20 NC not connected 21 NC not connected 22 OUT5 Output Channel 5 23 OUT6 Output Channel 6 24 NC not connected 25 VDO Supply for digital Outputs 26 Fault General Fault Flag 27 SO Serial Data Output 28 SCLK Serial Clock 29 SI Serial Data Input 30 NC not connected 31 NC not connected 32 OUT7 Output Channel 7 33 OUT8 Output Channel 8 34 NC not connected			
16 NC not connected 17 NC not connected 18 GND Ground 19 GND Ground 20 NC not connected 21 NC not connected 22 OUT5 Output Channel 5 23 OUT6 Output Channel 6 24 NC not connected 25 VDO Supply for digital Outputs 26 Fault General Fault Flag 27 SO Serial Data Output 28 SCLK Serial Clock 29 SI Serial Data Input 30 NC not connected 31 NC not connected 32 OUT7 Output Channel 7 33 OUT8 Output Channel 8 34 NC not connected			
17 NC not connected 18 GND Ground 19 GND Ground 20 NC not connected 21 NC not connected 22 OUT5 Output Channel 5 23 OUT6 Output Channel 6 24 NC not connected 25 VDO Supply for digital Outputs 26 Fault General Fault Flag 27 SO Serial Data Output 28 SCLK Serial Clock 29 SI Serial Data Input 30 NC not connected 31 NC not connected 32 OUT7 Output Channel 7 33 OUT8 Output Channel 8 34 NC not connected			·
18 GND Ground 19 GND Ground 20 NC not connected 21 NC not connected 22 OUT5 Output Channel 5 23 OUT6 Output Channel 6 24 NC not connected 25 VDO Supply for digital Outputs 26 Fault General Fault Flag 27 SO Serial Data Output 28 SCLK Serial Clock 29 SI Serial Data Input 30 NC not connected 31 NC not connected 32 OUT7 Output Channel 7 33 OUT8 Output Channel 8 34 NC not connected			
19 GND Ground 20 NC not connected 21 NC not connected 22 OUT5 Output Channel 5 23 OUT6 Output Channel 6 24 NC not connected 25 VDO Supply for digital Outputs 26 Fault General Fault Flag 27 SO Serial Data Output 28 SCLK Serial Clock 29 SI Serial Data Input 30 NC not connected 31 NC not connected 32 OUT7 Output Channel 7 33 OUT8 Output Channel 8 34 NC not connected			
20 NC not connected 21 NC not connected 22 OUT5 Output Channel 5 23 OUT6 Output Channel 6 24 NC not connected 25 VDO Supply for digital Outputs 26 Fault General Fault Flag 27 SO Serial Data Output 28 SCLK Serial Clock 29 SI Serial Data Input 30 NC not connected 31 NC not connected 31 NC not connected 32 OUT7 Output Channel 7 33 OUT8 Output Channel 8 34 NC not connected			
21 NC not connected 22 OUT5 Output Channel 5 23 OUT6 Output Channel 6 24 NC not connected 25 VDO Supply for digital Outputs 26 Fault General Fault Flag 27 SO Serial Data Output 28 SCLK Serial Clock 29 SI Serial Data Input 30 NC not connected 31 NC not connected 32 OUT7 Output Channel 7 33 OUT8 Output Channel 8 34 NC not connected			
22 OUT5 Output Channel 5 23 OUT6 Output Channel 6 24 NC not connected 25 VDO Supply for digital Outputs 26 Fault General Fault Flag 27 SO Serial Data Output 28 SCLK Serial Clock 29 SI Serial Data Input 30 NC not connected 31 NC not connected 31 NC output Channel 7 33 OUT8 Output Channel 8 34 NC not connected			not connected
23 OUT6 Output Channel 6 24 NC not connected 25 VDO Supply for digital Outputs 26 Fault General Fault Flag 27 SO Serial Data Output 28 SCLK Serial Clock 29 SI Serial Data Input 30 NC not connected 31 NC not connected 32 OUT7 Output Channel 7 33 OUT8 Output Channel 8 34 NC not connected			
24NCnot connected25VDOSupply for digital Outputs26FaultGeneral Fault Flag27SOSerial Data Output28SCLKSerial Clock29SISerial Data Input30NCnot connected31NCnot connected32OUT7Output Channel 733OUT8Output Channel 834NCnot connected		OUT5	Output Channel 5
25 VDO Supply for digital Outputs 26 Fault General Fault Flag 27 SO Serial Data Output 28 SCLK Serial Clock 29 SI Serial Data Input 30 NC not connected 31 NC not connected 32 OUT7 Output Channel 7 33 OUT8 Output Channel 8 34 NC not connected			Output Channel 6
Outputs 26 Fault General Fault Flag 27 SO Serial Data Output 28 SCLK Serial Clock 29 SI Serial Data Input 30 NC not connected 31 NC not connected 32 OUT7 Output Channel 7 33 OUT8 Output Channel 8 34 NC not connected	24		not connected
27 SO Serial Data Output 28 SCLK Serial Clock 29 SI Serial Data Input 30 NC not connected 31 NC not connected 32 OUT7 Output Channel 7 33 OUT8 Output Channel 8 34 NC not connected	25	VDO	
28 SCLK Serial Clock 29 SI Serial Data Input 30 NC not connected 31 NC not connected 32 OUT7 Output Channel 7 33 OUT8 Output Channel 8 34 NC not connected	26	Fault	General Fault Flag
29 SI Serial Data Input 30 NC not connected 31 NC not connected 32 OUT7 Output Channel 7 33 OUT8 Output Channel 8 34 NC not connected	27	SO	Serial Data Output
30 NC not connected 31 NC not connected 32 OUT7 Output Channel 7 33 OUT8 Output Channel 8 34 NC not connected	28	SCLK	Serial Clock
 31 NC not connected 32 OUT7 Output Channel 7 33 OUT8 Output Channel 8 34 NC not connected 	29	SI	Serial Data Input
32 OUT7 Output Channel 7 33 OUT8 Output Channel 8 34 NC not connected	30	NC	not connected
33 OUT8 Output Channel 8 34 NC not connected	31	NC	not connected
34 NC not connected	32	OUT7	Output Channel 7
34 NC not connected	33	OUT8	•
	34	NC	•
	35	NC	not connected
36 GND Ground	36	GND	Ground

Heat Slug internally connected to ground pins

Pin Configuration (Top view)

1	GND	GND	36
2	NC	NC	35
3	NC	NC	34
4	Out1	Out8	33
5	Out2	Out7	32
6	IN1	NC	31
7	IN2	NC	30
8	VS	SI	29
9	Reset	SCLK	28
10	CS	SO	27
11	PRG	Fault	26
12	IN3	VDO	25
13	IN4	NC	24
14	Out3	Out6	23
15	Out4	Out5	22
16	NC	NC	21
17	NC	NC	20
18	GND	GND	19

Power-PG-DSO-36



Maximum Ratings for $T_j = -40$ °C to 150°C

Parameter	Symbol	Values	Unit
Supply Voltage	$V_{S,}V_{VDO}$	-0.3 + 6	V
Continuous Drain Source Voltage (OUT1OUT8)	V _{DS}	48	V
Input Voltage, All Inputs and Data Lines	V _{IN}	- 0.3 + 6	V
Operating Temperature Range	T _j	- 40 + 150	°C
Storage Temperature Range	$T_{ m stg}$	- 55 + 150	
Output Current per Channel (see el. characteristics)	I _{D(lim)}	I _{D(lim)min}	А
Reverse current per channel	I_R	- I _{D(lim)min}	А
Output Clamping Energy per channel	E _{AS}		mJ
(single pulse, triangular shape, individual switch off)			
$I_D = 0.3 \text{ A}, T_{J(\text{start})} = 150^{\circ}\text{C}$		50	
$I_D = 0.4 \text{ A}, T_{J(\text{start})} = 85^{\circ}\text{C}$		65	
Output Clamping Energy per channel	E AR		mJ
(repetitive pulses, triangular shape)			
$I_D = 0.25 \text{ A}, T_{\text{J(aver.)}} = 150^{\circ}\text{C}, \text{ repetitive } (1 \cdot 10^6 \text{ cycles})$		15	
Maximum Battery Voltage for full OVL = 0	V _{BAT(SC)}	20	V
short circuit protection (single pulse) ⁴ OVL = 1		28	
Electrostatic Discharge Voltage (Human Body Model)			
HBM according to EIA/JESD 22-A114			
Output 1-8 Pins	V_{ESD}	2000	V
All other Pins	V_{ESD}	2000	V
DIN Humidity Category, DIN 40 040		E	
IEC Climatic Category, DIN IEC 68-1		40/150/56	

Thermal Characteristics

Parameter	Symbol	Values		Unit
		min	max	
Thermal Resistance, Junction – Case				
(all channels active, 0.3W power dissipation each channel)	R_{thJC}		2.6	K/W
(only one channel active, 0.5W power dissipation)			12	



Electrical Characteristics

SO Low State Output Voltage

Fault Output Low Voltage

Output Tristate Leakage Current, $\overline{CS} = H$, $0 \le V_{SO} \le V_{S}$

Parameter and Conditions	Symbol	Values	Unit		
$V_{\rm S}$ = 4.5 to 5.5 V ; $V_{\rm VDO}$ = 3.0 to 5.5V;		min	typ	max	
$T_{\rm j}$ = -40 °C to + 150 °C; Reset = H					
(unless otherwise specified)					
1. Power Supply, Reset					
Supply Voltage ¹	V _S	4.5		5.5	V
Supply Voltage Digital Output	V_{VDO}	3.0		5.5	V
Supply Current	I _S		3	5	mA
Supply Current (reset mode) Reset = L	I _{S(reset)}			10	μΑ
Minimum Reset Duration	$t_{Reset,min}$	10			μs
2. Power Outputs					
ON Resistance $V_S = 5 \text{ V}$; $I_D = 500 \text{ mA}$ $T_J = 25^{\circ}\text{C}^2$	$R_{\rm DS(ON)}$		0.8	1	Ω
$T_{\rm J} = 150^{\circ}{\rm C}$	20(014)			1.7	
Output Clamping Voltage Output OFF	$V_{\rm DS(AZ)}$	48		60	V
Current Limit	I _{D(lim)}	1		2	Α
Output Leakage Current V _{Reset} = L	I _{D(lkg)}			2	μA
$T_{j} = 125^{\circ}\text{C} \; ; \; V_{bb} = 13.5\text{V}$ Turn-On Time SLE = 0	4			15	
	t _{ON}			60	μs
<u> </u>	4			15	
Turn-Off Time SLE = 0	t_{OFF}			60	μs
$I_D = 0.5 \text{ A}$, resistive load SLE = 1				00	
3. Digital Inputs		<u> </u>	ı	1	_
Input Low Voltage	V_{INL}	- 0.3		1.0	V
Input High Voltage	V_{INH}	2.0			V
Input Voltage Hysteresis	V_{INHys}		100		mV
Input Pull Down/Up Current (IN1 IN4)	I _{IN(14)}	20	50	100	μA
PRG, Reset Pull Up Current	I _{IN(PRG,Res)}	20	50	100	μΑ
Input Pull Down Current (SI, SCLK)	I _{IN(SI,SCLK)}	10	20	50	μΑ
Input Pull Up Current (CS)	I _{IN(CS)}	10	20	50	μΑ
4. Digital Outputs (SO, Fault)					
SO High State Output Voltage $I_{SOH} = 2 \text{ mA}$	V_{SOH}				V
$V_{VDO} = 5V$		V _{VDO} -0.4			
$V_{VDO} = 3V$		V _{VDO} -0.6			

 I_{SOL} = 2.5 mA

 $I_{\text{FAULT}} = 1.6 \text{ mA}$

 V_{SOL}

 I_{SOlkg}

 V_{FAULTL}

--

-10

--

0

0.4

10

0.4

μΑ

V3.3 Page 4 2008-07-22

 $^{^{1}}$ For V_S < 4.5V the power stages are switched according the input signals and data bits or are definitely switched off. The undervoltage reset becomes active at V_S = 3V (typ. value) and is specified by design. Not subject to production test.



Electrical Characteristics cont.

Parameter and Conditions	Symbol	Values			Unit
$V_{\rm S}$ = 4.5 to 5.5 V; $V_{\rm VDO}$ = 3.0 to 5.5V; $T_{\rm i}$ = -40 °C to + 150 °C; Reset = H		min	typ	max	
(unless otherwise specified)					

5. Diagnostic Functions

Open Load Detection Voltage	$V_{\rm DS(OL)}$	V _S -2.5	V _S -2	V _S -1.3	V
Output Pull Down Current	I _{PD(OL)}	50	90	150	μA
Fault Delay Time	$t_{\sf d(fault)}$	50	100	200	μs
Overload switch off delay time	$T_{d(off)}$	10		50	μs
Short to Ground Detection Voltage	$V_{\rm DS(SHG)}$	V _S -3.4	V _S -3.0	V _S -2.6	V
Short to Ground Detection Current	I _{SHG}	-50	-100	-150	μA
Overload Threshold Current	I _{D(OVL) 18}	1		2	Α
Overtemperature Shutdown Threshold ^{2,4}	$T_{th(sd)}$	170		200	°C
Hysteresis ²	T_{hys}	-	10		K

6. SPI-Timing (for $V_{VDO} = 4.5V$ to 5.5V)

6. 3P1-11111119 (101 V _{VDO} - 4.5V (0 5.5V)					
Serial Clock Frequency (depending on SO	f _{SCK}	DC	 5	MHz	
Serial Clock Period (1/fclk)	$t_{\scriptscriptstyle p(SCK)}$	200	 	ns	
Serial Clock High Time		<i>t</i> _{SCKH}	50	 	ns
Serial Clock Low Time		t _{SCKL}	50	 	ns
Enable Lead Time (falling edge of CS to ris	ing edge of CLK)	t_{lead}	250	 	ns
Enable Lag Time (falling edge of CLK to ris	sing edge ofCS)	t _{lag}	250	 	ns
Data Setup Time (required time SI to falling	of CLK)	<i>t</i> _{SU}	20	 	ns
Data Hold Time (falling edge of CLK to SI)		<i>t</i> _H	20	 	ns
Disable Time ²		$t_{\sf DIS}$		 150	ns
Transfer Delay Time ³		<i>t</i> _{dt}	200	 	ns
(CS high time between two accesses)					
Data Valid Time (for $V_{VDO} = 4.5V$ to 5.5V)	$C_L = 50 \text{ pF}^2$	t_{valid}		100	ns
	$C_L = 100 \text{ pF}^2$			120	
	$C_L = 220 \text{ pF}^2$			150	
Data Valid Time (for $V_{VDO} = 3.0V$ to 3.6V)	$C_L = 50 \text{ pF}^2$	t_{valid}		100	ns
	$C_L = 100 \text{ pF}^2$			140	
	$C_L = 220 \text{ pF}^2$			240	

² This parameter is not subject to production test. Specified by design.
³ This time is necessary between two write accesses. To get the correct diagnostic information, the transfer delay time has to be extended to the maximum fault delay time $t_{d(fault)max} = 200 \mu s$.



Functional Description

The TLE 7230 R is an octal low-side power switch with a serial peripheral interface (SPI) for control and diagnostic feedback of the 8 power DMOS switches. The power transistors are protected⁴ against overload (current limitation), overtemperature and overvoltage (by active zener clamping). The diagnostic logic recognizes a fault condition which can be read out via the serial diagnostic output (SO).

Output Stage Control: Parallel Control or SPI Control

The Output stages can be controlled by parallel Inputs or by SPI commands. The IC can be programmed via SPI to switch the outputs according to the corresponding SPI command bit or to a combination of SPI bit and parallel input signal. The Boolean logic combination of parallel and serial signal is programmable by SPI to logic "AND" or "OR". The respective SPI data bits are active high and the parallel Inputs are active high or low according to the PRG pin (see pin description).


Boolean operation:

The logic combination of the parallel and the serial input signal can be configured by an SPI command for each of the 8 channels individually. Logic "AND" or logic "OR" is possible.

parallel in	serial in	Output "OR"	Output "AND"
off	off	off	off
off	on	on	off
on	off	on	off
on	on	on	on

Map able parallel input (IN 4):

The parallel input 4 (IN4) can be defined via SPI command as parallel input for one or more power outputs. Depending on the Input Map Register this input can be used to control one up to eight of the parallel outputs. Default operation: IN4 is the parallel input for channel 4.



Switching speed / Slew rate:

The switching speed / slew rate of each individual channel can be configured by SPI for slow or fast switching speed (max. 15µs or 60µs).

Overtemperature Behavior:

Each channel has an overtemperature sensor and is individually protected against overtemperature. As soon as an overtemperature event occurs, the channel is immediately turned off and the overtemperature information is reported by diagnosis. In this case, there are two different behaviors of the affected channel that can be selected by SPI (for all channels individually).

- Auto restart: as long as the input signal of the channel remains on (e.g. parallel input high) the channel turns automatically on again after cooling down.
- **Latching**: In the event of an overtemperature shutdown, the channel stays off until the overtemperature latch is reset by a new L→H transition of the input signal.

V3.3 Page 6 2008-07-22

⁴ The integrated protection functions help to prevent damage to the device under fault conditions and may not be used in normal operation or permanently.



Note: The overtemperature sensors of the output channels are only active if the channel is turned on.

Low Quiescent Current Mode (Sleep Mode):

By applying a low signal at the Reset Pin, the device can be set to sleep mode. In this mode, all outputs are turned off, diagnosis and biasing are disabled, the diagnosis and the on/off register are reset and the current consumption is drastically reduced ($<10\mu A$). Once the reset signal returns to high, all outputs except for those controlled by parallel inputs remain off.

Overload Protection:

The IC can be programmed to react in different ways to overload.

- Only Current limit: The IC actively limits the current to the specified current limit value. If the current limitation is active for longer than the fault filtering time, a fault is reported and stored in the Fault register. Unless the channel reaches the overtemperature shutdown threshold, the channel is not shutdown.
- **Current limit + shutdown:** The IC actively limits the current to the specified current limit value. If this current limit is active for more than the specified Overload switch off delay time the affected channel is turned off and the fault is reported and stored in the fault register. To turn on the channel again this overload latch must be reset with a L→ H transition of the input signal (parallel /SPI depending on the programmed operation).

Pin description:

OUTPUT 1 to 8 – Drain pins of the 8 channels. Output pins to connect to loads.

GND – Ground pins.

IN 1 to 3 – Parallel Input Pins of the channels 1 to 3

IN 4 – Mapable parallel Input Pin. Can be assigned to different outputs by SPI command. Default Output is OUT4

PRG - Program pin. PRG = High (V_S) : Parallel inputs 1 to 4 are high active

PRG = Low (GND): Parallel inputs 1 to 4 are low active.

If the parallel input pins are not connected (independent of high or low activity) it is guaranteed that the channels 1 to 4 are switched OFF.

PRG pin itself is internally pulled up when not connected.

Reset - If the reset pin is in a logic low state, it clears the SPI shift register and switches all outputs OFF. An internal pull-up structure is provided on chip.

Fault - There is a general fault pin (open drain) which shows a high to low transition as soon as an error occurs at any one of the eight channels. This fault indication can be used to generate a μC interrupt. Therefore a 'diagnosis' interrupt routine need only be called after this fault indication. This saves processor time compared to a cyclic reading of the SO information.

VDO – Supply pin of the Signal Output (SO) pin of the SPI interface. This pin can be used to vary the high-state output voltage of the SO pin.


Vs – Logic supply pin. This pin is used to supply the integrated circuitry.



- CS Chip Select of the Serial Peripheral Interface
- SO Signal Output of the Serial Peripheral Interface
- **SI** Signal Input of the **S**erial **P**eripheral Interface. The pin has an internal pull down structure.
- SCLK Clock Input of the Serial Peripheral Interface. The pin has an internal pull down structure


SPI

The SPI is a **S**erial **P**eripheral Interface with 4 digital pins and a 16 bit shift register. The SPI is used to configure and program the device, turn on and off channels and to read detailed diagnostic information.



SPI Signal Description:

CS - Chip Select. The system microcontroller selects the TLE 7230 R by means of the CS pin. Whenever the pin is in a logic low state, data can be exchanged between the μ C and TLE 7230 R.



CS = H: Any signals at the SCLK and SI pins are ignored and SO is forced into a high impedance state.

CS = H→L:

- diagnostic information is transferred from the diagnosis register into the SPI shift register. (in sleep mode no transfer of diagnostic information)
- serial input data can be clocked into the SPI shift register from then on
- SO changes from high impedance state to logic high or low state corresponding to the SO bits

CS = L: SPI functions as a shift register. With each clock signal at the SCLK pin the state of the SI is read into the SPI shift-register (falling clock edge) and one diagnosis bit is written out of SO (rising edge).

- transfer of SI bits from SPI shift register into the internal logic registers sent command is valid
- · reset of diagnosis register if sent command is valid

To avoid any false clocking the serial clock input pin SCLK should be logic low state during high to low transition of CS. The SPI of the TLE 7230 R has an integrated modulo 8 counter. If the number of clock signals is not an integer multiple of 8 the SPI will not accept the data in the shift register and the fault register will not be reset.

SCLK - Serial Clock. The serial clock pin clocks the internal SPI shift register of the TLE 7230 R. The serial input (SI) accepts data into the input SPI shift register on the falling edge while the serial output (SO) shifts diagnostic information out of the SPI shift register on the rising edge of serial clock. It is essential that the SCLK pin is in a logic low state whenever chip select (CS) makes any transition.



SI - Serial Input. Serial data bits are shifted in at this pin, the most significant bit (MSB) first. SI information is read in on the falling edge. Input data is latched in the SPI shift register and then transferred to the internal registers of the logic.

The input data consist of 16 bit, made up of x control bits and y data bits. The control bits are used address the desired SPI register and the data bits are used to program in user-specified settings.

SO - Serial Output. Diagnostic data bits are shifted out serially at this pin, the most significant bit (MSB) first. SO is in a high impedance state until the CS pin goes to a logic low state. New diagnostic data will appear at the SO pin following the rising edge.

SPI Control and Commands:

	MSB	14	13	12	11	10	9	8	7	6	5	4	3	2	1	LSB
SI:	CN	1D	Х	Х	Х	x ADDR DATA										
	SO sta	andard	diagnosis													
SO:	Ch	8	Ch	า 7	Cł	Ch 6 Ch 5 Ch 4 Ch 3 Ch 2 Cl						h 1				
	SO after read command in previous frame															
SO:	0	1	0	0	0	ADDR DATA										

CMD Command:

00: Diagnosis Only:

Reads out the diagnosis register. This command has no other influence on the device.

01: Read register:

With the next SO data frame the content of the addressed register will be sent.

10: Reset Registers:

Resets back all internal registers. Logic registers to default and Fault registers to no error.

11: Write register:

The data of the SI word will be written to the addressed register.

No valid Commands:

If the first 8 bit of the SI word contains an invalid command, it will not result in any reaction by the TLE 7230 R (register value change, switching channels, ...). Additionally an L→H of Chip Select (CS) will not reset the diagnosis register.

ADDR Address:

Pointer to register for read and write command

DATA Data:

Data written to or read from register selected by address ADDR

Ch x Standard diagnosis for channel x:

For details see "SPI Diagnostics"



Register Description:

Name	Nr.	7	6	5	4	3	2	1	0	ADDR	default
MAP	1	Ch8	Ch7	Ch6	Ch5	Ch4	Ch3	Ch2	Ch1	0 0 1	08 _H
BOL	2	Ch8	Ch7	Ch6	Ch5	Ch4	Ch3	Ch2	Ch1	010	00 _H
OVL	3	Ch8	Ch7	Ch6	Ch5	Ch4	Ch3	Ch2	Ch1	011	00 _H
OVT	4	Ch8	Ch7	Ch6	Ch5	Ch4	Ch3	Ch2	Ch1	100	00 _H
SLE	5	Ch8	Ch7	Ch6	Ch5	Ch4	Ch3	Ch2	Ch1	101	00 _H
STA	6	OUT8	OUT7	OUT6	OUT5	OUT4	OUT3	OUT2	OUT1	110	00 _H
CTL	7	Ch8	Ch7	Ch6	Ch5	Ch4	Ch3	Ch2	Ch1	111	00 _H

Input Mapping Register (MAP)

Defines to which outputs the input IN4 is assigned (can be one up to all)

- 0.. No connection to IN4
- 1.. Output can be controlled with IN4 pin

Boolean operation Register (BOL)

The logic operation for serial and parallel control signal can be individually defined for each channel.

- 0.. Logic "OR"
- 1.. Logic "AND"

Overload Behavior Register (OVL)

The overload behavior of individual channels can be defined.

- 0.. Current limit without shutdown of the channel
- 1.. Current limit with latching overload shutdown of the channel

Overtemperature Behavior Register (OVT)

The overtemperature behavior of individual channels can be defined

- 0.. Auto restart after cooling down
- 1.. Latching shutdown on overtemperature

Switching Speed / Slew Rate Register (SLE)

The switching speed of individual channels can be defined.

- 0.. fast (10µs)
- 1.. slow (50µs)

Output State Register (STA)

Reads back the state of the output (this register is read-only)

- 0: DMOS off
- 1: DMOS on

Serial Output Control Register (CTL)

Sets the serial control bits for switching of output stages.


- 0: Output off
- 1: Output on



SPI Diagnostics:

As soon as a fault occurs for longer than the fault filtering time, the fault information is latched into the diagnosis register (the Fault pin will also change from high to low state). A new error on the same channel will overwrite the old error report. Serial data out pin (SO) is in high impedance state when CS is high. If CS receives a LOW signal, all diagnosis bits can be shifted out serially. If the sent command is valid the rising edge of CS will reset all diagnosis registers and restart the fault filtering time. In case of an invalid command the device will ignore the data bits and the diagnosis register will not be reset at the rising CS edge.





For Full Diagnosis there are two dedicated diagnostic bits per channel, as shown in Figure 1. **Normal function:** The bit combination **HH** indicates that there is no fault condition, i.e. normal function.

Overload, Shorted Load or Overtemperature: HL is set if the current limitation becomes active, i.e. in the event of an overload or short to supply event. Additionally, this bit combination is set in the event of overtemperature of the corresponding channel.

Open load: LH is set if an open load is detected (in off state of the channel)

Short to GND: LL is set if a short to ground condition is detected (in off state)

Timing Figures

Figure 5: Power Outputs






Figure 6: Serial Interface Timing Diagram





Figure 7: Input Timing Diagram



SO Valid Time Waveforms


Enable and Disable Time Waveforms



(all dimensions in mm)

PG-DSO 36-47

TLE 7230 R



Green Product (RoHS compliant)

To meet the world-wide customer requirements for environmentally friendly products and to be compliant with government regulations the device is available as a green product. Green products are RoHS-Compliant (i.e Pb-free finish on leads and suitable for Pb-free soldering according to IPC/JEDEC J-STD-020).



Version	Date	Changes
V3.3 ->	2008-07-22	Version Change : changed Package naming only
V3.2		
V3.1 ->	2007-06-11	Version Change
V3.2		
	2007-06-11	Revision History cleaned – only "final" data sheet related contents





Edition 2008-07-22

Published by
Infineon Technologies AG
81726 Munich, Germany
© 2008 Infineon Technologies AG
All Rights Reserved.

Legal Disclaimer

The information given in this document shall in no event be regarded as a guarantee of conditions or characteristics. With respect to any examples or hints given herein, any typical values stated herein and/or any information regarding the application of the device, Infineon Technologies hereby disclaims any and all warranties and liabilities of any kind, including without limitation, warranties of non-infringement of intellectual property rights of any third party.

Information

For further information on technology, delivery terms and conditions and prices, please contact the nearest Infineon Technologies Office (www.infineon.com).

Warnings

Due to technical requirements, components may contain dangerous substances. For information on the types in question, please contact the nearest Infineon Technologies Office.

Infineon Technologies components may be used in life-support devices or systems only with the express written approval of Infineon Technologies, if a failure of such components can reasonably be expected to cause the failure of that life-support device or system or to affect the safety or effectiveness of that device or system. Life support devices or systems are intended to be implanted in the human body or to support and/or maintain and sustain and/or protect human life. If they fail, it is reasonable to assume that the health of the user or other persons may be endangered.