

cable lug, terminal end LIB 2,5B25 VF

Weidmüller Interface GmbH & Co. KG
Klingenbergstraße 26
D-32758 Detmold
Germany
Fon: +49 5231 14-0
Fax: +49 5231 14-292083
www.weidmueller.com



Fully-insulated joint connector made from PVC or PC/PA

- Conventional designs
- Not soldered

General ordering data

| | |
|------------|--|
| Type | LIB 2,5B25 VF |
| Order No. | 9200500000 |
| Version | cable lug, terminal end, Insulated cable connector, 1.5 mm ² - 2.5 mm ² , blue |
| GTIN (EAN) | 40322484 10347 |
| Qty. | 100 pc(s). |

Creation date August 8, 2020 6:48:29 AM CEST

Catalogue status 24.07.2020 / We reserve the right to make technical changes.

Data sheet

cable lug, terminal end LIB 2,5B25 VF

Weidmüller Interface GmbH & Co. KG
 Klingenbergstraße 26
 D-32758 Detmold
 Germany
 Fon: +49 5231 14-0
 Fax: +49 5231 14-292083
 www.weidmueller.com

Technical data

Dimensions and weights

| | | | |
|------------|--------|----------------|------------|
| Width | 26 mm | Width (inches) | 1.024 inch |
| Depth | 6.2 mm | Depth (inches) | 0.244 inch |
| Net weight | 1.38 g | | |

Connectors

| | | | |
|-------------------------------|---------------------|-------------------------------|---------------------|
| Conductor cross-section, max. | 2.5 mm ² | Conductor cross-section, min. | 1.5 mm ² |
| Dimension | 24.5 mm | Dimension (pin length) | 24.5 mm |
| Identification colour | blue | Insulation | Available |
| Material/plastic | PVC | Plastic collar diameter (D) | 4.3 mm |

Classifications

| | | | |
|-------------|-------------|------------|-------------|
| ETIM 6.0 | EC001059 | ETIM 7.0 | EC001059 |
| eClass 9.0 | 27-40-02-12 | eClass 9.1 | 27-40-02-12 |
| eClass 10.0 | 27-40-02-12 | UNSPSC | 23-17-16-04 |

Approvals

Approvals



ROHS Conform

Downloads

Brochure/Catalogue [CAT 6 TOOLS 15/16 EN](#)

Data sheet

**cable lug, terminal end
LIB 2,5B25 VF**

Weidmüller Interface GmbH & Co. KG
Klingenbergstraße 26
D-32758 Detmold
Germany
Fon: +49 5231 14-0
Fax: +49 5231 14-292083
www.weidmueller.com

Drawings

