







CKT SIZE	DIM A	DIM B
4	.709 (18.00)	.496 (12.60)
5	.874 (22.20)	.661 (16.80)
6	1.039 (26.40)	.827 (21.00)
7	1.205 (30.60)	.992 (25.20)
8	1.370 (34.80)	1.157 (29.40)
9	1.535 (39.00)	1.323 (33.60)
10	1.701 (43.20)	1.488 (37.80)
11	1.866 (47.40)	1.654 (42.00)
12	2.031 (51.60)	1.819 (46.20)



RECOMMENDED HOLE LAYOUT FOR
.070/(1.78) MAX. THICK P.C. BOARD
VIEWED FROM COMPONENT SIDE
(SEE NOTE 8)



SEE SHEET 1 FOR DUAL ROW PRODUCT

SEE SHEET 1	EC NO: UCP2014-1326 2013/09/24 DRVN:NGUYEN 2013/09/24 CHKD:JBELL 2014/03/07 APPR:FSMITH	DESCRIPTION	REV	QUALITY SYMBOLS	GENERAL TOLERANCES (UNLESS SPECIFIED)			DIMENSION STYLE		SCALE	DESIGN UNITS	 THIRD ANGLE PROJECTION
								IN/MM		2:1	METRIC	
						mm	INCH	DRAWN BY	DATE	TITLE 2-24 CKT VERT HDR ASSY W/PEGS REMOVED OPTION W/NO DRAIN HOLE MINI-FIT molex		
					4 PLACES	± ---	± ---	AFG	1995/07/19			
					3 PLACES	± ---	± .015	CHECKED BY	DATE			
					2 PLACES	± 0.38	± .020	RJF	1995/07/19			
					1 PLACE	± 0.50	± ---	APPROVED BY	DATE	DOCUMENT NO. SDA-43588-****		
					0 PLACE	±	±	FSMITH	2010/03/08			
					ANGULAR ±1/2°			MATERIAL NO.				
					DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS			SEE SHEET 3				
SIZE			THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION									

13		12		11		10		9		8		7		6		5		4		3		2		1																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
J	ITEM NO.	CKTS	MATERIAL	HOUSING TYPE	DRAIN HOLES	PEG 1	PEG 2	PLATING PER NOTE 2	TERMINAL VERSION REQUIRED AT EACH CIRCUIT LOCATION: V = VOID																								PACKAGING																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
	43588-2007	20	94V-2	DUAL ROW	NO	REMOVED	WITH	A	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1

13		12		11		10		9		8		7		6		5		4		3		2		1																																																																		
ITEM NO.		CKTS	MATERIAL	HOUSING TYPE	DRAIN HOLES	PEG 1	PEG 2	PLATING PER NOTE 2	TERMINAL VERSION REQUIRED AT EACH CIRCUIT LOCATION: V = VOID																								PACKAGING																																																									
									1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24																																																										
J	43588-0024	06	94V-0	DUAL ROW	NO	NONE	NONE	C	4	V	4	4	V	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	PK-5566-001																																																										
	43588-0025	06	94V-0	DUAL ROW	NO	NONE	NONE	B	3	V	3	3	V	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	PK-5566-001																																																											
X	43588-0028	06	94V-0	DUAL ROW	NO	WITH	WITH	D	6	V	6	6	V	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	PK-5566-001																																																											
I																																																																																										
H																																																																																										
G																																																																																										
X = NOT TOOLED																																																																																										
F																																																																																										
E																																																																																										
D																																																																																										
C																																																																																										
B																																																																																										
A																																																																																										
TERMINAL CODES <table><tr><th>TERMINAL TYPE</th><th>PLATING SEE NOTE 2</th><th>MATERIAL</th></tr><tr><td>1 = STANDARD</td><td>A</td><td>BRASS</td></tr><tr><td>3 = STANDARD</td><td>B</td><td>BRASS</td></tr><tr><td>4 = STANDARD</td><td>C</td><td>BRASS</td></tr><tr><td>5 = MF/BL</td><td>C</td><td>BRASS</td></tr><tr><td>6 = STANDARD</td><td>D</td><td>BRASS</td></tr><tr><td>7 = MF/BL</td><td>D</td><td>BRASS</td></tr></table> SEE SHEET 1 EC NO: UCP2014-1326 2013/09/24 DRAWN: NGUYEN 2013/09/24 CHKD: J.BELL 2014/03/07 APPR: F.S.MITH <table><tr><th>REV</th><th>DESCRIPTION</th><th>QUALITY SYMBOLS</th></tr><tr><td></td><td></td><td> = 0</td></tr><tr><td></td><td></td><td> = 0</td></tr><tr><td></td><td></td><td> = 0</td></tr></table> GENERAL TOLERANCES (UNLESS SPECIFIED) <table><tr><th></th><th>mm</th><th>INCH</th></tr><tr><td>4 PLACES</td><td>± .---</td><td>± .---</td></tr><tr><td>3 PLACES</td><td>± .---</td><td>± .015</td></tr><tr><td>2 PLACES</td><td>± 0.38</td><td>± .020</td></tr><tr><td>1 PLACE</td><td>± 0.50</td><td>± .---</td></tr><tr><td>0 PLACE</td><td>±</td><td>±</td></tr></table> ANGULAR ±1/2° DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS DIMENSION STYLE IN/MM <table><tr><th>DRAWN BY</th><th>DATE</th></tr><tr><td>AFG</td><td>1995/07/19</td></tr><tr><th>CHECKED BY</th><th>DATE</th></tr><tr><td>RJF</td><td>1995/07/19</td></tr><tr><th>APPROVED BY</th><th>DATE</th></tr><tr><td>F.S.MITH</td><td>2010/03/08</td></tr></table> MATERIAL NO. SEE CHART DOCUMENT NO. SDA-43588-**** SHEET NO. 4 OF 4 TITLE 2-24 CKT VERT HDR ASSY W/PEGS REMOVED OPTION W/WO DRAIN HOLE MINI-FIT molex THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																												TERMINAL TYPE	PLATING SEE NOTE 2	MATERIAL	1 = STANDARD	A	BRASS	3 = STANDARD	B	BRASS	4 = STANDARD	C	BRASS	5 = MF/BL	C	BRASS	6 = STANDARD	D	BRASS	7 = MF/BL	D	BRASS	REV	DESCRIPTION	QUALITY SYMBOLS			= 0			= 0			= 0		mm	INCH	4 PLACES	± .---	± .---	3 PLACES	± .---	± .015	2 PLACES	± 0.38	± .020	1 PLACE	± 0.50	± .---	0 PLACE	±	±	DRAWN BY	DATE	AFG	1995/07/19	CHECKED BY	DATE	RJF	1995/07/19	APPROVED BY	DATE	F.S.MITH	2010/03/08
TERMINAL TYPE	PLATING SEE NOTE 2	MATERIAL																																																																																								
1 = STANDARD	A	BRASS																																																																																								
3 = STANDARD	B	BRASS																																																																																								
4 = STANDARD	C	BRASS																																																																																								
5 = MF/BL	C	BRASS																																																																																								
6 = STANDARD	D	BRASS																																																																																								
7 = MF/BL	D	BRASS																																																																																								
REV	DESCRIPTION	QUALITY SYMBOLS																																																																																								
		= 0																																																																																								
		= 0																																																																																								
		= 0																																																																																								
	mm	INCH																																																																																								
4 PLACES	± .---	± .---																																																																																								
3 PLACES	± .---	± .015																																																																																								
2 PLACES	± 0.38	± .020																																																																																								
1 PLACE	± 0.50	± .---																																																																																								
0 PLACE	±	±																																																																																								
DRAWN BY	DATE																																																																																									
AFG	1995/07/19																																																																																									
CHECKED BY	DATE																																																																																									
RJF	1995/07/19																																																																																									
APPROVED BY	DATE																																																																																									
F.S.MITH	2010/03/08																																																																																									

1b_frame_C_P_AM_T
Rev. G 2012/01/11

12

11

10

9

8

7

6

5

4

3

2

1

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[Molex:](#)

[43588-0010](#)