








TOLERANCES
UNLESS OTHERWISE SPECIFIED : ±0.3



PT. NO.	PARTS NAME	MATERIAL	Q'TY	NOTE
1	HOUSING	GLASS FILLED THERMOPLASTIC RATED (UL94V-0)	1	COLOR:BRACK
2	CONTACT	PHOSPHOR BRONZE	n	PLATING:TIN ALLOY
3	MOUNTING PLATE	BRASS	2	PLATING:TIN ALLOY

RECOMMENDED PC BOARD LAYOUT
(COMPONENT SIDE)


n: NO. OF CONTACTS





NOTE
FLATNESS FOR CONTACT TERMINAL
AND MOUNTING PLATE MUST BE WITHIN 0.1.

NUMBER OF CONTACTS : 10 TO 16 , ONLY EVEN POS.

REV.	DATE	変更内容 DESCRIPTION	承認 APPD	承認 APPD	尺度 SCALE	単位 DIM. IN	mm	品名 PRODUCT NAME	FLOATING BOARD TO BOARD PLUG CONNECTOR (SMT)
					設計 DESIGN			型番 CAT. NO.	BTFW__P-3SST
					製図 DRAWN			図番 DWG. NO.	JSA 95589-1/2
					検図 CHKD				REV. 0
					承認 APPD				DF-123 REV.B




TOLERANCES
UNLESS OTHERWISE SPECIFIED : ± 0.3



PT. NO.	PARTS NAME	MATERIAL	Q'TY	NOTE
1	HOUSING	GLASS FILLED THERMOPLASTIC RATED (UL94V-0)	1	COLOR: BRACK
2	CONTACT	PHOSPHOR BRONZE	n	PLATING: TIN ALLOY
3	MOUNTING PLATE	BRASS	2	PLATING: TIN ALLOY

RECOMMENDED PC BOARD LAYOUT
(COMPONENT SIDE)

n: NO. OF CONTACTS



NOTE
FLATNESS FOR CONTACT TERMINAL
AND MOUNTING PLATE MUST BE WITHIN 0.1.



NUMBER OF CONTACTS : 18 TO 30 , ONLY EVEN POS.

				尺度 SCALE	χ	単位 DIM. IN	mm	品名 PRODUCT NAME	FLOATING BOARD TO BOARD PLUG CONNECTOR (SMT)
				設計 DESIGN	m. koga			型番 CAT. NO.	BTFW__P-3SST
				製図 DRAWN	8/2/01			図番 DWG. NO.	JSA 95589-2/2
				検図 CHKD	S. Nakajima			REV.	0
REV.	日付 DATE	変更内容 DESCRIPTION	承認 APPD	承認 APPD				DF-123 REV.B	



THIS FIGURE SHOW THE CONNECTOR MATING BY MAKING CENTER AS CRITERIA.

FLOATING ALLOWANCE MATING DIRECTION : ± 0.5
 PITCH DIRECTION : ± 0.8
 Z DIRECTION : ± 0.5




4				SCALE	χ	UNIT	mm	PRODUCT NAME	CROSS SECTION OF MATED CONDITION	
3				DESIGNED				CAT. NO.	BTFW_P-3SST/ BTFW_R-3RST	
2				DRAWN				DWG. NO.	JSA 94532	REV. 0
1				CHECKED						
REV.	DATE	REVISED DESCRIPTION	APPROVED	APPROVED	<i>K. Suda</i>			 FRAMATOME CONNECTORS FCI JAPAN LTD.		

THIS FIGURE SHOW THE CONNECTOR MATING BY MAKING CENTER AS CRITERIA.


FLOATING ALLOWANCE MATING DIRECTION : ± 0.5

PITCH DIRECTION : ± 0.8

Z DIRECTION : ± 0.5



PITCH DIRECTION : ± 0.8



4				SCALE	χ	UNIT	mm	PRODUCT NAME	CROSS SECTION OF MATED CONDITION	
3				DESIGNED	99-6-10			CAT. NO.	BTFW_P-3SST/ BTFW_R-3RD7	
2				DRAWN	m.koga			DWG. NO.	JSA 95032	REV.
1				CHECKED						0
REV.	DATE	REVISED DESCRIPTION	APPROVED	APPROVED				 FRAMATOME CONNECTORS FCI JAPAN LTD.		