








NOTES:

1. MATERIAL:

OPTION 1: PA4T, 30% GLASS FILLED, 94V-0, BLACK

OPTION 2: PA4T, 30 GLASS FILLED, 94V-0, NATUAL.

2. PRODUCT SPECIFICATION: PS-105300-100.

3. PACKAGE SPECIFICATION: PK-105308-100.

4. THE COMPONENT COMPLIANT TO RoHS DIRECTIVE 2011/65/EU AND ELV DIRECTIVE 2000/53/EC.

5. TO MATE WITH TERMINAL OF 105300-****.


TO MATE WITH TPA OF 105325-****.

TO MATE WITH HEADER OF 105310-****, 105312-**** AND 105314-****.


6. PARTS CONFORM TO CLASS 'B' REQUIREMENTS OF COSMETIC SPECIFICATION PS-45499-002.

7. APPLICATION SPECIFICATION: AS-105300-100.


THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																	
QUALITY SYMBOLS		2017/03/29	2017/05/15	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION UNITS		SCALE		molex® RECEPTACLE OF NANO-FIT, D/R, TPA POWER CONNECTOR							
F A = 0 F = 0 F D = 0 ▼ = 0 C = 0 ⊠ = 0 ■ = 0 ▽ = 0						MM		3:1									
						DRWN BY		DATE									
115635 DRWN: GLLI CHK'D: AYIN				ANGULAR TOL ± 3.0 °		GLLI		2014/08/13		PRODUCT CUSTOMER DRAWING							
				4 PLACES ±		CHK'D BY		DATE									
				3 PLACES ±		AYIN		2015/04/08									
				2 PLACES ± 0.2													
115635 DRWN: GLLI CHK'D: AYIN				1 PLACE ± 0.3		APPR BY		DATE		SERIES 105308 MATERIAL NUMBER SEE SHEET 4 CUSTOMER GENERAL MARKET							
				0 PLACES ±		DRAWING SIZE A3		THIRD ANGLE PROJECTION									
				DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS													
C		REV		115635 DRWN: GLLI CHK'D: AYIN		115635 DRWN: GLLI CHK'D: AYIN		115635 DRWN: GLLI CHK'D: AYIN		115635 DRWN: GLLI CHK'D: AYIN		115635 DRWN: GLLI CHK'D: AYIN					
SD-105308-100		PSD												000		1 OF 4	




KEY A



KEY B



KEY A






KEY B

BLACK

NATURAL

COLOR OPTION

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																			
QUALITY SYMBOLS		2017/03/29	2017/05/15	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION UNITS		SCALE		molex® RECEPTACLE OF NANO-FIT, D/R, TPA POWER CONNECTOR									
= 0						MM		3:1											
= 0						DRWN BY									DATE				
= 0						GLLI									2014/08/13				
= 0				4 PLACES		±		CHK'D BY				DATE							
= 0				3 PLACES		±		APPR BY				DATE							
= 0				2 PLACES		± 0.2													
= 0				1 PLACE		± 0.3													
= 0				0 PLACES		±													
= 0				EC NO: 115635		DRWN: GLLI		CHK'D:		APPR: AYIN		PRODUCT CUSTOMER DRAWING							
		C		REV		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		DRAWING SIZE		THIRD ANGLE PROJECTION		SERIES		MATERIAL NUMBER		CUSTOMER			
								A3				105308		SEE SHEET 4		GENERAL MARKET			
												DOCUMENT NUMBER		DOC TYPE		DOC PART		SHEET NUMBER	
												SD-105308-100		PSD		000		2 OF 4	



QUALITY SYMBOLS		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION															
	= 0	2017/03/29 2017/05/15 EC NO: 115635 DRWN: GLLI CHK'D: REV APPR: AYIN	GENERAL TOLERANCES (UNLESS SPECIFIED)	DIMENSION UNITS		SCALE											
	= 0			MM		3:1											
	= 0			DRWN BY		DATE		RECEPTACLE OF NANO-FIT, D/R, TPA POWER CONNECTOR									
	= 0			GLLI		2014/08/13											
	= 0			CHK'D BY		DATE		PRODUCT CUSTOMER DRAWING									
	= 0			APPR BY		DATE											
	= 0			AYIN		2015/04/08		SERIES		MATERIAL NUMBER		CUSTOMER					
	= 0	C	REV	4 PLACES		DRAWING SIZE		THIRD ANGLE PROJECTION		105308		SEE SHEET 4		GENERAL MARKET			
	= 0			3 PLACES		A3				DOCUMENT NUMBER		DOC TYPE		DOC PART		SHEET NUMBER	
	= 0			2 PLACES						SD-105308-100		PSD		000		3 OF 4	
	= 0	1 PLACE															
	= 0	0 PLACES															
	= 0			DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS													

