











Product number  
SEE TABLE, SHT 4



|                                                                                               |         |       |        |                                                                                       |            |                             |                                                                                       |         |                                                                                       |                    |          |     |
|-----------------------------------------------------------------------------------------------|---------|-------|--------|---------------------------------------------------------------------------------------|------------|-----------------------------|---------------------------------------------------------------------------------------|---------|---------------------------------------------------------------------------------------|--------------------|----------|-----|
| spec ref                                                                                      |         | dr    |        | G. HULL                                                                               | 2007-10-03 | projection                  |  | MM      |  | size               | scale    |     |
| tolerance std                                                                                 |         | eng   |        | D. JOHNESCU                                                                           | 2007-10-03 |                             |                                                                                       |         |                                                                                       | A2                 | 5:1      |     |
| ASME Y14.5                                                                                    |         | chr   |        | Y. K. LIM                                                                             | 2010-10-25 |                             |                                                                                       |         |                                                                                       | ecn no             |          |     |
| -                                                                                             |         | appr  |        | JOEY NG                                                                               | 2010-10-25 | product family              |                                                                                       | ZipLine |                                                                                       | rel level RELEASED |          |     |
| surface  | linear  | 0.X   | ±0.3   |  | title      | ZipLine ORTHOGONAL VERT HDR |                                                                                       |         |                                                                                       | dwg no             | 10080640 | rev |
|                                                                                               |         | 0.XX  | ±0.10  |                                                                                       |            |                             |                                                                                       |         |                                                                                       |                    |          |     |
|                                                                                               |         | 0.XXX | ±0.050 |                                                                                       |            |                             |                                                                                       |         |                                                                                       |                    |          |     |
| ASME Y14.5                                                                                    | angular | 0°    | ±2°    | www.fci.com                                                                           | cat. no.   | -                           | Product - Customer Drw                                                                |         |                                                                                       | sheet 1 of 4       |          |     |



|                                                                                                  |         |       |        |                                                                                       |            |                                                                                                     |                                                                                             |         |           |              |     |     |   |
|--------------------------------------------------------------------------------------------------|---------|-------|--------|---------------------------------------------------------------------------------------|------------|-----------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------|---------|-----------|--------------|-----|-----|---|
| spec ref                                                                                         |         | dr    |        | G. HULL                                                                               | 2007-10-03 | projection<br> | MM<br> | size    | A2        | scale        | 5:1 |     |   |
| tolerance std                                                                                    |         | eng   |        | D. JOHNESCU                                                                           | 2007-10-03 |                                                                                                     |                                                                                             | ecn no  | rel level | RELEASED     |     |     |   |
| ASME Y14.5                                                                                       |         | chr   |        | Y. K. LIM                                                                             | 2010-10-25 |                                                                                                     |                                                                                             |         |           |              |     |     |   |
| -                                                                                                |         | appr  |        | JOEY NG                                                                               | 2010-10-25 | product family                                                                                      |                                                                                             | ZipLine |           |              |     |     |   |
| surface<br> | linear  | 0.X   | ±0.3   |  | title      | ZipLine ORTHOGONAL VERT HDR                                                                         |                                                                                             |         | dwg no    | 10080640     |     | rev | A |
|                                                                                                  |         | 0.XX  | ±0.10  |                                                                                       |            |                                                                                                     |                                                                                             |         |           |              |     |     |   |
|                                                                                                  |         | 0.XXX | ±0.050 |                                                                                       |            |                                                                                                     |                                                                                             |         |           |              |     |     |   |
| ASME Y14.5                                                                                       | angular | 0°    | ±2°    | www.fci.com                                                                           | cat. no.   | -                                                                                                   | Product - Customer Drw                                                                      |         |           | sheet 2 of 4 |     |     |   |

12345678

A

B

C

D

E

F

A

B

C

D

E


F

DETAIL C


DETAIL B

RECOMMENDED PCB LAYOUT  
DIFFERENTIAL APPLICATIONS


VIEW A




VIEW C  
SCALE: 10:1



VIEW B  
SCALE: 10:1

|                                                                                                  |            |       |                                       |                                                                                       |                                   |            |                                                                                                     |                                                                                             |            |                        |       |              |   |
|--------------------------------------------------------------------------------------------------|------------|-------|---------------------------------------|---------------------------------------------------------------------------------------|-----------------------------------|------------|-----------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------|------------|------------------------|-------|--------------|---|
| spec ref                                                                                         |            |       | dr                                    |                                                                                       | G. HULL                           | 2007-10-03 | projection<br> | MM<br> | size       | A2                     | scale | 5:1          |   |
| tolerance std                                                                                    |            |       | eng                                   |                                                                                       | D. JOHNESCU                       | 2007-10-03 |                                                                                                     |                                                                                             | ecn no     | RELEASED               |       |              |   |
| ASME Y14.5                                                                                       |            |       | chr                                   |                                                                                       | Y. K. LIM                         | 2010-10-25 |                                                                                                     |                                                                                             | rel level  | RELEASED               |       |              |   |
| -                                                                                                |            |       | TOLERANCES UNLESS OTHERWISE SPECIFIED |                                                                                       |                                   | appr       |                                                                                                     | JOEY NG                                                                                     | 2010-10-25 | product family         |       | ZipLine      |   |
| surface<br> | linear     | 0.X   | ±0.3                                  |  | title                             |            |                                                                                                     |                                                                                             | dwg no     | 10080640               |       | rev          | A |
|                                                                                                  |            | 0.XX  | ±0.10                                 |                                                                                       | ZipLine ORTHOGONAL VERT HDR       |            |                                                                                                     |                                                                                             |            |                        |       |              |   |
|                                                                                                  |            | 0.XXX | ±0.050                                |                                                                                       | 6PR, 12 IMLA, 1.8mm PITCH, 23.4mm |            |                                                                                                     |                                                                                             |            |                        |       |              |   |
|                                                                                                  | ASME Y14.5 |       |                                       | angular                                                                               | 0°                                | ±2°        | www.fci.com                                                                                         | cat. no.                                                                                    | -          | Product - Customer Drw |       | sheet 3 of 4 |   |

|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |  |                                   |            |                         |             |            |                             |                        |           |              |     |   |  |   |  |          |  |    |         |            |  |            |  |      |    |       |     |               |  |     |            |            |        |           |          |  |            |  |     |           |            |   |  |      |         |            |  |  |                |  |         |  |  |  |  |  |  |  |         |  |        |     |      |  |       |                             |        |          |     |   |      |       |       |        |            |  |         |    |     |             |          |   |                        |  |              |  |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|-----------------------------------|------------|-------------------------|-------------|------------|-----------------------------|------------------------|-----------|--------------|-----|---|--|---|--|----------|--|----|---------|------------|--|------------|--|------|----|-------|-----|---------------|--|-----|------------|------------|--------|-----------|----------|--|------------|--|-----|-----------|------------|---|--|------|---------|------------|--|--|----------------|--|---------|--|--|--|--|--|--|--|---------|--|--------|-----|------|--|-------|-----------------------------|--------|----------|-----|---|------|-------|-------|--------|------------|--|---------|----|-----|-------------|----------|---|------------------------|--|--------------|--|
| 1                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |  | 2                                 |            | 3                       |             | 4          |                             | 5                      |           | 6            |     | 7 |  | 8 |  |          |  |    |         |            |  |            |  |      |    |       |     |               |  |     |            |            |        |           |          |  |            |  |     |           |            |   |  |      |         |            |  |  |                |  |         |  |  |  |  |  |  |  |         |  |        |     |      |  |       |                             |        |          |     |   |      |       |       |        |            |  |         |    |     |             |          |   |                        |  |              |  |
| PART NUMBER                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |  | PRESS-FIT TAIL<br>PLATING TYPE    |            | SHORT DETECT<br>CONTACT |             |            |                             |                        |           |              |     |   |  |   |  |          |  |    |         |            |  |            |  |      |    |       |     |               |  |     |            |            |        |           |          |  |            |  |     |           |            |   |  |      |         |            |  |  |                |  |         |  |  |  |  |  |  |  |         |  |        |     |      |  |       |                             |        |          |     |   |      |       |       |        |            |  |         |    |     |             |          |   |                        |  |              |  |
| 10080640-101LF                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |  | TIN OVER<br>NICKEL<br>(LEAD FREE) |            | NO                      |             |            |                             |                        |           |              |     |   |  |   |  |          |  |    |         |            |  |            |  |      |    |       |     |               |  |     |            |            |        |           |          |  |            |  |     |           |            |   |  |      |         |            |  |  |                |  |         |  |  |  |  |  |  |  |         |  |        |     |      |  |       |                             |        |          |     |   |      |       |       |        |            |  |         |    |     |             |          |   |                        |  |              |  |
| 10080640-111LF                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |  | TIN OVER<br>NICKEL<br>(LEAD FREE) |            | YES                     |             |            |                             |                        |           |              |     |   |  |   |  |          |  |    |         |            |  |            |  |      |    |       |     |               |  |     |            |            |        |           |          |  |            |  |     |           |            |   |  |      |         |            |  |  |                |  |         |  |  |  |  |  |  |  |         |  |        |     |      |  |       |                             |        |          |     |   |      |       |       |        |            |  |         |    |     |             |          |   |                        |  |              |  |
| <div>NOTES:</div> <div>1. CONNECTOR MATERIALS:<br/>HOUSING: HIGH TEMP THERMOPLASTIC, BLACK, UL94V-0<br/>IMLA PLASTIC: HIGH TEMP THERMOPLASTIC, BLACK, UL94V-0<br/>CONTACT: COPPER ALLOY</div> <div>2. CONTACT PLATING:<br/>SEPARABLE INTERFACE: PERFORMANCE-BASED PLATING, QUALIFIED TO MEET<br/>THE REQUIREMENTS OF FCI PRODUCT SPECIFICATION GS-12-452 INCLUDING<br/>TELCORDIA GR-1217-CORE (NOVEMBER 1995) CENTRAL OFFICE TEST SEQUENCE<br/>PRESS-FIT TAILS: SEE TABLE</div> <div>3. PRODUCT SPECIFICATION: GS-12-452.</div> <div>4. APPLICATION SPECIFICATION: GS-20-094.</div> <div>5. PRODUCT MARKING, (PART NUMBER &amp; LOT CODE), ON THESE SURFACES.</div> <div>6. FOR NON-ORTHOGONAL APPLICATIONS, THE MINIMUM CENTERLINE SPACING<br/>BETWEEN ADJACENT MODULES IS 23.4mm.</div> <div>7. THERE IS NO GROUND BUSSING WITHIN THE HEADER CONNECTOR. HOWEVER,<br/>POSITIONS R1, R3, R5, R7, R9, &amp; R11 OF THE MATING RECEPTACLE ARE BUSSED.<br/>THESE MUST BE ASSIGNED AS GROUNDS.</div> <div>8. REFER TO CUSTOMER DRAWING 10045979 FOR INFORMATION ON PCB HOLE<br/>DIAMETERS AND PLATING OPTIONS.</div> <div>9. THIS PRODUCT MEETS EUROPEAN UNION DIRECTIVES AND OTHER COUNTRY<br/>REGULATIONS AS DESCRIBED IN GS-22-008.</div> <div>10. THE HOUSING WILL WITHSTAND EXPOSURE TO 260°C PEAK TEMPERATURE FOR<br/>40 SECONDS IN A CONVECTION, INFRA-RED OR VAPOR PHASE REFLOW OVEN.</div> <div>11. PACKAGING MEETS GS-14-920 LEAD FREE LABELING SPECIFICATION.</div> <div>12. MINIMUM PCB THICKNESS TO BE 3.5mm FOR ORTHOGONAL APPLICATIONS.</div> <div>13. CONNECTOR OUTLINE WITH HOUSING POS A1 INDICATOR MAY BE SCREEN PRINTED<br/>ONTO CUSTOMER PCB TO BE USED AS A GUIDE FOR MANUAL CONNECTOR PLACEMENT.</div> <div>14. FOR -11X ASSEMBLIES, MATING PIN B12 HAS 0.60 mm LESS NOMINAL WIPE THAN OTHER PINS.</div> |  |                                   |            |                         |             |            |                             |                        |           |              |     |   |  |   |  |          |  |    |         |            |  |            |  |      |    |       |     |               |  |     |            |            |        |           |          |  |            |  |     |           |            |   |  |      |         |            |  |  |                |  |         |  |  |  |  |  |  |  |         |  |        |     |      |  |       |                             |        |          |     |   |      |       |       |        |            |  |         |    |     |             |          |   |                        |  |              |  |
| <div></div> <div>10080640-1X1LF</div>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |  |                                   |            |                         |             |            |                             |                        |           |              |     |   |  |   |  |          |  |    |         |            |  |            |  |      |    |       |     |               |  |     |            |            |        |           |          |  |            |  |     |           |            |   |  |      |         |            |  |  |                |  |         |  |  |  |  |  |  |  |         |  |        |     |      |  |       |                             |        |          |     |   |      |       |       |        |            |  |         |    |     |             |          |   |                        |  |              |  |
| <div><table><tr><td colspan="2">spec ref</td><td>dr</td><td>G. HULL</td><td>2007-10-03</td><td rowspan="5"></td><td rowspan="4">projection</td><td rowspan="5"></td><td>size</td><td>A2</td><td>scale</td><td>5:1</td></tr><tr><td colspan="2">tolerance std</td><td>eng</td><td>D. JOHNECU</td><td>2007-10-03</td><td rowspan="3">ecn no</td><td rowspan="4">rel level</td><td rowspan="3">RELEASED</td><td rowspan="4"></td></tr><tr><td colspan="2">ASME Y14.5</td><td>chr</td><td>Y. K. LIM</td><td>2010-10-25</td></tr><tr><td colspan="2">-</td><td>appr</td><td>JOEY NG</td><td>2010-10-25</td></tr><tr><td colspan="2"></td><td colspan="2">product family</td><td colspan="2">ZipLine</td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td></tr><tr><td rowspan="3">surface</td><td rowspan="3"></td><td rowspan="3">linear</td><td>0.X</td><td>±0.3</td><td rowspan="3"></td><td rowspan="3">title</td><td rowspan="3">ZipLine ORTHOGONAL VERT HDR</td><td rowspan="3">dwg no</td><td rowspan="4">10080640</td><td rowspan="3">rev</td><td rowspan="4">A</td></tr><tr><td>0.XX</td><td>±0.10</td></tr><tr><td>0.XXX</td><td>±0.050</td></tr><tr><td>ASME Y14.5</td><td></td><td>angular</td><td>0°</td><td>±2°</td><td>www.fci.com</td><td>cat. no.</td><td>-</td><td colspan="2">Product - Customer Drw</td><td colspan="2">sheet 4 of 4</td></tr></table></div> <div><div>Pro/E File - REV C - 2009-06-09</div><div>1</div><div>2</div><div>3</div><div>4</div><div>5</div><div>6</div><div>7</div><div>PDM: Rev:A</div><div>STATUS:Released8</div><div>Printed: Dec 01, 2010</div></div>                                                                                                                                                                                                         |  |                                   |            |                         |             |            |                             |                        |           |              |     |   |  |   |  | spec ref |  | dr | G. HULL | 2007-10-03 |  | projection |  | size | A2 | scale | 5:1 | tolerance std |  | eng | D. JOHNECU | 2007-10-03 | ecn no | rel level | RELEASED |  | ASME Y14.5 |  | chr | Y. K. LIM | 2010-10-25 | - |  | appr | JOEY NG | 2010-10-25 |  |  | product family |  | ZipLine |  |  |  |  |  |  |  | surface |  | linear | 0.X | ±0.3 |  | title | ZipLine ORTHOGONAL VERT HDR | dwg no | 10080640 | rev | A | 0.XX | ±0.10 | 0.XXX | ±0.050 | ASME Y14.5 |  | angular | 0° | ±2° | www.fci.com | cat. no. | - | Product - Customer Drw |  | sheet 4 of 4 |  |
| spec ref                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |  | dr                                | G. HULL    | 2007-10-03              |             | projection |                             | size                   | A2        | scale        | 5:1 |   |  |   |  |          |  |    |         |            |  |            |  |      |    |       |     |               |  |     |            |            |        |           |          |  |            |  |     |           |            |   |  |      |         |            |  |  |                |  |         |  |  |  |  |  |  |  |         |  |        |     |      |  |       |                             |        |          |     |   |      |       |       |        |            |  |         |    |     |             |          |   |                        |  |              |  |
| tolerance std                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |  | eng                               | D. JOHNECU | 2007-10-03              |             |            |                             | ecn no                 | rel level | RELEASED     |     |   |  |   |  |          |  |    |         |            |  |            |  |      |    |       |     |               |  |     |            |            |        |           |          |  |            |  |     |           |            |   |  |      |         |            |  |  |                |  |         |  |  |  |  |  |  |  |         |  |        |     |      |  |       |                             |        |          |     |   |      |       |       |        |            |  |         |    |     |             |          |   |                        |  |              |  |
| ASME Y14.5                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |  | chr                               | Y. K. LIM  | 2010-10-25              |             |            |                             |                        |           |              |     |   |  |   |  |          |  |    |         |            |  |            |  |      |    |       |     |               |  |     |            |            |        |           |          |  |            |  |     |           |            |   |  |      |         |            |  |  |                |  |         |  |  |  |  |  |  |  |         |  |        |     |      |  |       |                             |        |          |     |   |      |       |       |        |            |  |         |    |     |             |          |   |                        |  |              |  |
| -                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |  | appr                              | JOEY NG    | 2010-10-25              |             |            |                             |                        |           |              |     |   |  |   |  |          |  |    |         |            |  |            |  |      |    |       |     |               |  |     |            |            |        |           |          |  |            |  |     |           |            |   |  |      |         |            |  |  |                |  |         |  |  |  |  |  |  |  |         |  |        |     |      |  |       |                             |        |          |     |   |      |       |       |        |            |  |         |    |     |             |          |   |                        |  |              |  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |  | product family                    |            | ZipLine                 |             |            |                             |                        |           |              |     |   |  |   |  |          |  |    |         |            |  |            |  |      |    |       |     |               |  |     |            |            |        |           |          |  |            |  |     |           |            |   |  |      |         |            |  |  |                |  |         |  |  |  |  |  |  |  |         |  |        |     |      |  |       |                             |        |          |     |   |      |       |       |        |            |  |         |    |     |             |          |   |                        |  |              |  |
| surface                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |  | linear                            | 0.X        | ±0.3                    |             | title      | ZipLine ORTHOGONAL VERT HDR | dwg no                 | 10080640  | rev          | A   |   |  |   |  |          |  |    |         |            |  |            |  |      |    |       |     |               |  |     |            |            |        |           |          |  |            |  |     |           |            |   |  |      |         |            |  |  |                |  |         |  |  |  |  |  |  |  |         |  |        |     |      |  |       |                             |        |          |     |   |      |       |       |        |            |  |         |    |     |             |          |   |                        |  |              |  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |  |                                   | 0.XX       | ±0.10                   |             |            |                             |                        |           |              |     |   |  |   |  |          |  |    |         |            |  |            |  |      |    |       |     |               |  |     |            |            |        |           |          |  |            |  |     |           |            |   |  |      |         |            |  |  |                |  |         |  |  |  |  |  |  |  |         |  |        |     |      |  |       |                             |        |          |     |   |      |       |       |        |            |  |         |    |     |             |          |   |                        |  |              |  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |  |                                   | 0.XXX      | ±0.050                  |             |            |                             |                        |           |              |     |   |  |   |  |          |  |    |         |            |  |            |  |      |    |       |     |               |  |     |            |            |        |           |          |  |            |  |     |           |            |   |  |      |         |            |  |  |                |  |         |  |  |  |  |  |  |  |         |  |        |     |      |  |       |                             |        |          |     |   |      |       |       |        |            |  |         |    |     |             |          |   |                        |  |              |  |
| ASME Y14.5                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |  | angular                           | 0°         | ±2°                     | www.fci.com | cat. no.   | -                           | Product - Customer Drw |           | sheet 4 of 4 |     |   |  |   |  |          |  |    |         |            |  |            |  |      |    |       |     |               |  |     |            |            |        |           |          |  |            |  |     |           |            |   |  |      |         |            |  |  |                |  |         |  |  |  |  |  |  |  |         |  |        |     |      |  |       |                             |        |          |     |   |      |       |       |        |            |  |         |    |     |             |          |   |                        |  |              |  |