

10 9 8 7 6 5 4 3 2 1

NOTES:

1. MATERIAL:

HSG: PCT, 30% GLASS FILLED,UL 94V-0,
COLOUR BLACK.
PIN: 0.50MM SQ PHOSPHOR BRONZE 510

2. PLATING:

***5 - 0.05um MIN - 0.25um MAX GOLD IN CONTACT AREA,
2.00um MIN TIN IN SOLDER TAIL AREA, BOTH OVER
1.25um MIN NICKEL OVERALL

***6 - 0.38um MIN GOLD IN CONTACT AREA,
2.00um MIN TIN IN SOLDER TAIL AREA, BOTH OVER
1.25um MIN NICKEL OVERALL

***7 - 0.76um MIN GOLD IN CONTACT AREA,
2.00um MIN TIN IN SOLDER TAIL AREA, BOTH OVER
1.25um MIN NICKEL OVERALL

***8 - 2.54um MIN TIN OVER
1.25um MIN NICKEL OVERALL

3. 12 CKT USED FOR ILLUSTRATION ONLY
4. PART TO BE PACKED IN POCKET TRAY/TUBE (SEE TABLE).
5. PRODUCT SPEC PS-87761-100 APPLIES.
6. RECOMMENDED PCB BOARD THK 1.60±0.10 MM.


7. MATING LENGTH: 1 - 4.00MM
2 - 3.50MM
3 - 3.06MM
4 - 5.75MM

8. PART NUMBERS THAT ARE UNAVAILABLE IN THIS SD:
87760-0646, 87760-1046, 87760-1446, 87760-2446, 87760-4046.
(REFER TO SD-87760-133 FOR THESE PART NUMBERS)




LEGEND:

87760 - * * * *

PLATING OPTION 2
(SEE NOTE 2)
MATING OPTION 7




RECOMMENDED PCB LAYOUT



DETAIL Z

SHT 3, +87760-5516 EC NO: S2013-0842 DRW:NATSEE 2013/05/31 CHKD:SKANG 2013/06/28 APPR:MLONG 2013/07/08 REV		DESCRIPTION	QUALITY SYMBOLS	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE NTS	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION			
			=0 =0 =0			DRAWN BY KSEE	DATE 2003/10/15	TITLE MGRID, 2MM DUAL ROW HDR. R/A					
				4 PLACES	± ---	± ---	CHECKED BY KCL ING						DATE 2003/12/02
				3 PLACES	± ---	± ---	APPROVED BY SKTOH	DATE 2003/12/11					
2 PLACES	± 0.2	± ---	MATERIAL NO. SEE TABLE		DOCUMENT NO. SD-87760-109		SHEET NO. 1 OF 3						
1 PLACE	± ---	± ---											
A16				0 PLACE	±	±							
				ANGULAR ± 3 °									
				DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION							

9 8 7 6 5 4 3 2 1

	10	9	8	7	6	5	4	3	2	1																																																																								
	PART NUMBER	VOID PIN LOCATION	CKT SIZE	A	B	M	T	PACKAGING TYPE																																																																										
F	87760-04**	-	04	2.00	4.00	REFER TO NOTE 7.	2.60	TRAY	 PART IN TUBE																																																																									
	87760-06** 	-	06	4.00	6.00																																																																													
	87760-08**	-	08	6.00	8.00																																																																													
	87760-10** 	-	10	8.00	10.00																																																																													
	87760-12** 	-	12	10.00	12.00																																																																													
	87760-14** 	-	14	12.00	14.00																																																																													
E	87760-16**	-	16	14.00	16.00																																																																													
	87760-18**	-	18	16.00	18.00																																																																													
	87760-20**	-	20	18.00	20.00																																																																													
	87760-22**	-	22	20.00	22.00																																																																													
	87760-24** 	-	24	22.00	24.00																																																																													
D	87760-26**	-	26	24.00	26.00																																																																													
	87760-28**	-	28	26.00	28.00																																																																													
	87760-30**	-	30	28.00	30.00																																																																													
	87760-32**	-	32	30.00	32.00																																																																													
	87760-34**	-	34	32.00	34.00																																																																													
	87760-36**	-	36	34.00	36.00																																																																													
	87760-38**	-	38	36.00	38.00																																																																													
C	87760-40** 	-	40	38.00	40.00																																																																													
	87760-42**	-	42	40.00	42.00																																																																													
	87760-44**	-	44	42.00	44.00																																																																													
	87760-46**	-	46	44.00	46.00																																																																													
	87760-48**	-	48	46.00	48.00																																																																													
	87760-50**	-	50	48.00	50.00																																																																													
B																																																																																		
A	<table><tr><td rowspan="7">SHT 3, +87760-5516 EC NO: S2013-0842 DRWN:ATSEE 2013/05/31 CHKD:SKANG 2013/06/28 APPR:MLONG 2013/07/08</td><td rowspan="7">DESCRIPTION REV</td><td>QUALITY SYMBOLS</td><td colspan="2">GENERAL TOLERANCES (UNLESS SPECIFIED)</td><td colspan="2">DIMENSION STYLE MM ONLY</td><td>SCALE NTS</td><td>DESIGN UNITS METRIC</td><td colspan="2">THIRD ANGLE PROJECTION</td></tr><tr><td rowspan="5"> </td><td></td><td>mm</td><td>INCH</td><td>DRAWN BY KSEE</td><td>DATE 2003/10/15</td><td colspan="4" rowspan="5">MGRID, 2MM DUAL ROW HDR. R/A</td></tr><tr><td>4 PLACES</td><td>± ---</td><td>± ---</td><td>CHECKED BY</td><td>DATE</td></tr><tr><td>3 PLACES</td><td>± ---</td><td>± ---</td><td>KCL ING</td><td>2003/12/02</td></tr><tr><td>2 PLACES</td><td>± 0.2</td><td>± ---</td><td>APPROVED BY</td><td>DATE</td></tr><tr><td>1 PLACE</td><td>± ---</td><td>± ---</td><td>SKTOH</td><td>2003/12/11</td></tr><tr><td>0 PLACE</td><td>±</td><td>±</td><td colspan="2">ANGULAR ± 3 °</td><td colspan="2">MATERIAL NO.</td><td>DOCUMENT NO.</td><td colspan="2">SHEET NO.</td></tr><tr><td colspan="2">A16</td><td colspan="2">DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS</td><td colspan="2">SEE TABLE</td><td colspan="2">SD-87760-109</td><td colspan="2">2 OF 3</td></tr><tr><td colspan="2"></td><td colspan="2"></td><td colspan="2">SIZE A3</td><td colspan="5">THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION</td></tr></table>										SHT 3, +87760-5516 EC NO: S2013-0842 DRWN:ATSEE 2013/05/31 CHKD:SKANG 2013/06/28 APPR:MLONG 2013/07/08	DESCRIPTION REV	QUALITY SYMBOLS	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE NTS	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION		 		mm	INCH	DRAWN BY KSEE	DATE 2003/10/15	MGRID, 2MM DUAL ROW HDR. R/A				4 PLACES	± ---	± ---	CHECKED BY	DATE	3 PLACES	± ---	± ---	KCL ING	2003/12/02	2 PLACES	± 0.2	± ---	APPROVED BY	DATE	1 PLACE	± ---	± ---	SKTOH	2003/12/11	0 PLACE	±	±	ANGULAR ± 3 °		MATERIAL NO.		DOCUMENT NO.	SHEET NO.		A16		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SEE TABLE		SD-87760-109		2 OF 3						SIZE A3		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION				
SHT 3, +87760-5516 EC NO: S2013-0842 DRWN:ATSEE 2013/05/31 CHKD:SKANG 2013/06/28 APPR:MLONG 2013/07/08	DESCRIPTION REV	QUALITY SYMBOLS	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE NTS	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION																																																																									
		 		mm	INCH	DRAWN BY KSEE	DATE 2003/10/15	MGRID, 2MM DUAL ROW HDR. R/A																																																																										
			4 PLACES	± ---	± ---	CHECKED BY	DATE																																																																											
			3 PLACES	± ---	± ---	KCL ING	2003/12/02																																																																											
			2 PLACES	± 0.2	± ---	APPROVED BY	DATE																																																																											
			1 PLACE	± ---	± ---	SKTOH	2003/12/11																																																																											
		0 PLACE	±	±	ANGULAR ± 3 °		MATERIAL NO.		DOCUMENT NO.	SHEET NO.																																																																								
A16		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SEE TABLE		SD-87760-109		2 OF 3																																																																										
				SIZE A3		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																																																																												
tb_frame_A3_P_AM_T Rev. G 2012/01/11	9	8	7	6	5	4	3	2	1																																																																									

	10	9	8	7	6	5	4	3	2	1																																												
F	PART NUMBER	VOID PIN LOCATIONS	CKT SIZE	A	B	M	T	PACKAGING TYPE																																														
	87760-5116	5, 6 & 26	50	48.00	50.00	REFER TO NOTE 7.	2.60	TUBE																																														
	87760-531*	-	24	22.00	24.00		1.50	TRAY																																														
	87760-5216	-	04	2.00	4.00		2.60	TUBE																																														
	87760-5416	-	20	18.00	20.00																																																	
	87760-5248	-	28	26.00	28.00																																																	
E	87760-5516	5, 6, 7, 8, 9, 10, 15, 16, 17, 18, 19, 20, 25, 26, 27, 28, 29, 30	34	32.00	34.00																																																	
D																																																						
C																																																						
B																																																						
A	<table><tr><td rowspan="5">SHT 3, +87760-5516 EC NO: S2013-0842 DRWN:ATSEE 2013/05/31 CHKD:SKANG 2013/06/28 APPR:WLONG 2013/07/08</td><td rowspan="5">DESCRIPTION REV</td><td>QUALITY SYMBOLS</td><td colspan="2">GENERAL TOLERANCES (UNLESS SPECIFIED)</td><td colspan="2">DIMENSION STYLE MM ONLY</td><td>SCALE NTS</td><td>DESIGN UNITS METRIC</td><td rowspan="5"> THIRD ANGLE PROJECTION</td></tr><tr><td rowspan="4"> </td><td rowspan="4">F_a=0 F_a=0 F_a=0</td><td rowspan="4">4 PLACES 3 PLACES 2 PLACES 1 PLACE 0 PLACE</td><td rowspan="4">± --- ± --- ± 0.2 ± --- ±</td><td rowspan="4">± --- ± --- ± --- ± --- ±</td><td>DRAWN BY DATE</td><td rowspan="4">TITLE MGRID, 2MM DUAL ROW HDR. R/A</td></tr><tr><td>KSEE 2003/10/15</td></tr><tr><td>CHECKED BY DATE</td></tr><tr><td>KCLING 2003/12/02</td></tr><tr><td>APPROVED BY DATE</td><td>SKTOH 2003/12/11</td><td colspan="2">ANGULAR ± 3 °</td><td>MATERIAL NO.</td><td colspan="2">DOCUMENT NO.</td><td rowspan="2">SHEET NO. 3 OF 3</td></tr><tr><td colspan="2">DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS</td><td colspan="2">SEE TABLE</td><td colspan="2">SD-87760-109</td></tr><tr><td colspan="2">SIZE A3</td><td colspan="8">THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION</td></tr></table>										SHT 3, +87760-5516 EC NO: S2013-0842 DRWN:ATSEE 2013/05/31 CHKD:SKANG 2013/06/28 APPR:WLONG 2013/07/08	DESCRIPTION REV	QUALITY SYMBOLS	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE NTS	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION	 	F _a =0 F _a =0 F _a =0	4 PLACES 3 PLACES 2 PLACES 1 PLACE 0 PLACE	± --- ± --- ± 0.2 ± --- ±	± --- ± --- ± --- ± --- ±	DRAWN BY DATE	TITLE MGRID, 2MM DUAL ROW HDR. R/A	KSEE 2003/10/15	CHECKED BY DATE	KCLING 2003/12/02	APPROVED BY DATE	SKTOH 2003/12/11	ANGULAR ± 3 °		MATERIAL NO.	DOCUMENT NO.		SHEET NO. 3 OF 3	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SEE TABLE		SD-87760-109		SIZE A3		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION							
SHT 3, +87760-5516 EC NO: S2013-0842 DRWN:ATSEE 2013/05/31 CHKD:SKANG 2013/06/28 APPR:WLONG 2013/07/08	DESCRIPTION REV	QUALITY SYMBOLS	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE NTS	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION																																													
		 	F _a =0 F _a =0 F _a =0	4 PLACES 3 PLACES 2 PLACES 1 PLACE 0 PLACE	± --- ± --- ± 0.2 ± --- ±	± --- ± --- ± --- ± --- ±	DRAWN BY DATE	TITLE MGRID, 2MM DUAL ROW HDR. R/A																																														
							KSEE 2003/10/15																																															
							CHECKED BY DATE																																															
							KCLING 2003/12/02																																															
APPROVED BY DATE	SKTOH 2003/12/11	ANGULAR ± 3 °		MATERIAL NO.	DOCUMENT NO.		SHEET NO. 3 OF 3																																															
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SEE TABLE		SD-87760-109																																																		
SIZE A3		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																																																				
	fb_frame_A3_P_AM_T Rev. G 2012/01/11	9	8	7	6	5	4	3	2	1																																												