

VC-AF

Order No.: 1852862

The illustration shows the mounting flange with panel mounting frame VC-AR1/2M



<http://eshop.phoenixcontact.de/phoenix/treeViewClick.do?UID=1852862>

Panel-mounting flange for screw locking, for wall thicknesses of 1-5 mm

Commercial data

EAN	4017918127183
Pack	50 pcs.
Customs tariff	85369010
Weight/Piece	0.005577 KG
Catalog page information	Page 360 (PC-2009)

Product notes

WEEE/RoHS-compliant since:
12/15/2005



<http://www.download.phoenixcontact.com>
Please note that the data given here has been taken from the online catalog. For comprehensive information and data, please refer to the user documentation. The General Terms and Conditions of Use apply to Internet downloads.

Technical data

General data

Note	2 for every connector
Ambient temperature (operation)	-40 °C ... 125 °C
Ambient temperature (assembly)	-40 °C ... 70 °C

Certificates / Approvals




Certification

GOST

Diagrams/Drawings

Dimensioned drawing



Installation, panel mounting flange

A = Panel mounting base

B = Solder-in contact insert

C = Mounting flange

D = Mounting panel $e = 1 \dots 5 \text{ mm}$

E = Dimensions with EMC shield adapter mounted

Address

PHOENIX CONTACT Inc., USA
586 Fulling Mill Road
Middletown, PA 17057, USA
Phone (800) 888-7388
Fax (717) 944-1625
<http://www.phoenixcon.com>



© 2010 Phoenix Contact
Technical modifications reserved;