






PRODUCT NO.

10035388-XXX_-
NOTE:5

NOTE:

1. MATERIAL:

HOUSING: HIGH TEMPERATURE THERMOPLASTIC,

UL 94 V-0 RATED, BLACK.

TERMINAL: HIGH CONDUCTIVITY COPPER ALLOY.

2. PRODUCT SPECIFICATION: GS-12-259.

3. PACKAGE SPECIFICATION: GS-14-937

4. THERE IS NO POLARIZATION KEY IN 10035388-102/103/104/105/106/107/202/203/205/500
-700/800/802/902/903/904/905/909/910/911/912.

5. PLATING SPEC:

10035388-XXX:

POWER PIN: CONTACT AREA - 30u" GOLD OVER 50u" NICKEL UNDER PLATED.

SOLDER TAIL - 100u" TIN/LEAD OVER 50u" NICKEL UNDER PLATED.

AC TERMINAL: 50u" NICKEL UNDER PLATED; 30u" GOLD ON CONTACT AREA.

10035388-XXXLF:


POWER PIN: CONTACT AREA - 30u" GOLD OVER 50u" NICKEL UNDER PLATED.

SOLDER TAIL - 100u" PURE MATTE TIN OVER 50u" NICKEL UNDER PLATED.

AC TERMINAL: 50u" NICKEL UNDER PLATED; 30u" GOLD ON CONTACT AREA.

6. P/N 10035388-XXXLF MEETS EUROPEAN UNION DIRECTIVE AND OTHER COUNTRY REGULATIONS AS DESCRIBED IN GS-22-008.
7. THE HOUSING WILL WITHSTAND EXPOSURE TO 260°C PEAK TEMPERATURE FOR 10 SECONDS IN A WAVE SOLDER APPLICATION WITH A CIRCUIT BOARD.
8. MANUFACTURER'S NAME, P/N AND DATE CODE TO APPEAR ON THIS SURFACE AS PER GS-24-007.

9. A  SYMBOL WILL BE NEXT TO ANY DIMENSION, VIWE, OR NOTE WHICH HAS BEEN MODIFIED WITH THE CURRENT DRAWING REVISION.


spec ref	*	dr	De-Ming Lu	2014/08/06	projection	MM	size	A4	scale	1:1
tolerance std	TOLERANCES UNLESS OTHERWISE SPECIFIED	eng	Sunny2 Liu	2015/08/11			ecn no	ELX-DG-21633-1		
ISO 406		chr	Terris Liu	2015/08/13			rel level	Released		
ISO 1101		appr	Pei-Ming Zheng	2015/08/13	product family	Power edge card				
surface	linear	0.X	±0.5		title	POWER EDGE CARD CONNECTOR	dwg no	10035388	rev	AE
ISO 1302	angular	0.XX	±0.25	www.fci.com	cat. no.	-	Product - Customer Drw	sheet 1 of 6		
		0.XXX	±0.10							
		0°	±2°							



Copyright FCI.


PRODUCT NO.

10035388-600__
NOTE: 5



NOTE:
(APPLY TO 10035388-600__ AS ADDITIONAL)

10. THE EMPTY POSITIONS ARE 18, 19, 20, 23.
11. THERE ARE 2 AC TERMINALS.




dr	De-Ming Lu	2014/08/06	projection	MM	size	A4	scale	1:1		
eng	Sunny2 Liu	2015/08/11			ecn no ELX-DG-21633-1					
chr	Terris Liu	2015/08/13								
appr	Pei-Ming Zheng	2015/08/13	product family	Power edge card	rel level	Released				
			title			POWER EDGE CARD CONNECTOR		dwg no	10035388	rev
			WITHOUT SIGNAL ASSY							
www.fci.com			cat. no.	-	Product - Customer Drw			sheet 2 of 6		




Copyright FCI.


PRODUCT NO.
10035388-XXX_-
NOTE:5





RECOMMENDED PCB LAYOUT




DETAIL B
SCALE 5:1




RECOMMENDED DAUGHTER CARD LAYOUT (TOP SIDE)



DETAIL A
SCALE 5:1

dr	De-Ming Lu	2014/08/06	projection 	MM 	size	A4	scale	1:1			
eng	Sunny2 Liu	2015/08/11			ecn no				ELX-DG-21633-1		
chr	Terris Liu	2015/08/13			rel level				Released		
appr	Pei-Ming Zheng	2015/08/13			product family				Power edge card		
			title			POWER EDGE CARD CONNECTOR		dwg no	10035388	rev	AE
			WITHOUT SIGNAL ASSY								
www.fci.com			cat. no.		-		Product - Customer Drw			sheet 3 of 6	

Printed: Aug 14, 2015

D

C

