

9

8

7

6

5

4


3

2



1

引き出し方向

PULL OUT
DIRECTION



"E"




DETAIL "E"

NOTES


- 梱包数量： 3000個 / リール
NUMBER OF CONNECTORS : 3000 PCS/REEL.
- リードテープ長さ
LEAD TAPE LENGTH

引き出し方向

PULL OUT
DIRECTION



- カバーテープの剥離強度については、IEC60286-3に準拠。
COVER TAPE PEEL FORCE IS DEFINED BY IEC 60286-3.
- 製品詳細寸法については、図面 2005281000-000を参照下さい。
FOR DIMINTIONS OF PRODUCT, REFER TO 2005281000-000.
- 材料 MATERIAL
キャリアテープ : ポリスチレン
CARRIER TAPE : POLYSTYRENE
トップテープ : ポリエチレンテレフタレート、ポリエチレン
TOP TAPE : POLYETHYLENE TEREHTHALATE, POLYETHYLENE
リール :ポリスチレン<リサイクル材を含む>
- ELV及びRoHS適合品 ELV AND RoHS COMPLIANT.

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION															
REVISED	EC NO: 103009 DRWN: MTAKAHASHI04 CHK'D: KTAKAHASHI APPR: TKUSUHARA01	2016/02/09 2016/02/19 2016/02/19	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION UNITS	SCALE	molex®								
					MM	2:1									
			ANGULAR TOL ± 1.0 °		DRWN BY		DATE		1.0 FPC ZIF BTM 2 CONT EMBT PKG						
					MTAKAHASHI04		2015/12/22								
			4 PLACES ± 0.05		CHK'D BY		DATE		PRODUCT CUSTOMER DRAWING						
			3 PLACES ± 0.1		KTAKAHASHI		2015/12/25								
			2 PLACES ± 0.2		APPR BY		DATE		SERIES MATERIAL NUMBER CUSTOMER						
			1 PLACE ± 0.2		YNOGAWA		2016/01/04								
			0 PLACES ± 0.2		DRAWING SIZE		THIRD ANGLE PROJECTION		200528		SEE CHART			GENERAL	
			DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		A3				DOCUMENT NUMBER		DOC TYPE	DOC PART	SHEET NUMBER		
2005280000		PSD							000	1 OF 2					
B	REV														

9

8

7

6

5

4




3

2

1

E

引き出し方向
PULL OUT
DIRECTION



11.5	24	29.4	25.4	10.4	14.4	15.5	2005280090	9
				9.4	13.4	14.5	2005280080	8
				8.4	12.4	13.5	2005280070	7
				7.4	11.4	12.5	2005280060	6
				6.4	10.4	11.5	2005280050	5
				5.4	9.4	10.5	2005280040	4
H	F	E	D	C	B	A	EMBOSSED PACKAGE	Ckt
							オーダー番号 ORDER NO.	
							CONNECTER NO. 2005281**0	

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

REVISED

EC NO: 103009
DRWN: MTAKAHASHI04
CHK'D: KTAKAHASHI
REV APPR: TKUSUHARA01

2016/02/09
2016/02/19
2016/02/19

GENERAL TOLERANCES (UNLESS SPECIFIED)

ANGULAR TOL ± 1.0 °

4 PLACES	± 0.05
3 PLACES	± 0.1
2 PLACES	± 0.2
1 PLACE	± 0.2
0 PLACES	± 0.2

DRAFT WHERE APPLICABLE
MUST REMAIN
WITHIN DIMENSIONS

DIMENSION UNITS
MM

SCALE
1:1

DRWN BY
MTAKAHASHI04

DATE
2015/12/22

CHK'D BY
KTAKAHASHI

DATE
2015/12/25

APPR BY
YNOGAWA

DATE
2016/01/04

DRAWING SIZE
A3

THIRD ANGLE PROJECTION

molex

1.0 FPC ZIF BTM 2 CONT EMBT PKG

PRODUCT CUSTOMER DRAWING

SERIES 200528	MATERIAL NUMBER SEE CHART	CUSTOMER GENERAL
DOCUMENT NUMBER 2005280000	DOC TYPE PSD	DOC PART 000
SHEET NUMBER 2 OF 2		

9

8

7

6

5

4


3

2



1

引き出し方向

PULL OUT
DIRECTION



"E"




DETAIL "E"

NOTES


- 梱包数量： 3000個 / リール
NUMBER OF CONNECTORS : 3000 PCS/REEL.
- リードテープ長さ
LEAD TAPE LENGTH

引き出し方向

PULL OUT
DIRECTION



- カバーテープの剥離強度については、IEC60286-3に準拠。
COVER TAPE PEEL FORCE IS DEFINED BY IEC 60286-3.
- 製品詳細寸法については、図面 2005281006-000を参照下さい。
FOR DIMINTIONS OF PRODUCT, REFER TO 2005281006-000.
- 材料 MATERIAL
キャリアテープ：ポリスチレン
CARRIER TAPE : POLYSTYRENE
トップテープ：ポリエチレンテレフタレート、ポリエチレン
TOP TAPE : POLYETHYLENE TEREHTHALATE, POLYETHYLENE
リール :ポリスチレン<リサイクル材を含む>
- ELV及びRoHS適合品 ELV AND RoHS COMPLIANT.

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																			
REVISED	EC NO: 103009 DRWN: MTAKAHASHI04 CHK'D: KTAKAHASHI APPR: TKUSUHARA01	2016/02/09 2016/02/19 2016/02/19	GENERAL TOLERANCES (UNLESS SPECIFIED)			DIMENSION UNITS		SCALE		molex®									
						MM		2:1											
			ANGULAR TOL ± 1.0 °			DRWN BY		DATE		1.0 FPC ZIF BTM 2 CONT EMBT PKG									
						MTAKAHASHI04		2015/12/22											
			4 PLACES		±	0.05	CHK'D BY		DATE		PRODUCT CUSTOMER DRAWING								
			3 PLACES		±	0.1	KTAKAHASHI		2015/12/25										
			2 PLACES		±	0.2	APPR BY		DATE		SERIES					MATERIAL NUMBER		CUSTOMER	
			1 PLACE		±	0.2	YNOGAWA		2016/01/04										
			0 PLACES		±	0.2	DRAWING SIZE		THIRD ANGLE PROJECTION			200528		SEE CHART		GENERAL			
			DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS			A3													
DOCUMENT NUMBER		DOC TYPE									DOC PART		SHEET NUMBER						
B	REV								2005280006		PSD		000		1 OF 2				

9

8

7

6


5

4

3


2

1




20.2	40.4	44	49.4	45.4	23.4	27.4	28.5	2005280220	22
					18.4	22.4	23.5	2005280170	17
H	G	F	E	D	C	B	A	EMBOSSED PACKGE	Ckt
								オーダー番号 ORDER NO.	

CONNECTOR SERIES NO. 2005281**0

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION															
REVISED	EC NO: 103009 DRWN: MTAKAHASHI04 CHK'D: KTAKAHASHI APPR: TKUSUHARA01	2016/02/09 2016/02/19 2016/02/19	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION UNITS		SCALE		molex®						
					MM		2:1								
			ANGULAR TOL ± 1.0 °		DRWN BY		DATE		1.0 FPC ZIF BTM 2 CONT EMBT PKG						
			4 PLACES ± 0.05		MTAKAHASHI04		2015/12/22								
			3 PLACES ± 0.1		CHK'D BY		DATE								
			2 PLACES ± 0.2		KTAKAHASHI		2015/12/25								
			1 PLACE ± 0.2		APPR BY		DATE		PRODUCT CUSTOMER DRAWING						
			0 PLACES ± 0.2		YNOGAWA		2016/01/04								
			DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		DRAWING SIZE		THIRD ANGLE PROJECTION		SERIES		MATERIAL NUMBER		CUSTOMER		
					A3				200528		SEE CHART		GENERAL		
B	REV						DOCUMENT NUMBER		DOC TYPE		DOC PART		SHEET NUMBER		
								2005280006		PSD		000		2 OF 2	

RELEASE STATUS	P1	RELEASE DATE	19.02.2016	08:40:52
----------------	----	--------------	------------	----------




12.6	8.0	14.2	2005280090	9
11.6	7.0	13.2	2005280080	8
10.6	6.0	12.2	2005280070	7
9.6	5.0	11.2	2005280060	6
8.6	4.0	10.2	2005280050	5
7.6	3.0	9.2	2005280040	4
C	B	A	EMBOSSED PACKAGE オーダー番号 ORDER NO.	Ckt


CONNECTOR SERIES NO.2005281**0

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION														
REVISED	EC NO: 117930 DRWN: JASANUMA CHK'D: YKOBAYASHI02 APPR: TKUSUHARA01	2017/06/09 2017/06/12 2017/06/12	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION UNITS		SCALE		molex® 1.0 FPC ZIF BTM 2 CONT HSG ASSY					
					MM		10:1							
			ANGULAR TOL ± 1.0 °		DRWN BY		DATE		PRODUCT CUSTOMER DRAWING					
			4 PLACES ± 0.05		MTAKAHASHI04		2015/12/21							
			3 PLACES ± 0.1		CHK'D BY		DATE							
			2 PLACES ± 0.2		KTAKAHASHI		2015/12/25							
			1 PLACE ± 0.2		APPR BY		DATE							
			0 PLACES ± 0.2		YNOGAWA		2016/01/04		SERIES		MATERIAL NUMBER		CUSTOMER	
			DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		DRAWING SIZE		THIRD ANGLE PROJECTION		200528		SEE CHART		GENERAL	
					A3				DOCUMENT NUMBER		DOC TYPE		DOC PART	
					2005281000		PSD		000		1 OF 3			
C	REV													


RELEASE STATUS	P1	RELEASE DATE	12.06.2017	07:07:15
----------------	----	--------------	------------	----------



適合FPC/FFC推奨寸法
APPLICABLE FPC/FFC
RECOMMENDED DIMENSION



耳無し適合FPC/FFC推奨寸法
APPLICABLE NON-TAB FPC/FFC
RECOMMENDED DIMENSION



FPC構成推奨仕様
STRUCTURE OF FPC

FFC構成推奨仕様
STRUCTURE OF FFC

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																																				
REVISED	EC NO: 117930 DRWN: JASANUMA CHK'D: YKOBAYASHI02 APPR: TKUSUHARA01	2017/06/09 2017/06/12 2017/06/12	GENERAL TOLERANCES (UNLESS SPECIFIED)			DIMENSION UNITS		SCALE		molex® 1.0 FPC ZIF BTM 2 CONT HSG ASSY PRODUCT CUSTOMER DRAWING <table><tr><td>SERIES</td><td colspan="2">MATERIAL NUMBER</td><td colspan="2">CUSTOMER</td></tr><tr><td>200528</td><td colspan="2">SEE SHEET 1</td><td colspan="2">GENERAL</td></tr><tr><td colspan="2">DOCUMENT NUMBER</td><td>DOC TYPE</td><td>DOC PART</td><td colspan="2">SHEET NUMBER</td></tr><tr><td colspan="2">2005281000</td><td>PSD</td><td>000</td><td colspan="2">2 OF 3</td></tr></table>					SERIES	MATERIAL NUMBER		CUSTOMER		200528	SEE SHEET 1		GENERAL		DOCUMENT NUMBER		DOC TYPE	DOC PART	SHEET NUMBER		2005281000		PSD	000	2 OF 3	
						SERIES	MATERIAL NUMBER		CUSTOMER																											
			200528	SEE SHEET 1		GENERAL																														
			DOCUMENT NUMBER		DOC TYPE	DOC PART	SHEET NUMBER																													
			2005281000		PSD	000	2 OF 3																													
			MM																																	
			DRWN BY				DATE																													
			MTAKAHASHI04				2015/12/21																													
			CHK'D BY				DATE																													
			KTAKAHASHI				2015/12/25																													
APPR BY				DATE																																
YNOGAWA				2016/01/04																																
DRAWING SIZE		THIRD ANGLE PROJECTION																																		
A3		