




MATERIALI: CORPO E COPERCHIO: PBT NERO CARICATO F. V., UL 94 VO
CONTATTI: BRONZO FOSFOROSO DI SPESSORE 0.15 mm
PRESTAGNATO SALDABILE

MATERIALS: BODY AND COVER: BLACK G. F. PBT, UL 94 V0
CONTACTS: PHOSPHOR BRONZE SOLDERABLE TIN PREPLATED STRIP, 0.15 mm THICK

STD.DESCR.: FFC CONN VERT <insert contact number> CKT


NOTE: 1) IL PRODOTTO VIENE FORNITO IN TUBI (VEDI FOGLIO 2/2)
2) CARATTERISTICHE TECNICHE E FUNZIONALI COME DA PS 90500.
3) LUNGHEZZA MINIMA DI ESPOSIZIONE DELLE PISTE
4) SPQ: VEDERE FOGLIO 2/2

NOTE: 1) PRODUCT WILL BE SUPPLIED PACKAGED IN A TUBE (SEE SHEET 2/2)
2) TECHNICAL CHARACTERISTICS AS INDICATED IN PS90500.
3) MINIMUM EXPOSED LENGTH OF TRACKS
4) SPQ: SEE SHEET 2/2


EC NO: Z2005-0177 DRAWN: SBARBIERI CHK'D: RSANDANO APPR: FBI SELLO	2005/05/19 2005/05/20 2005/05/20	DESCRIPTION	QUALITY SYMBOLS ▽=0 ▽=0	GENERAL TOLERANCES (UNLESS SPECIFIED)	DIMENSION STYLE MM ONLY	SCALE 5:1	DESIGN UNITS METRIC	FIRST ANGLE PROJECTION																
				<table><tr><td></td><td>mm</td><td>INCH</td></tr><tr><td>4 PLACES</td><td>± ---</td><td>± ---</td></tr><tr><td>3 PLACES</td><td>± ---</td><td>± ---</td></tr><tr><td>2 PLACES</td><td>± 0.05</td><td>± ---</td></tr><tr><td>1 PLACE</td><td>± 0.10</td><td>± ---</td></tr><tr><td colspan="3">ANGULAR ± ---°</td></tr></table>		mm	INCH	4 PLACES	± ---	± ---	3 PLACES	± ---	± ---	2 PLACES	± 0.05	± ---	1 PLACE	± 0.10	± ---	ANGULAR ± ---°			DRAWN BY DATE SBARBIERI 2000/04/13	TITLE FFC CONNECTOR VERTICAL MOUNTING VERSION
					mm	INCH																		
				4 PLACES	± ---	± ---																		
3 PLACES	± ---	± ---																						
2 PLACES	± 0.05	± ---																						
1 PLACE	± 0.10	± ---																						
ANGULAR ± ---°																								
CHECKED BY DATE MTESTAGUZZA 2000/04/13																								
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS					APPROVED BY DATE RMARTUCCI 2000/04/13	MOLEX INCORPORATED																		
B1	REV	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				MATERIAL NO. SEE SHT 2/2	DOCUMENT NO. SD-90500-001	SHEET NO. 1 OF 2																
SIZE A3 THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																								

COVER UP: CONTACTS ARE OPEN FOR AN EASY INSERTION OF THE FLEX CIRCUITRY
COVER DOWN: CONTACTS ARE CLOSED ON THE TRACKS

FLEX CIRCUITRY (TYPICAL THICKNESS)



FLAT FLEX CIRCUITRY PREPARATION (OBTAINING TAIL)



RETENTION NOTCHES

RECOMMENDED P.C. BOARD HOLE DIMENSIONS:



MATERIALS

BODY AND COVER: BLACK G.F. PBT, UL 94 V0

CONTACTS: PHOSPHOR BRONZE SOLDERABLE TIN PREPLATED STRIP, 0.15 mm THICK

STR. DESCR.: PPC CONN VERT 14 OUT

NOTES:

- 1) PRODUCT WILL BE SUPPLIED PACKAGED IN TUBES (1000 PCS/TUBE) - SPEI
- 2) TECHNICAL CHARACTERISTICS AS INDICATED IN PS-90500-011.

EC NO. 22002-0017 CHINA S. No. 10-11-01 CHINA S. No. 10-11-02 CHINA S. No. 10-11-03	QUALITY SYMBOLS MAJOR MINOR SIGNIF. CRITICAL	DESCRIPTION STR. DESCR.: PPC CONN VERT 14 OUT	GENERAL TOLERANCES UNLESS SPECIFIED		SCALE S11 DRAWN BY & DATE S. Bordeu 20-11-04 CHECKED BY & DATE B. Testaguzo 20-11-04 APPROVED BY & DATE R. M. M. 20-11-04 CAD FILENAME	DESIGN UNITS 30mm 1/16"	FIRST ANGLE PROJECTION	DIMENSIONS: ☐ MM INCH ☐ INCH FEET ☐ MM ONLY	SHEET NO. 32-90500-004	SHEET NO. 1/1		
			4 PLACES ± 0.1 1.	2 PLACES ± 0.05 2.	2 PLACES ± 0.1 2.	1 PLACE ± 0.1 1.	1 PLACE ± 0.1 1.	1 PLACE ± 0.1 1.	1 PLACE ± 0.1 1.	1 PLACE ± 0.1 1.	1 PLACE ± 0.1 1.	1 PLACE ± 0.1 1.
			1 PLACE ± 0.1 1.	1 PLACE ± 0.1 1.	1 PLACE ± 0.1 1.	1 PLACE ± 0.1 1.	1 PLACE ± 0.1 1.	1 PLACE ± 0.1 1.	1 PLACE ± 0.1 1.	1 PLACE ± 0.1 1.	1 PLACE ± 0.1 1.	
			1 PLACE ± 0.1 1.	1 PLACE ± 0.1 1.	1 PLACE ± 0.1 1.	1 PLACE ± 0.1 1.	1 PLACE ± 0.1 1.	1 PLACE ± 0.1 1.	1 PLACE ± 0.1 1.	1 PLACE ± 0.1 1.	1 PLACE ± 0.1 1.	
EC NO. 22002-0017 CHINA S. No. 10-11-01 CHINA S. No. 10-11-02 CHINA S. No. 10-11-03	QUALITY SYMBOLS MAJOR MINOR SIGNIF. CRITICAL	DESCRIPTION STR. DESCR.: PPC CONN VERT 14 OUT	GENERAL TOLERANCES UNLESS SPECIFIED		SCALE S11 DRAWN BY & DATE S. Bordeu 20-11-04 CHECKED BY & DATE B. Testaguzo 20-11-04 APPROVED BY & DATE R. M. M. 20-11-04 CAD FILENAME	DESIGN UNITS 30mm 1/16"	FIRST ANGLE PROJECTION	DIMENSIONS: ☐ MM INCH ☐ INCH FEET ☐ MM ONLY	SHEET NO. 32-90500-004	SHEET NO. 1/1		
4 PLACES ± 0.1 1.	2 PLACES ± 0.05 2.	2 PLACES ± 0.1 2.	1 PLACE ± 0.1 1.	1 PLACE ± 0.1 1.	1 PLACE ± 0.1 1.	1 PLACE ± 0.1 1.	1 PLACE ± 0.1 1.	1 PLACE ± 0.1 1.	1 PLACE ± 0.1 1.			
1 PLACE ± 0.1 1.	1 PLACE ± 0.1 1.	1 PLACE ± 0.1 1.	1 PLACE ± 0.1 1.	1 PLACE ± 0.1 1.	1 PLACE ± 0.1 1.	1 PLACE ± 0.1 1.	1 PLACE ± 0.1 1.	1 PLACE ± 0.1 1.	1 PLACE ± 0.1 1.			
1 PLACE ± 0.1 1.	1 PLACE ± 0.1 1.	1 PLACE ± 0.1 1.	1 PLACE ± 0.1 1.	1 PLACE ± 0.1 1.	1 PLACE ± 0.1 1.	1 PLACE ± 0.1 1.	1 PLACE ± 0.1 1.	1 PLACE ± 0.1 1.	1 PLACE ± 0.1 1.			

DRAWING WHERE APPLICABLE MUST BE USED WITHIN DIMENSIONS

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION.

SIZE
A.1