







PRODUCT NO.	
62491-22LLS	
62491-22LLSLF	



PRODUCT NO.  
62491-22RRS  
62491-22RRSLF  
62491-22RRS3  
62491-22RRS3LF

REVISIONS				
REV	DESCRIPTION	ECN	BY	DATE
1	SKETCHED		N.T	8/5/'99
A	RELEASED	J00356	N.T	5/23/'00
B	REVISED	J05-0431	M.H	7/15/'00



RECOMMENDED P. C. BOARD LAYOUT  
(MOUNTING FACE SIDE)




TABLE1 PIN CONTACT LENGTH LIST  
(表1 タンシ長さ一覧)

PIN # (タンシ番号)	L (mm)
a1, a17, a34, a35, a51, a68 b1, b17, b34, b35, b51, b68	5.00±0.1
a36, a67, b36, b67	3.50±0.1
OTHER(上記以外)	4.25±0.1

SHEET INDEX	ISSUE				DR <i>M. Hasegawa</i>	DATE 7/15/05	CUSTOMER
	SH NO.						
TOLERANCES UNLESS OTHERWISE SPECIFIED			MAT	—	—	—	COPY
LINEAR	UP TO 10	±0.3	—	—	ENGR <i>M. Hasegawa</i>	7/15/05	—
	ABOVE 10 TO 100	±0.5	FINISH	—	CHK <i>M. Hasegawa</i>	7/15/05	THIRD ANGLE P
	ABOVE 100	±0.8	—	—	APPD <i>M. Hasegawa</i>	7/15/05	UNIT INCH
ANGLES	±3°		—	—	—	—	—



**TITLE 2-STEP SLOT CONNECTOR  
ABOVE MOUNT ( EJ - AC SERIES**

PRODUCT FAMILY 5ARF Header CB III	CODE JP
SONG SIZE LAYER NO. LSP/	SHOOT

DF-003A REV F

DO NOT SCALE PRINT THIS INFORMATION IS CONFIDENTIAL AND IS DISCLOSED TO YOU ON CONDITION THAT NO FURTHER DISCLOSURE IS MADE BY YOU TO OTHER THAN FCI PERSONNEL WITHOUT WRITTEN AUTHORIZATION FROM FCI JAPAN K.K.