








$\pm .006 / (0.15) \text{ M W X Y}$
 $.024 \pm .002$
 (0.61 ± 0.05)



$\pm .006 / (0.15) \text{ M W Y X}$
 $.034 \pm .003$
 (0.86 ± 0.08)

DETAIL "A"
SCALE 10:1



RETENTION TAIL OPTION
A-71061-1*** AND A-71061-3***

NOTES:

- REFER TO PS-79058 PRODUCT SPEC. FOR ELECTRICAL, MECHANICAL AND ENVIRONMENTAL SPECIFICATIONS.
- MATERIAL:
RECEPTACLE HOUSING: GLASS FILLED LCP (LIQUID CRYSTAL POLYMER); COLOR - BLACK; UL 94V-0
TERMINALS: PHOSPHOR BRONZE
- PACKAGING:
PARTS PACKAGED IN TUBES PER PK-70873-0423
- SEE SHEET 5 FOR CHARTED DIMENSIONS.
- FOR FIXED TAIL/PCB PATTERN AT LAST CIRCUIT POSITIONS REFER TO SECTION A-A ON SHEETS 2 AND 3, AND PCB LAYOUT SHOWN ON SHEETS 4 AND 5.


PLATING FINISH

SELECTIVE GOLD: THICKNESS= 30 MICROINCHES/(0.76 MICROMETERS) MINIMUM.
 SELECTIVE TIN: THICKNESS= 75 MICROINCHES/(1.90 MICROMETERS) MINIMUM.
 NICKEL UNDERPLATE OVERALL.


NOTE FOR LEAD FREE CONVERSION:
 THE PRIMARY SHIPPING CARTON WILL BE LABELED "COMPLIANT TO ROHS DIRECTIVE 2002/95/EC AND ELV ANNEX II OF DIRECTIVE 2000/53/EC". CARTONS WITHOUT THIS LABEL MAY CONTAIN PRODUCT WITH LEAD.

DIMENSIONS SHOWN (METRIC) INCH		UNLESS OTHERWISE SPECIFIED TOLERANCES: ANGULAR ± 1/2°		REVISE ONLY ON CAD SYSTEM	
		INCH METRIC		TITLE	
3 PLACE ± .005 ---		2 PLACE ± --- ± 0.13		SALES ASSEMBLY SCSI RECEPTACLE	
1 PLACE --- ± ---		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		MOLEX INCORPORATED	
DRWG. BY J. Long		CHKD. BY J. Long		PART NO. SEE SHEET 5	
APP'D. BY DJB		SCALE 4 1		SHEET NO. 1 of 5	
LTR. REVISIONS		LTR. REVISIONS		DATE 95/03/02	


5	G
4	G
3	G
2	G
1	G
MFG.	SH.
REV.	




FOR 50 CIRCUIT ASSEMBLIES
A-71061-0***



FOR 68 CIRCUIT ASSEMBLIES
SECTION A-A
A-71061-0***



FOR 50 CIRCUIT ASSEMBLIES
A-71061-1***





FOR 68 CIRCUIT ASSEMBLIES
SECTION A-A
FOR RETENTION TAIL OPTION
A-71061-1***

```


** TYPE I TAIL OPTIONS **

```


		D	SEE SHEET I	DIMENSIONS SHOWN (METRIC) INCH UNLESS OTHERWISE SPECIFIED TOLERANCES: ANGULAR $\pm 1/2^\circ$		REVISE ONLY ON CAD SYSTEM													
G	SEE SHEET I	B	SEE SHEET I	<table><tr><td></td><td>INCH</td><td>METRIC</td></tr><tr><td>3 PLACE</td><td>$\pm .005$</td><td>---</td></tr><tr><td>2 PLACE</td><td>---</td><td>± 0.13</td></tr><tr><td>1 PLACE</td><td>---</td><td>---</td></tr></table>			INCH	METRIC	3 PLACE	$\pm .005$	---	2 PLACE	---	± 0.13	1 PLACE	---	---	TITLE SALES ASSEMBLY SCSI RECEPCTACLE	
	INCH	METRIC																	
3 PLACE	$\pm .005$	---																	
2 PLACE	---	± 0.13																	
1 PLACE	---	---																	
E	SEE SHEET I	A	SEE SHEET I	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		MOLEX INCORPORATED 68532 U.S.A.													
LTR.	REVISIONS	LTR.	REVISIONS	CHNGD. BY <i>J. Long</i> APP'D. BY <i>[Signature]</i>		SHEET NO. 2 DATE 95/03/03													
				SCALE 4 : 1		PART NO. SEE SHEET 5 DRWG. NO. SDA-71061-****	FILE NAME 57.106102 THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INC. AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION.												
						DIV. DC	SIZE C												



		G		SEE SHEET 1	DIMENSIONS SHOWN (METRIC) INCH UNLESS OTHERWISE SPECIFIED TOLERANCES: ANGULAR $\pm 1/2^\circ$		REVISE ONLY ON CAD SYSTEM													
		E		SEE SHEET 1	<table><tr><td></td><td>INCH</td><td>METRIC</td></tr><tr><td>3 PLACE</td><td>$\pm .005$</td><td>---</td></tr><tr><td>2 PLACE</td><td>$\pm .---$</td><td>± 0.13</td></tr><tr><td>1 PLACE</td><td>---</td><td>$\pm .---$</td></tr></table>			INCH	METRIC	3 PLACE	$\pm .005$	---	2 PLACE	$\pm .---$	± 0.13	1 PLACE	---	$\pm .---$	TITLE SALES ASSEMBLY SCSI RECEPTACLE	
	INCH	METRIC																		
3 PLACE	$\pm .005$	---																		
2 PLACE	$\pm .---$	± 0.13																		
1 PLACE	---	$\pm .---$																		
		D		SEE SHEET 1	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		MOLEX INCORPORATED LISLE, ILL. 60532 U.S.A.													
					DRWG. BY: <i>J. Long</i> APP'D. BY: <i>J. Long</i> CHW'D. BY: <i>J. Long</i> SCALE 4 : 1		SHEET NO. 3 DATE 95/11/14													
LTR. REVISIONS		LTR. REVISIONS				PART NO. SEE SHEET 5 ORG. NO. SDA-71061-****		FILE NAME 57106103												
						THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INC. AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION.		DIV. DC SIZE C												




TYPE 168 CIRCUIT P.C. BOARD LAYOUT
CONNECTOR SIDE




TYPE 150 CIRCUIT P.C. BOARD LAYOUT
CONNECTOR SIDE


TYPE 1 TAIL P.C. BOARD LAYOUT FOR A-71061-0***



TYPE 168 CIRCUIT P.C. BOARD LAYOUT
CONNECTOR SIDE



TYPE 150 CIRCUIT P.C. BOARD LAYOUT
CONNECTOR SIDE



RECOMMENDED CONNECTOR LAYOUT
(50 CKT SHOWN FOR REFERENCE)

TYPE 1 RETENTION TAIL P.C. BOARD LAYOUT A-71061-1***

MFG. SH. REV.		REVISE ONLY ON CAD SYSTEM	
G		D SEE SHEET 1	
E		A SEE SHEET 1	
LTR. REVISIONS		LTR. REVISIONS	
7		4	
6		5	
5		6	
4		7	
3		8	
2		9	
1		10	
13		12	
11		10	
9		8	
7		6	
5		4	
3		2	
1		13	
12		11	
10		9	
8		7	
6		5	
4		3	
2		1	
13		12	
11		10	
9		8	
7		6	
5		4	
3		2	
1		13	
12		11	
10		9	
8		7	
6		5	
4		3	
2		1	
13		12	
11		10	
9		8	
7		6	
5		4	
3		2	
1		13	
12		11	
10		9	
8		7	
6		5	
4		3	
2		1	
13		12	
11		10	
9		8	
7		6	
5		4	
3		2	
1		13	
12		11	
10		9	
8		7	
6		5	
4		3	
2		1	
13		12	
11		10	
9		8	
7		6	
5		4	
3		2	
1		13	
12		11	
10		9	
8		7	
6		5	
4		3	
2		1	
13		12	
11		10	
9		8	
7		6	
5		4	
3		2	
1		13	
12		11	
10		9	
8		7	
6		5	
4		3	
2		1	
13		12	
11		10	
9		8	
7		6	
5		4	
3		2	
1		13	
12		11	
10		9	
8		7	
6		5	
4		3	
2		1	
13		12	
11		10	
9		8	
7		6	
5		4	
3		2	
1		13	
12		11	
10		9	
8		7	
6		5	
4		3	
2		1	
13		12	
11		10	
9		8	
7		6	
5		4	
3		2	
1		13	
12		11	
10		9	
8		7	
6		5	
4		3	
2		1	
13		12	
11		10	
9		8	
7		6	
5		4	
3		2	
1		13	
12		11	
10		9	
8		7	
6		5	
4		3	
2		1	
13		12	
11		10	
9		8	
7		6	
5		4	
3		2	
1		13	
12		11	
10		9	
8		7	
6		5	
4		3	
2		1	
13		12	
11		10	
9		8	
7		6	
5		4	
3		2	
1		13	
12		11	
10		9	
8		7	
6		5	
4		3	
2		1	
13		12	
11		10	
9		8	
7		6	
5		4	
3		2	
1		13	
12		11	
10		9	
8		7	
6		5	
4		3	
2		1	
13		12	
11		10	
9		8	
7		6	
5		4	
3		2	
1		13	
12		11	
10		9	
8		7	
6		5	
4		3	
2		1	
13		12	
11		10	
9		8	
7		6	
5		4	
3		2	
1		13	
12		11	
10		9	
8		7	
6		5	
4		3	
2		1	
13		12	
11		10	
9		8	
7		6	
5		4	
3		2	
1		13	
12		11	
10		9	
8		7	
6		5	
4		3	
2		1	
13		12	
11		10	
9		8	
7		6	
5		4	
3		2	
1		13	
12		11	
10		9	
8		7	
6		5	
4		3	
2		1	
13		12	
11		10	
9		8	
7		6	
5		4	
3		2	
1		13	
12		11	
10		9	
8		7	
6		5	
4		3	
2		1	
13		12	
11		10	
9		8	
7		6	
5		4	
3		2	
1		13	
12		11	
10		9	
8		7	
6		5	
4		3	
2		1	
13		12	
11		10	
9		8	
7		6	
5		4	
3		2	
1		13	
12		11	
10		9	
8		7	
6		5	
4		3	
2		1	
13		12	
11		10	
9		8	
7		6	
5		4	
3		2	
1		13	
12		11	
10		9	
8		7	
6		5	
4		3	
2		1	
13		12	
11		10	
9		8	
7		6	
5		4	
3		2	
1		13	
12		11	
10		9	
8		7	
6		5	
4		3	
2		1	
13		12	
11		10	
9		8	
7		6	
5		4	
3		2	
1		13	
12		11	
10		9	
8		7	
6		5	
4		3	
2		1	
13		12	
11		10	
9		8	
7		6	
5		4	
3		2	
1		13	
12		11	
10		9	
8		7	
6		5	
4		3	
2		1	
13		12	
11		10	
9		8	
7		6	
5		4	
3		2	
1		13	
12		11	
10		9	
8		7	
6		5	
4		3	
2		1	
13		12	
11		10	
9		8	
7		6	
5		4	
3		2	
1		13	
12		11	
10		9	
8		7	
6		5	
4		3	
2		1	
13		12	
11		10	
9		8	
7		6	
5		4	
3		2	
1		13	
12		11	
10		9	
8		7	
6		5	
4		3	
2		1	
13		12	
11		10	
9		8	
7		6	
5		4	
3		2	
1		13	
12		11	
10		9	
8		7	
6		5	
4		3	
2		1	
13		12	
11		10	
9		8	
7		6	
5		4	
3		2	
1		13	
12		11	
10		9	
8		7	
6		5	
4		3	
2		1	
13		12	
11		10	
9		8	
7		6	
5		4	
3		2	
1		13	
12		11	
10		9	
8		7	
6		5	

