

# PRODUCT SPECIFICATION

**Carl  
Kammerling**  
International

|                         |                                           |
|-------------------------|-------------------------------------------|
| <b>Brand</b>            | C.K                                       |
| <b>Product Range</b>    | Triton XLS Screwdriver range              |
| <b>Catalogue number</b> | 4720, 4722, 4723, 4725, 4726, 4728 & 4729 |
| <b>Date</b>             | 13/04/2010                                |

|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |                                                     |                                                                                     |                |            |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------|-------------------------------------------------------------------------------------|----------------|------------|
| <b>Range Description</b><br>A range of professional general purpose screwdrivers                                                                                                                                                                                                                                                                                                                                                                                                                                                                |                                                     |  |                |            |
| <b>Features</b> <ul style="list-style-type: none"><li>• Tip type marking for easy identification</li><li>• Large soft grip tri-lobe handle for exceptional comfort and high torque turns</li><li>• Handle injection moulded directly to blade giving the ultimate bond for increased reliability and durability</li><li>• Anti roll flats to prevent the screwdriver rolling off sloping surfaces</li><li>• Toughened alloy steel blade for excellent durability</li><li>• Precision machined tips to reduce the risk of tip breakage</li></ul> |                                                     |                                                                                     |                |            |
| Item Number                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | Item Description                                    | EAN No                                                                              | Commodity code | Carton Qty |
| T4720-055                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | Triton XLS Screwdriver – Slotted Flared 5.5 x 100mm | 5013969704594                                                                       | 82054000       | 6          |
| T4720-065                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | Triton XLS Screwdriver – Slotted Flared 6.5 x 150mm | 5013969704600                                                                       | 82054000       | 6          |
| T4720-100                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | Triton XLS Screwdriver - Slotted Flared 10 x 200mm  | 5013969704617                                                                       | 82054000       | 6          |
| T4722-0                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | Triton XLS Screwdriver - PH0 x 60mm                 | 5013969704655                                                                       | 82054000       | 6          |

|            |                                                                                                                             |               |          |   |
|------------|-----------------------------------------------------------------------------------------------------------------------------|---------------|----------|---|
| T4722-1    | Triton XLS Screwdriver - PH1 x 75mm                                                                                         | 5013969704662 | 82054000 | 6 |
| T4722-1250 | Triton XLS Screwdriver - PH1 x 250mm Long Reach                                                                             | 5013969704679 | 82054000 | 6 |
| T4722-2    | Triton XLS Screwdriver - PH2 x 100mm                                                                                        | 5013969704686 | 82054000 | 6 |
| T4722-2250 | Triton XLS Screwdriver - PH2 x 250mm Long Reach                                                                             | 5013969704693 | 82054000 | 6 |
| T4722-3    | Triton XLS Screwdriver - PH3 x 150mm                                                                                        | 5013969704709 | 82054000 | 6 |
| T4723-0    | Triton XLS Screwdriver - PZ0 x 60mm                                                                                         | 5013969704716 | 82054000 | 6 |
| T4723-1    | Triton XLS Screwdriver - PZ1 x 75mm                                                                                         | 5013969704723 | 82054000 | 6 |
| T4723-1250 | Triton XLS Screwdriver - PZ1 x 250mm Long Reach                                                                             | 5013969704730 | 82054000 | 6 |
| T4723-2    | Triton XLS Screwdriver - PZ2 x 100mm                                                                                        | 5013969704747 | 82054000 | 6 |
| T4723-2250 | Triton XLS Screwdriver - PZ2 x 250mm Long Reach                                                                             | 5013969704754 | 82054000 | 6 |
| T4723-3    | Triton XLS Screwdriver - PZ3 x 150mm                                                                                        | 5013969704761 | 82054000 | 6 |
| T4725-030  | Triton XLS Screwdriver - Slotted Parallel 3 x 75mm                                                                          | 5013969704624 | 82054000 | 6 |
| T4725-040  | Triton XLS Screwdriver - Slotted Parallel 4 x 100mm                                                                         | 5013969704631 | 82054000 | 6 |
| T4725-055  | Triton XLS Screwdriver - Slotted Parallel 5.5 x 250mm Long Reach                                                            | 5013969704648 | 82054000 | 6 |
| T4726      | Triton XLS Screwdriver - 5 Piece Set SL/PH contains Slotted parallel 4x100, slotted flared 5.5x100, 6.5x150 PH1x75, PH2x100 | 5013969704778 | 82054000 | 1 |
| T4727      | Triton XLS Screwdriver - 5 Piece Set SL/PH contains Slotted parallel 4x100, slotted flared 5.5x100, 6.5x150 PZ1x75, PZ2x100 | 5013969704785 | 82054000 | 1 |
| T4728      | Triton XLS Insulated Screwdriver - 5 Piece Set SL/PH contains Slotted parallel 2.5x75, 4x100, 5.5x125, PH1x80, PH2x100      | 5013969704792 | 82054000 | 1 |
| T4729      | Triton XLS Insulated Screwdriver - 5 Piece Set SL/PH contains Slotted parallel 2.5x75, 4x100, 5.5x125, PZ1x80, PZ2x100      | 5013969704808 | 82054000 | 1 |

1

|                               |                                                                                                                                                   |               |              |           |               |
|-------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------|---------------|--------------|-----------|---------------|
| Technical product information | <b>Blade/Shaft</b>                                                                                                                                |               |              |           |               |
|                               | Made from high alloy steel, hardened to 57-59 HRC, chrome plated.<br>(insulated screwdrivers have a black coating)                                |               |              |           |               |
|                               | <b>Handle</b>                                                                                                                                     |               |              |           |               |
|                               | The handle core is polypropylene, injection moulded around the blade with a TPE soft grip over-mould. The handles are shatterproof down to -35°C. |               |              |           |               |
|                               | <b>Dimensions</b>                                                                                                                                 |               |              |           |               |
|                               | Dimensions (mm)                                                                                                                                   | Handle length | Blade length | Blade Dia | Tip thickness |
|                               | T4720-055                                                                                                                                         | 100           | 100          | 5         | 1.0           |
|                               | T4720-065                                                                                                                                         | 108           | 150          | 6         | 1.2           |
|                               | T4720-100                                                                                                                                         | 118           | 200          | 9.5       | 1.6           |

|                                    |                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
|------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                                    | T4722-3      121      150      8      -<br>T4723-0      90      60      3      -<br>T4723-1      102      75      5      -<br>T4723-1250      102      250      5      -<br>T4723-2      111      100      6      -<br>T4723-2250      111      250      6      -<br>T4723-3      121      150      8      -<br>T4725-030      90      75      3      0.6<br>T4725-040      102      100      4      0.8<br>T4725-055      102      250      5.5      1.0 |
| Standards compliance               | <b>Electrical safety</b><br>Screwdrivers in set 4728/4729 conform to IEC 60900:2004 for safe working up to 1000v<br><br><b>Dimensional and performance</b><br><i>Slotted screwdrivers – DIN ISO 2380</i><br><i>PZD/SDV/PH Screwdrivers – DIN ISO 8764</i>                                                                                                                                                                                                 |
| User health and safety information | Users and bystanders are advised to wear safety goggles<br>Users are advised to regularly examine their VDE tools, Even the slightest damage can compromise the insulation integrity and potentially expose the user to the risk of injury or even death                                                                                                                                                                                                  |
| RoHS/WEEE compliance               | This product range does not fall within the scope of RoHS or WEEE regulations                                                                                                                                                                                                                                                                                                                                                                             |
| Material safety data               | None applicable                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| Warranty                           | C.K Triton XLS screwdrivers are guaranteed for life against imperfect materials or workmanship<br>Normal wear and tear or damage caused through inappropriate use is not covered                                                                                                                                                                                                                                                                          |
| Country of origin                  | Taiwan                                                                                                                                                                                                                                                                                                                                                                                                                                                    |

## Dimensional details

|            | Product only |          |           |              | Product on primary packaging |          |           |                |
|------------|--------------|----------|-----------|--------------|------------------------------|----------|-----------|----------------|
| Item       | Width mm     | Depth mm | Height mm | Net weight g | Width mm                     | Depth mm | Height mm | Gross weight g |
| T4720-055  | 31           | 31       | 200       | 66           | -                            | -        | -         | -              |
| T4720-065  | 33           | 33       | 258       | 102          | -                            | -        | -         | -              |
| T4720-100  | 37           | 37       | 318       | 218          | -                            | -        | -         | -              |
| T4722-0    | 27           | 27       | 149       | 36           | -                            | -        | -         | -              |
| T4722-1    | 31           | 31       | 175       | 62           | -                            | -        | -         | -              |
| T4722-1250 | 31           | 31       | 350       | 90           | -                            | -        | -         | -              |
| T4722-2    | 33           | 33       | 208       | 90           | -                            | -        | -         | -              |
| T4722-2250 | 33           | 33       | 358       | 124          | -                            | -        | -         | -              |

|            |    |    |     |     |     |     |    |     |
|------------|----|----|-----|-----|-----|-----|----|-----|
| T4722-3    | 37 | 37 | 268 | 152 | -   | -   | -  | -   |
| T4723-0    | 27 | 27 | 159 | 36  | -   | -   | -  | -   |
| T4723-1    | 31 | 31 | 175 | 62  | -   | -   | -  | -   |
| T4723-1250 | 31 | 31 | 350 | 90  | -   | -   | -  | -   |
| T4723-2    | 33 | 33 | 208 | 90  | -   | -   | -  | -   |
| T4723-2250 | 33 | 33 | 358 | 124 | -   | -   | -  | -   |
| T4723-3    | 37 | 37 | 268 | 152 | -   | -   | -  | -   |
| T4725-030  | 27 | 27 | 164 | 36  | -   | -   | -  | -   |
| T4725-040  | 31 | 31 | 200 | 58  | -   | -   | -  | -   |
| T4725-055  | 31 | 31 | 350 | 102 | -   | -   | -  | -   |
| T4726      | -  | -  | -   | -   | 130 | 300 | 40 | 500 |
| T4727      | -  | -  | -   | -   | 130 | 300 | 40 | 500 |
| T4728      | -  | -  | -   | -   | 130 | 300 | 40 | 464 |
| T4729      | -  | -  | -   | -   | 130 | 300 | 40 | 464 |

| Shelf box (secondary packaging) |          |          |           |                | Euro Pallet data<br>Wi x Hi |                     |
|---------------------------------|----------|----------|-----------|----------------|-----------------------------|---------------------|
| 500Item                         | Width mm | Depth mm | Height mm | Gross weight g | No of cartons on base       | Number of rows high |
| T4720-055                       | 105      | 215      | 40        | 450            |                             |                     |
| T4720-065                       | 115      | 270      | 40        | 680            |                             |                     |
| T4720-100                       | 125      | 330      | 45        | 1390           |                             |                     |
| T4722-0                         | 95       | 200      | 35        | 258            |                             |                     |
| T4722-1                         | 105      | 215      | 40        | 428            |                             |                     |
| T4722-1250                      | 115      | 370      | 40        | 625            |                             |                     |
| T4722-2                         | 115      | 270      | 40        | 610            |                             |                     |
| T4722-2250                      | 115      | 370      | 45        | 825            |                             |                     |
| T4722-3                         | 120      | 330      | 45        | 990            |                             |                     |
| T4723-0                         | 95       | 200      | 35        | 258            |                             |                     |
| T4723-1                         | 105      | 215      | 40        | 428            |                             |                     |
| T4723-1250                      | 115      | 370      | 40        | 625            |                             |                     |
| T4723-2                         | 115      | 270      | 40        | 610            |                             |                     |
| T4723-2250                      | 115      | 370      | 45        | 825            |                             |                     |
| T4723-3                         | 120      | 330      | 45        | 990            |                             |                     |
| T4725-030                       | 95       | 200      | 35        | 258            |                             |                     |
| T4725-040                       | 105      | 215      | 40        | 390            |                             |                     |
| T4725-055                       | 115      | 370      | 45        | 690            |                             |                     |

|       |   |   |   |   |  |  |
|-------|---|---|---|---|--|--|
| T4726 | - | - | - | - |  |  |
| T4727 | - | - | - | - |  |  |
| T4728 | - | - | - | - |  |  |
| T4729 | - | - | - | - |  |  |

## Packaging waste details

|            | Primary Packaging |      |        |     | Secondary packaging |     |        |     |
|------------|-------------------|------|--------|-----|---------------------|-----|--------|-----|
| Item       | Plastic g         | Use  | Card g | Use | Plastic g           | Use | Card g | Use |
| T4720-055  | -                 | -    | -      | -   | -                   | -   | 54     | Box |
| T4720-065  | -                 | -    | -      | -   | -                   | -   | 68     | Box |
| T4720-100  | -                 | -    | -      | -   | -                   | -   | 82     | Box |
| T4722-0    | -                 | -    | -      | -   | -                   | -   | 42     | Box |
| T4722-1    | -                 | -    | -      | -   | -                   | -   | 56     | Box |
| T4722-1250 | -                 | -    | -      | -   | -                   | -   | 85     | Box |
| T4722-2    | -                 | -    | -      | -   | -                   | -   | 70     | Box |
| T4722-2250 | -                 | -    | -      | -   | -                   | -   | 82     | Box |
| T4722-3    | -                 | -    | -      | -   | -                   | -   | 78     | Box |
| T4723-0    | -                 | -    | -      | -   | -                   | -   | 42     | Box |
| T4723-1    | -                 | -    | -      | -   | -                   | -   | 56     | Box |
| T4723-1250 | -                 | -    | -      | -   | -                   | -   | 85     | Box |
| T4723-2    | -                 | -    | -      | -   | -                   | -   | 70     | Box |
| T4723-2250 | -                 | -    | -      | -   | -                   | -   | 82     | Box |
| T4723-3    | -                 | -    | -      | -   | -                   | -   | 82     | Box |
| T4725-030  | -                 | -    | -      | -   | -                   | -   | 42     | Box |
| T4725-040  | -                 | -    | -      | -   | -                   | -   | 42     | Box |
| T4725-055  | -                 | -    | -      | -   | -                   | -   | 82     | Box |
| T4726      | 38                | Tray | 78     | Box | -                   | -   | -      | -   |
| T4727      | 38                | Tray | 78     | Box | -                   | -   | -      | -   |
| T4728      | 38                | Tray | 78     | Box | -                   | -   | -      | -   |
| T4729      | 38                | Tray | 78     | Box | -                   | -   | -      | -   |