

The diagram illustrates various circuit configurations and their dimensions. The configurations are arranged in a grid, with the number of circuits (CKTS.) indicated below each set of components.

Circuit Configurations:



- 6 CKTS. (2x3 grid)
- 8 CKTS. (2x4 grid)
- 18 CKTS. (3x6 grid)
- 20 CKTS. (4x5 grid)
- 4 CKTS. (2x2 grid)
- 10 CKTS. (2x5 grid)
- 16 CKTS. (3x4 grid)
- 22 CKTS. (4x6 grid)
- 2 CKTS. (1x2 grid)
- 12 CKTS. (2x6 grid)
- 14 CKTS. (2x7 grid)
- 24 CKTS. (3x8 grid)

Dimensions:


- A:** ± 0.16 / ± 0.40
- B:** ± 0.16 / ± 0.40
- .11** / **2.7**
- .17TYP** / **4.2**
- .02±.01** / **0.4±0.2**
- Ø.04/1.0 Z Y**

Notes:

- RIB INDICATES CIRCUIT NO. 1




LEGEND

A

[illegible]

[illegible]



TRAY PACKED PART NUMBERS

SEE SD-5566-222 FOR ADDITIONAL
TRAY PACKED PART #'S

PARTS WITHOUT DRAIN HOLES					24
					22
					20
			39-53-9188	5566-18A-TA	18
					16
					14
					12
					10
					8
	46999-0630	5566-06AGS2-BL-TA			6
	46999-0629	5566-04AGS2-BL-TA			4
					2
	EDP NO.	ENG. NO.	EDP NO.	ENG. NO.	CKT. SIZE
	5566-NAGS2-BL-TA		5566-NA-TA		

QUALITY SYMBOLS		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION														
UPDATE NOTE 2		2017/03/10 2017/05/12 2017/05/18	GENERAL TOLERANCES (UNLESS SPECIFIED)	DIMENSION UNITS		SCALE		molex®								
				IN/MM		1:1										
					MM	INCH	DRWN BY		DATE		MINI FIT JR VERTICAL HEADER ASSEMBLIES WITHOUT PEGS					
				4 PLACES	±	±	H.HIRAMOTO		1989/04/03							
				3 PLACES	±	± 0.005	CHK'D BY		DATE							
				2 PLACES	± 0.13	± 0.01	M.FUKUSHIMA		1994/04/20							
				1 PLACES	± 0.25	±	APPR BY		DATE		PRODUCT CUSTOMER DRAWING					
				0 PLACES	±	±	FSMITH		2012/05/04							
				ANGULAR TOL ± 0.5			DRAWING SIZE		THIRD ANGLE PROJECTION		SERIES		MATERIAL NUMBER		CUSTOMER	
							C				5566		SEE TABLE		GENERAL MARKET	
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS							DOCUMENT NUMBER		DOC TYPE		DOC PART		SHEET NUMBER			
M1							SD-5566-002		PSD		000		5 OF 5			