



NOTES

1. 製品詳細寸法は製品単体図面を参照して下さい。
FOR DETAIL OF CONNECTOR DIMENSIONS,PLEASE SEE THE DRAWING OF CONNECTOR ITSELF(NOT PACKAGED).
2. 梱包数量：3000個 / リール
NUMBER OF CONNECTORS : 3000PCS/REEL
3. リードテープ長さ LEAD TAPE LENGTH





4. トップテープの剥離強度：60±35gf (0.25N～0.93N) (剥離方向は下図参照)
尚、本規格は出荷時に適用。(但し、輸送時に剥離が発生しないこと。)
PEELING OFF FORCE OF TOP TAPE : 60gf±35gf (0.25N ~ 0.93N)
(PEELING DIRECTION AS SHOWN IN FOLLOWING FIG,)
THIS REQUIREMENT SHOULD BE APPLIED AT SHIPMENT.
PEEL OFF SHOULD NOT BE ALLOWED , DURING TRANSPORTATION.




5. 材料(MATERIAL)
キャリアテープ(CARRIER TAPE)：ポリスチレン(POLYSTYREN)
トップテープ(TOP TAPE)：PET, PE, PEF
リール(REEL)：ポリスチレン(PS) <リサイクル材を含む>
POLYSTYREN(PS) <RECYCLE MATERIAL CONTAINED>
6. C寸法は SHEET 2～4を参照下さい。
SEE SHEET 2～4(DIMENSION C).
7. ELV AND RoHS COMPLIANT.


引き出し方向
PULL OUT DIRECTION




DETAIL "Z"

501912**90 MODEL NO.


THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION													
RELEASED	EC NO: 101883 DRWN: SHIRATA CHK'D: YNOGAWA APPR: YNOGAWA	2015/11/24 2016/01/05 2016/01/05	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION UNITS		SCALE		molex				
					mm		NTS						
			ANGULAR TOL ± 3.0 °		DRWN BY		DATE		EMBSTP PKG FOR 0.3 FPC CONN (HGT=1.8MM) GOLD PLATING				
			4 PLACES ± 0.2		SHIRATA		2015/11/24						
			3 PLACES ± 0.2		CHK'D BY		DATE						
			2 PLACES ± 0.2		HIIJIMA								
			1 PLACE ± 0.2		APPR BY		DATE						
			0 PLACES ± 0.2		YNOGAWA		2016/01/05		PRODUCT CUSTOMER DRAWING				
			DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		DRAWING SIZE		THIRD ANGLE PROJECTION						
					A3				501912	SEE TABLE			
A	REV						DOCUMENT NUMBER		DOC TYPE	DOC PART	SHEET NUMBER		
							5019120000		PSD	000	1 OF 4		




16	17.5	4.6	6.8	5019121590	15
キャリアテープ幅 CARRIER TAPE WIDTH	C	(B)	(A)	オーダー番号 ORDER NO.	極数 Ckt
501912**90				MODEL NO.	

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION															
RELEASED EC NO: 101883 DRWN: SHIRATA CHK'D: YNOGAWA APPR: YNOGAWA		2015/11/24 2016/01/05 2016/01/05		GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION UNITS		SCALE		molex					
						mm		NTS							
		ANGULAR TOL ± 3.0 °		DRWN BY		DATE		EMBSTP PKG FOR 0.3 FPC CONN (HGT=1.8MM) GOLD PLATING							
				SHIRATA		2015/11/24									
				CHK'D BY		DATE									
				HIIJIMA											
				4 PLACES ± 0.2		APPR BY		DATE		PRODUCT CUSTOMER DRAWING					
						YNOGAWA		2016/01/05							
3 PLACES ± 0.2		DRAWING SIZE				THIRD ANGLE PROJECTION		SERIES		MATERIAL NUMBER		CUSTOMER			
		2 PLACES ± 0.2		A3				501912		SEE TABLE					
1 PLACE ± 0.2															
		0 PLACES ± 0.2													
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS															
		DOCUMENT NUMBER		DOC TYPE		DOC PART		SHEET NUMBER							
A		REV						5019120000		PSD		000		2 OF 4	


RELEASE STATUS	P1	RELEASE DATE	2016/01/05	07:59:50
----------------	----	--------------	------------	----------



SECT. Y-Y




24mm幅キャリアテープ
24mm WIDTH CARRIER TAPE






SECT. X-X

24	25.5	12.4	14.6	5019124190	41
		11.8	14.0	5019123990	39
		11.2	13.4	5019123790	37
		10.6	12.8	5019123590	35
		10.0	12.2	5019123390	33
		8.2	10.4	5019122790	27
		7.6	9.8	5019122590	25
		7.0	9.2	5019122390	23
		6.4	8.6	5019122190	21
キャリアテープ幅 CARRIER TAPE WIDTH	C	(B)	(A)	オーダー番号 ORDER NO.	極数 Ckt
501912**90				MODEL NO.	

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

RELEASED EC NO: 101883 DRWN: SHIRATA CHK'D: YNOGAWA APPR: YNOGAWA	2015/11/24	GENERAL TOLERANCES (UNLESS SPECIFIED)	DIMENSION UNITS		SCALE		molex								
	2016/01/05		mm	NTS											
	2016/01/05		ANGULAR TOL ± 3.0 °		DRWN BY		DATE		EMBSTP PKG FOR 0.3 FPC CONN (HGT=1.8MM) GOLD PLATING						
	4 PLACES ± 0.2		SHIRATA		2015/11/24										
	3 PLACES ± 0.2		CHK'D BY		DATE										
	2 PLACES ± 0.2		HIIJIMA												
	1 PLACE ± 0.2		APPR BY		DATE		PRODUCT CUSTOMER DRAWING								
	0 PLACES ± 0.2		YNOGAWA		2016/01/05										
	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		DRAWING SIZE		THIRD ANGLE PROJECTION				SERIES		MATERIAL NUMBER		CUSTOMER		
			A3						501912		SEE TABLE				
							DOCUMENT NUMBER		DOC TYPE		DOC PART				
A	REV						5019120000		PSD		000		SHEET NUMBER		
														3 OF 4	



THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																	
RELEASED EC NO: 101883 DRWN: SHIRATA CHK'D: YNOGAWA APPR: YNOGAWA	2015/11/24 2016/01/05 2016/01/05	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION UNITS		SCALE		molex									
				mm		NTS											
		ANGULAR TOL ± 3.0 °		DRWN BY		DATE		EMBSTP PKG FOR 0.3 FPC CONN (HGT=1.8MM) GOLD PLATING									
				SHIRATA		2015/11/24											
		4 PLACES ± 0.2		CHK'D BY		DATE							PRODUCT CUSTOMER DRAWING				
				HIIJIMA													
		3 PLACES ± 0.2		APPR BY		DATE		SERIES 501912									
				YNOGAWA		2016/01/05							MATERIAL NUMBER SEE TABLE		CUSTOMER		
		2 PLACES ± 0.2		DRAWING SIZE A3		THIRD ANGLE PROJECTION 											DOCUMENT NUMBER 5019120000
		1 PLACE ± 0.2															
0 PLACES ± 0.2		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				501912		SEE TABLE									

