

A-42227-0213/0246						A-42227-0248/0281					
HEADER NUMBER:		41411				HEADER NUMBER:		41411			
PIN NUMBER:		42663-AXA154				PIN NUMBER:		42663-AXB208			
PIN LENGTH: L		.540/13.72				PIN LENGTH: L		.540/13.72			
MATING LENGTH: M		.295/7.49				MATING LENGTH: M		.295/7.49			
GOLD POINT: G		N/A				GOLD POINT: G		.140/3.56			
PC TAIL LENGTH: P		.120/3.05				PC TAIL LENGTH: P		.120/3.05			
TIN: T		OVERALL				TIN: T		.135/3.43			
CKTS:		3-36				CKTS:		3-36			
KINKS:		NO				KINKS:		NO			
REMOVED BACKWALLS:		YES				REMOVED BACKWALLS:		YES			
VOIDED CKTS:		NONE				VOIDED CKTS:		NONE			
PACKAGING:		BULK 40873-0056				PACKAGING:		BULK 40873-0056			
CKTS	MATERIAL NUMBER	ENG NUMBER	CKTS	MATERIAL NUMBER	ENG NUMBER	CKTS	MATERIAL NUMBER	ENG NUMBER	CKTS	MATERIAL NUMBER	ENG NUMBER
02			20	22-28-0206	A-42227-0230	02			20	22-28-0207	A-42227-0265
03	22-28-0036	A-42227-0213	21	22-28-0216	A-42227-0231	03	22-28-0037	A-42227-0248	21	22-28-0217	A-42227-0266
04	22-28-0046	A-42227-0214	22	22-28-0226	A-42227-0232	04	22-28-0047	A-42227-0249	22	22-28-0227	A-42227-0267
05	22-28-0056	A-42227-0215	23	22-28-0236	A-42227-0233	05	22-28-0057	A-42227-0250	23	22-28-0237	A-42227-0268
06	22-28-0066	A-42227-0216	24	22-28-0246	A-42227-0234	06	22-28-0067	A-42227-0251	24	22-28-0247	A-42227-0269
07	22-28-0076	A-42227-0217	25	22-28-0256	A-42227-0235	07	22-28-0077	A-42227-0252	25	22-28-0257	A-42227-0270
08	22-28-0086	A-42227-0218	26	22-28-0266	A-42227-0236	08	22-28-0087	A-42227-0253	26	22-28-0267	A-42227-0271
09	22-28-0096	A-42227-0219	27	22-28-0276	A-42227-0237	09	22-28-0097	A-42227-0254	27	22-28-0277	A-42227-0272
10	22-28-0106	A-42227-0220	28	22-28-0286	A-42227-0238	10	22-28-0107	A-42227-0255	28	22-28-0287	A-42227-0273
11	22-28-0116	A-42227-0221	29	22-28-0296	A-42227-0239	11	22-28-0117	A-42227-0256	29	22-28-0297	A-42227-0274
12	22-28-0126	A-42227-0222	30	22-28-0306	A-42227-0240	12	22-28-0127	A-42227-0257	30	22-28-0307	A-42227-0275
13	22-28-0136	A-42227-0223	31	22-28-0316	A-42227-0241	13	22-28-0137	A-42227-0258	31	22-28-0317	A-42227-0276
14	22-28-0146	A-42227-0224	32	22-28-0326	A-42227-0242	14	22-28-0147	A-42227-0259	32	22-28-0327	A-42227-0277
15	22-28-0156	A-42227-0225	33	22-28-0336	A-42227-0243	15	22-28-0157	A-42227-0260	33	22-28-0337	A-42227-0278
16	22-28-0166	A-42227-0226	34	22-28-0346	A-42227-0244	16	22-28-0167	A-42227-0261	34	22-28-0347	A-42227-0279
17	22-28-0176	A-42227-0227	35	22-28-0356	A-42227-0245	17	22-28-0177	A-42227-0262	35	22-28-0357	A-42227-0280
18	22-28-0186	A-42227-0228	36	22-28-0366	A-42227-0246	18	22-28-0187	A-42227-0263	36	22-28-0367	A-42227-0281
19	22-28-0196	A-42227-0229				19	22-28-0197	A-42227-0264			
REV:						TITLE:				SHEET No.	
K3						.100 FRICTION LOCK BREAKAWAY HEADER ASSY.				- 2 -	
DOCUMENT NUMBER:				CREATED / REVISED BY:		CHECKED BY:		APPROVED BY:			
SD- 42227 -002				ADERR 04/22/2005		SSOUSEK 04/25/2005		FSMITH 04/26/2005			
TEMPLATE FILENAME: PRODUCT_SPEC[SIZE_A](V.1).DOC											

A-42227-0283/0316						A-42227-0318/0351					
HEADER NUMBER:			41411			HEADER NUMBER:			41411		
PIN NUMBER:			42663-AXB228			PIN NUMBER:			42663-BAA154		
PIN LENGTH: L			.540/13.72			PIN LENGTH: L			.555/14.10		
MATING LENGTH: M			.295/7.49			MATING LENGTH: M			.295/7.49		
GOLD POINT: G			.140/3.56			GOLD POINT: G			N/A		
PC TAIL LENGTH: P			.120/3.05			PC TAIL LENGTH: P			.135/3.43		
TIN: T			.135/3.43			TIN: T			OVERALL		
CKTS:			3-36			CKTS:			3-36		
KINKS:			NO			KINKS:			YES		
REMOVED BACKWALLS:			YES			REMOVED BACKWALLS:			YES		
VOIDED CKTS:			NONE			VOIDED CKTS:			NONE		
PACKAGING:			BULK 40873-0056			PACKAGING:			BULK 40873-0056		
CKTS	MATERIAL NUMBER	ENG NUMBER	CKTS	MATERIAL NUMBER	ENG NUMBER	CKTS	MATERIAL NUMBER	ENG NUMBER	CKTS	MATERIAL NUMBER	ENG NUMBER
02			20	22-28-0208	A-42227-0300	02			20	22-28-0209	A-42227-0335
03	22-28-0038	A-42227-0283	21	22-28-0218	A-42227-0301	03	22-28-0039	A-42227-0318	21	22-28-0219	A-42227-0336
04	22-28-0048	A-42227-0284	22	22-28-0228	A-42227-0302	04	22-28-0049	A-42227-0319	22	22-28-0229	A-42227-0337
05	22-28-0058	A-42227-0285	23	22-28-0238	A-42227-0303	05	22-28-0059	A-42227-0320	23	22-28-0239	A-42227-0338
06	22-28-0068	A-42227-0286	24	22-28-0248	A-42227-0304	06	22-28-0069	A-42227-0321	24	22-28-0249	A-42227-0339
07	22-28-0078	A-42227-0287	25	22-28-0258	A-42227-0305	07	22-28-0079	A-42227-0322	25	22-28-0259	A-42227-0340
08	22-28-0088	A-42227-0288	26	22-28-0268	A-42227-0306	08	22-28-0089	A-42227-0323	26	22-28-0269	A-42227-0341
09	22-28-0098	A-42227-0289	27	22-28-0278	A-42227-0307	09	22-28-0099	A-42227-0324	27	22-28-0279	A-42227-0342
10	22-28-0108	A-42227-0290	28	22-28-0288	A-42227-0308	10	22-28-0109	A-42227-0325	28	22-28-0289	A-42227-0343
11	22-28-0118	A-42227-0291	29	22-28-0298	A-42227-0309	11	22-28-0119	A-42227-0326	29	22-28-0299	A-42227-0344
12	22-28-0128	A-42227-0292	30	22-28-0308	A-42227-0310	12	22-28-0129	A-42227-0327	30	22-28-0309	A-42227-0345
13	22-28-0138	A-42227-0293	31	22-28-0318	A-42227-0311	13	22-28-0139	A-42227-0328	31	22-28-0319	A-42227-0346
14	22-28-0148	A-42227-0294	32	22-28-0328	A-42227-0312	14	22-28-0149	A-42227-0329	32	22-28-0329	A-42227-0347
15	22-28-0158	A-42227-0295	33	22-28-0338	A-42227-0313	15	22-28-0159	A-42227-0330	33	22-28-0339	A-42227-0348
16	22-28-0168	A-42227-0296	34	22-28-0348	A-42227-0314	16	22-28-0169	A-42227-0331	34	22-28-0349	A-42227-0349
17	22-28-0178	A-42227-0297	35	22-28-0358	A-42227-0315	17	22-28-0179	A-42227-0332	35	22-28-0359	A-42227-0350
18	22-28-0188	A-42227-0298	36	22-28-0368	A-42227-0316	18	22-28-0189	A-42227-0333	36	22-28-0369	A-42227-0351
19	22-28-0198	A-42227-0299				19	22-28-0199	A-42227-0334			
REV:						TITLE:				SHEET No.	
K3						.100 FRICTION LOCK BREAKAWAY HEADER ASSY.				- 3 -	
DOCUMENT NUMBER:				CREATED / REVISED BY:		CHECKED BY:		APPROVED BY:			
SD- 42227 -002				ADERR 04/22/2005		SSOUSEK 04/25/2005		FSMITH 04/26/2005			
TEMPLATE FILENAME: PRODUCT_SPEC[SIZE_A](V.1).DOC											

A-42227-0422/0455						A-42227-0456/0487					
HEADER NUMBER:		41411				HEADER NUMBER:		41411			
PIN NUMBER:		42663-AXB228				PIN NUMBER:		42663-AXB228			
PIN LENGTH: L		.540/13.72				PIN LENGTH: L		.540/13.72			
MATING LENGTH: M		.295/7.49				MATING LENGTH: M		.295/7.49			
GOLD POINT: G		.140/3.56				GOLD POINT: G		.140/3.56			
PC TAIL LENGTH: P		.120/3.05				PC TAIL LENGTH: P		.120/3.05			
TIN: T		.135/3.43				TIN: T		.135/3.43			
CKTS:		3-36				CKTS:		5-36			
KINKS:		NO				KINKS:		NO			
REMOVED BACKWALLS:		YES				REMOVED BACKWALLS:		YES			
VOIDED CKTS:		3				VOIDED CKTS:		5			
PACKAGING:		BULK 40873-0056				PACKAGING:		BULK 40873-0056			
CKTS	MATERIAL NUMBER	ENG NUMBER	CKTS	MATERIAL NUMBER	ENG NUMBER	CKTS	MATERIAL NUMBER	ENG NUMBER	CKTS	MATERIAL NUMBER	ENG NUMBER
02			20	42227-0439	A-42227-0439	02			20	42227-0471	A-42227-0471
03	42227-0422	A-42227-0422	21	42227-0440	A-42227-0440	03			21	42227-0472	A-42227-0472
04	42227-0423	A-42227-0423	22	42227-0441	A-42227-0441	04			22	42227-0473	A-42227-0473
05	42227-0424	A-42227-0424	23	42227-0442	A-42227-0442	05	42227-0456	A-42227-0456	23	42227-0474	A-42227-0474
06	42227-0425	A-42227-0425	24	42227-0443	A-42227-0443	06	42227-0457	A-42227-0457	24	42227-0475	A-42227-0475
07	22-29-0070	A-42227-0426	25	42227-0444	A-42227-0444	07	42227-0458	A-42227-0458	25	42227-0476	A-42227-0476
08	42227-0427	A-42227-0427	26	42227-0445	A-42227-0445	08	42227-0459	A-42227-0459	26	42227-0477	A-42227-0477
09	42227-0428	A-42227-0428	27	42227-0446	A-42227-0446	09	42227-0460	A-42227-0460	27	42227-0478	A-42227-0478
10	42227-0429	A-42227-0429	28	42227-0447	A-42227-0447	10	22-29-0101	A-42227-0461	28	42227-0479	A-42227-0479
11	42227-0430	A-42227-0430	29	42227-0448	A-42227-0448	11	22-29-0111	A-42227-0462	29	42227-0480	A-42227-0480
12	42227-0431	A-42227-0431	30	42227-0449	A-42227-0449	12	42227-0463	A-42227-0463	30	42227-0481	A-42227-0481
13	42227-0432	A-42227-0432	31	42227-0450	A-42227-0450	13	42227-0464	A-42227-0464	31	42227-0482	A-42227-0482
14	42227-0433	A-42227-0433	32	42227-0451	A-42227-0451	14	42227-0465	A-42227-0465	32	42227-0483	A-42227-0483
15	42227-0434	A-42227-0434	33	42227-0452	A-42227-0452	15	42227-0466	A-42227-0466	33	42227-0484	A-42227-0484
16	42227-0435	A-42227-0435	34	42227-0453	A-42227-0453	16	42227-0467	A-42227-0467	34	42227-0485	A-42227-0485
17	42227-0436	A-42227-0436	35	42227-0454	A-42227-0454	17	42227-0468	A-42227-0468	35	42227-0486	A-42227-0486
18	42227-0437	A-42227-0437	36	42227-0455	A-42227-0455	18	42227-0469	A-42227-0469	36	42227-0487	A-42227-0487
19	42227-0438	A-42227-0438				19	42227-0470	A-42227-0470			
REV:						TITLE:				SHEET No.	
K3						.100 FRICTION LOCK BREAKAWAY HEADER ASSY.				- 4 -	
DOCUMENT NUMBER:					CREATED / REVISED BY:			CHECKED BY:		APPROVED BY:	
SD- 42227 -002					ADERR 04/22/2005			SSOUSEK 04/25/2005		FSMITH 04/26/2005	
TEMPLATE FILENAME: PRODUCT_SPEC[SIZE_A](V.1).DOC											

A-42227-0488/0521						A-42227-0522/0555							
HEADER NUMBER:		41411				HEADER NUMBER:		41411					
PIN NUMBER:		42663-BAA154				PIN NUMBER:		42663-AXA154					
PIN LENGTH: L		.555/14.10				PIN LENGTH: L		.540/13.72					
MATING LENGTH: M		.295/7.49				MATING LENGTH: M		.295/7.49					
GOLD POINT: G		N/A				GOLD POINT: G		N/A					
PC TAIL LENGTH: P		.135/3.43				PC TAIL LENGTH: P		.120/3.05					
TIN: T		OVERALL				TIN: T		OVERALL					
CKTS:		3-36				CKTS:		3-36					
KINKS:		YES				KINKS:		NO					
REMOVED BACKWALLS:		YES				REMOVED BACKWALLS:		YES					
VOIDED CKTS:		2				VOIDED CKTS:		2					
PACKAGING:		BULK 40873-0056				PACKAGING:		BULK 40873-0056					
CKTS	MATERIAL NUMBER	ENG NUMBER	CKTS	MATERIAL NUMBER	ENG NUMBER	CKTS	MATERIAL NUMBER	ENG NUMBER	CKTS	MATERIAL NUMBER	ENG NUMBER		
02			20	22-29-0202	A-42227-0505	02			20	42227-0539	A-42227-0539		
03	22-29-0032	A-42227-0488	21	22-29-0212	A-42227-0506	03	42227-0522	A-42227-0522	21	42227-0540	A-42227-0540		
04	22-29-0042	A-42227-0489	22	22-29-0222	A-42227-0507	04	42227-0523	A-42227-0523	22	42227-0541	A-42227-0541		
05	22-29-0052	A-42227-0490	23	22-29-0232	A-42227-0508	05	42227-0524	A-42227-0524	23	42227-0542	A-42227-0542		
06	22-29-0062	A-42227-0491	24	22-29-0242	A-42227-0509	06	42227-0525	A-42227-0525	24	42227-0543	A-42227-0543		
07	22-29-0072	A-42227-0492	25	22-29-0252	A-42227-0510	07	42227-0526	A-42227-0526	25	42227-0544	A-42227-0544		
08	22-29-0082	A-42227-0493	26	22-29-0262	A-42227-0511	08	42227-0527	A-42227-0527	26	42227-0545	A-42227-0545		
09	22-29-0092	A-42227-0494	27	22-29-0272	A-42227-0512	09	42227-0528	A-42227-0528	27	42227-0546	A-42227-0546		
10	22-29-0102	A-42227-0495	28	22-29-0282	A-42227-0513	10	42227-0529	A-42227-0529	28	42227-0547	A-42227-0547		
11	22-29-0112	A-42227-0496	29	22-29-0292	A-42227-0514	11	42227-0530	A-42227-0530	29	42227-0548	A-42227-0548		
12	22-29-0122	A-42227-0497	30	22-29-0302	A-42227-0515	12	42227-0531	A-42227-0531	30	42227-0549	A-42227-0549		
13	22-29-0132	A-42227-0498	31	22-29-0312	A-42227-0516	13	42227-0532	A-42227-0532	31	42227-0550	A-42227-0550		
14	22-29-0142	A-42227-0499	32	22-29-0322	A-42227-0517	14	42227-0533	A-42227-0533	32	42227-0551	A-42227-0551		
15	22-29-0152	A-42227-0500	33	22-29-0332	A-42227-0518	15	42227-0534	A-42227-0534	33	42227-0552	A-42227-0552		
16	22-29-0162	A-42227-0501	34	22-29-0342	A-42227-0519	16	42227-0535	A-42227-0535	34	42227-0553	A-42227-0553		
17	22-29-0172	A-42227-0502	35	22-29-0352	A-42227-0520	17	42227-0536	A-42227-0536	35	42227-0554	A-42227-0554		
18	22-29-0182	A-42227-0503	36	22-29-0362	A-42227-0521	18	42227-0537	A-42227-0537	36	42227-0555	A-42227-0555		
19	22-29-0192	A-42227-0504				19	42227-0538	A-42227-0538					
REV:						TITLE:		.100 FRICTION LOCK BREAKAWAY HEADER ASSY.				SHEET No. - 5 -	
DOCUMENT NUMBER:		SD- 42227 -002				CREATED / REVISED BY:		ADERR 04/22/2005		CHECKED BY:		SSOUSEK 04/25/2005	
										APPROVED BY:		FSMITH 04/26/2005	
TEMPLATE FILENAME: PRODUCT_SPEC[SIZE_A](V.1).DOC													

A-42227-0590/0617						A-42227-0618/0647											
HEADER NUMBER:		41411				HEADER NUMBER:		41411									
PIN NUMBER:		42663-AXA154				PIN NUMBER:		42663-AXB228									
PIN LENGTH: L		.540/13.72				PIN LENGTH: L		.540/13.72									
MATING LENGTH: M		.295/7.49				MATING LENGTH: M		.295/7.49									
GOLD POINT: G		N/A				GOLD POINT: G		.180/4.57									
PC TAIL LENGTH: P		.120/3.05				PC TAIL LENGTH: P		.120/3.05									
TIN: T		OVERALL				TIN: T		.135/3.43									
CKTS:		9-36				CKTS:		7-36									
KINKS:		YES, 1,7 ONLY SEE NOTE 7				KINKS:		NO									
REMOVED BACKWALLS:		NO				REMOVED BACKWALLS:		NO									
VOIDED CKTS:		2, 3, 5, 6, 8, 9				VOIDED CKTS:		7									
PACKAGING:		BULK 40873-0056				PACKAGING:		BULK 40873-0056									
CKTS	MATERIAL NUMBER	ENG NUMBER	CKTS	MATERIAL NUMBER	ENG NUMBER	CKTS	MATERIAL NUMBER	ENG NUMBER	CKTS	MATERIAL NUMBER	ENG NUMBER						
02			20	22-29-0204	A-42227-0601	02			20	42227-0631	A-42227-0631						
03			21	22-29-0214	A-42227-0602	03			21	42227-0632	A-42227-0632						
04			22	22-29-0224	A-42227-0603	04			22	42227-0633	A-42227-0633						
05			23	22-29-0234	A-42227-0604	05			23	42227-0634	A-42227-0634						
06			24	22-29-0244	A-42227-0605	06			24	42227-0635	A-42227-0635						
07			25	22-29-0254	A-42227-0606	07	42227-0618	A-42227-0618	25	42227-0636	A-42227-0636						
08			26	22-29-0264	A-42227-0607	08	42227-0619	A-42227-0619	26	42227-0637	A-42227-0637						
09	22-29-0094	A-42227-0590	27	22-29-0274	A-42227-0608	09	42227-0620	A-42227-0620	27	42227-0638	A-42227-0638						
10	22-29-0104	A-42227-0591	28	22-29-0284	A-42227-0609	10	42227-0621	A-42227-0621	28	42227-0639	A-42227-0639						
11	22-29-0114	A-42227-0592	29	22-29-0294	A-42227-0610	11	42227-0622	A-42227-0622	29	42227-0640	A-42227-0640						
12	22-29-0124	A-42227-0593	30	22-29-0304	A-42227-0611	12	42227-0623	A-42227-0623	30	42227-0641	A-42227-0641						
13	22-29-0134	A-42227-0594	31	22-29-0314	A-42227-0612	13	42227-0624	A-42227-0624	31	42227-0642	A-42227-0642						
14	22-29-0144	A-42227-0595	32	22-29-0324	A-42227-0613	14	42227-0625	A-42227-0625	32	42227-0643	A-42227-0643						
15	22-29-0154	A-42227-0596	33	22-29-0334	A-42227-0614	15	42227-0626	A-42227-0626	33	42227-0644	A-42227-0644						
16	22-29-0164	A-42227-0597	34	22-29-0344	A-42227-0615	16	42227-0627	A-42227-0627	34	42227-0645	A-42227-0645						
17	22-29-0174	A-42227-0598	35	22-29-0354	A-42227-0616	17	42227-0628	A-42227-0628	35	42227-0646	A-42227-0646						
18	22-29-0184	A-42227-0599	36	22-29-0364	A-42227-0617	18	42227-0629	A-42227-0629	36	42227-0647	A-42227-0647						
19	22-29-0194	A-42227-0600				19	42227-0630	A-42227-0630									
REV:						TITLE:		.100 FRICTION LOCK BREAKAWAY HEADER ASSY.				SHEET No. - 6 -					
DOCUMENT NUMBER:		SD- 42227 -002				CREATED / REVISED BY:		ADERR 04/22/2005		CHECKED BY:		SSOUSEK 04/25/2005		APPROVED BY:		FSMITH 04/26/2005	
TEMPLATE FILENAME: PRODUCT_SPEC[SIZE_A](V.1).DOC																	

A-42227-0648/0671						A-42227-0672/0706							
HEADER NUMBER:		41411				HEADER NUMBER:		41411					
PIN NUMBER:		42663-AXB228				PIN NUMBER:		42663-AXB228					
PIN LENGTH: L		.540/13.72				PIN LENGTH: L		.540/13.72					
MATING LENGTH: M		.295/7.49				MATING LENGTH: M		.295/7.49					
GOLD POINT: G		.180/4.57				GOLD POINT: G		.180/4.57					
PC TAIL LENGTH: P		.120/3.05				PC TAIL LENGTH: P		.120/3.05					
TIN: T		.135/3.43				TIN: T		.135/3.43					
CKTS:		13-36				CKTS:		2-36					
KINKS:		NO				KINKS:		NO					
REMOVED BACKWALLS:		NO				REMOVED BACKWALLS:		NO					
VOIDED CKTS:		13				VOIDED CKTS:		2					
PACKAGING:		BULK 40873-0056				PACKAGING:		BULK 40873-0056					
CKTS	MATERIAL NUMBER	ENG NUMBER	CKTS	MATERIAL NUMBER	ENG NUMBER	CKTS	MATERIAL NUMBER	ENG NUMBER	CKTS	MATERIAL NUMBER	ENG NUMBER		
02			20	42227-0655	A-42227-0655	02	42227-0672	A-42227-0672	20	42227-0690	A-42227-0690		
03			21	42227-0656	A-42227-0656	03	42227-0673	A-42227-0673	21	42227-0691	A-42227-0691		
04			22	42227-0657	A-42227-0657	04	42227-0674	A-42227-0674	22	42227-0692	A-42227-0692		
05			23	42227-0658	A-42227-0658	05	42227-0675	A-42227-0675	23	42227-0693	A-42227-0693		
06			24	42227-0659	A-42227-0659	06	42227-0676	A-42227-0676	24	42227-0694	A-42227-0694		
07			25	42227-0660	A-42227-0660	07	42227-0677	A-42227-0677	25	42227-0695	A-42227-0695		
08			26	42227-0661	A-42227-0661	08	42227-0678	A-42227-0678	26	42227-0696	A-42227-0696		
09			27	42227-0662	A-42227-0662	09	42227-0679	A-42227-0679	27	42227-0697	A-42227-0697		
10			28	42227-0663	A-42227-0663	10	42227-0680	A-42227-0680	28	42227-0698	A-42227-0698		
11			29	42227-0664	A-42227-0664	11	42227-0681	A-42227-0681	29	42227-0699	A-42227-0699		
12			30	42227-0665	A-42227-0665	12	42227-0682	A-42227-0682	30	42227-0700	A-42227-0700		
13	42227-0648	A-42227-0648	31	42227-0666	A-42227-0666	13	42227-0683	A-42227-0683	31	42227-0701	A-42227-0701		
14	42227-0649	A-42227-0649	32	42227-0667	A-42227-0667	14	42227-0684	A-42227-0684	32	42227-0702	A-42227-0702		
15	42227-0650	A-42227-0650	33	42227-0668	A-42227-0668	15	42227-0685	A-42227-0685	33	42227-0703	A-42227-0703		
16	42227-0651	A-42227-0651	34	42227-0669	A-42227-0669	16	42227-0686	A-42227-0686	34	42227-0704	A-42227-0704		
17	42227-0652	A-42227-0652	35	42227-0670	A-42227-0670	17	42227-0687	A-42227-0687	35	42227-0705	A-42227-0705		
18	42227-0653	A-42227-0653	36	42227-0671	A-42227-0671	18	42227-0688	A-42227-0688	36	42227-0706	A-42227-0706		
19	42227-0654	A-42227-0654				19	42227-0689	A-42227-0689					
REV:						TITLE:		.100 FRICTION LOCK BREAKAWAY HEADER ASSY.				SHEET No. - 7 -	
DOCUMENT NUMBER: SD- 42227 -002			CREATED / REVISED BY: ADERR 04/22/2005			CHECKED BY: SSOUSEK 04/25/2005			APPROVED BY: FSMITH 04/26/2005				
TEMPLATE FILENAME: PRODUCT_SPEC[SIZE_A](V.1).DOC													

A-42227-0707/0741						A-42227-0742/0775					
HEADER NUMBER:			41411			HEADER NUMBER:			41411		
PIN NUMBER:			42663-AXA154			PIN NUMBER:			42663-AXA154		
PIN LENGTH: L			.540/13.72			PIN LENGTH: L			.540/13.72		
MATING LENGTH: M			.280/7.11			MATING LENGTH: M			.280/7.11		
GOLD POINT: G			N/A			GOLD POINT: G			N/A		
PC TAIL LENGTH: P			.135/3.43			PC TAIL LENGTH: P			.135/3.43		
TIN: T			OVERALL			TIN: T			OVERALL		
CKTS:			2-36			CKTS:			3-36		
KINKS:			NO			KINKS:			NO		
REMOVED BACKWALLS:			NO			REMOVED BACKWALLS:			NO		
VOIDED CKTS:			NONE			VOIDED CKTS:			2		
PACKAGING:			BULK 40873-0056			PACKAGING:			BULK 40873-0056		
CKTS	MATERIAL NUMBER	ENG NUMBER	CKTS	MATERIAL NUMBER	ENG NUMBER	CKTS	MATERIAL NUMBER	ENG NUMBER	CKTS	MATERIAL NUMBER	ENG NUMBER
02	42227-0707	A-42227-0707	20	42227-0725	A-42227-0725	02			20	42227-0759	A-42227-0759
03	42227-0708	A-42227-0708	21	42227-0726	A-42227-0726	03	42227-0742	A-42227-0742	21	42227-0760	A-42227-0760
04	42227-0709	A-42227-0709	22	42227-0727	A-42227-0727	04	42227-0743	A-42227-0743	22	42227-0761	A-42227-0761
05	42227-0710	A-42227-0710	23	42227-0728	A-42227-0728	05	42227-0744	A-42227-0744	23	42227-0762	A-42227-0762
06	42227-0711	A-42227-0711	24	42227-0729	A-42227-0729	06	42227-0745	A-42227-0745	24	42227-0763	A-42227-0763
07	42227-0712	A-42227-0712	25	42227-0730	A-42227-0730	07	42227-0746	A-42227-0746	25	42227-0764	A-42227-0764
08	42227-0713	A-42227-0713	26	42227-0731	A-42227-0731	08	42227-0747	A-42227-0747	26	42227-0765	A-42227-0765
09	42227-0714	A-42227-0714	27	42227-0732	A-42227-0732	09	42227-0748	A-42227-0748	27	42227-0766	A-42227-0766
10	42227-0714	A-42227-0715	28	42227-0733	A-42227-0733	10	42227-0749	A-42227-0749	28	42227-0767	A-42227-0767
11	42227-0716	A-42227-0716	29	42227-0734	A-42227-0734	11	42227-0750	A-42227-0750	29	42227-0768	A-42227-0768
12	42227-0717	A-42227-0717	30	42227-0735	A-42227-0735	12	42227-0751	A-42227-0751	30	42227-0769	A-42227-0769
13	42227-0718	A-42227-0718	31	42227-0736	A-42227-0736	13	42227-0752	A-42227-0752	31	42227-0770	A-42227-0770
14	42227-0719	A-42227-0719	32	42227-0737	A-42227-0737	14	42227-0753	A-42227-0753	32	42227-0771	A-42227-0771
15	42227-0720	A-42227-0720	33	42227-0738	A-42227-0738	15	42227-0754	A-42227-0754	33	42227-0772	A-42227-0772
16	42227-0721	A-42227-0721	34	42227-0739	A-42227-0739	16	42227-0755	A-42227-0755	34	42227-0773	A-42227-0773
17	42227-0722	A-42227-0722	35	42227-0740	A-42227-0740	17	42227-0756	A-42227-0756	35	42227-0774	A-42227-0774
18	42227-0723	A-42227-0723	36	42227-0741	A-42227-0741	18	42227-0757	A-42227-0757	36	42227-0775	A-42227-0775
19	42227-0724	A-42227-0724				19	42227-0758	A-42227-0758			
REV:						TITLE:				SHEET No.	
K3						.100 FRICTION LOCK BREAKAWAY HEADER ASSY.				- 8 -	
DOCUMENT NUMBER:				CREATED / REVISED BY:		CHECKED BY:		APPROVED BY:			
SD- 42227 -002				ADERR 04/22/2005		SSOUSEK 04/25/2005		FSMITH 04/26/2005			
TEMPLATE FILENAME: PRODUCT_SPEC[SIZE_A](V.1).DOC											

A-42227-0776/0792						A-42227-0818/0848					
HEADER NUMBER:			41411			HEADER NUMBER:			41411		
PIN NUMBER:			42663-AXA154			PIN NUMBER:			42663-AXA154		
PIN LENGTH: L			.540/13.72			PIN LENGTH: L			.540/13.72		
MATING LENGTH: M			.280/7.11			MATING LENGTH: M			.295/7.49		
GOLD POINT: G			N/A			GOLD POINT: G			N/A		
PC TAIL LENGTH: P			.135/3.43			PC TAIL LENGTH: P			.120/3.05		
TIN: T			OVERALL			TIN: T			OVERALL		
CKTS:			20-36			CKTS:			6-36		
KINKS:			NO			KINKS:			NO		
REMOVED BACKWALLS:			NO			REMOVED BACKWALLS:			NO		
VOIDED CKTS:			20			VOIDED CKTS:			3, 6		
PACKAGING:			BULK 40873-0056			PACKAGING:			BULK 40873-0056		
CKTS	MATERIAL NUMBER	ENG NUMBER	CKTS	MATERIAL NUMBER	ENG NUMBER	CKTS	MATERIAL NUMBER	ENG NUMBER	CKTS	MATERIAL NUMBER	ENG NUMBER
02			20	42227-0776	A-42227-0776	02			20	42227-0832	A-42227-0832
03			21	42227-0777	A-42227-0777	03			21	42227-0833	A-42227-0833
04			22	42227-0778	A-42227-0778	04			22	42227-0834	A-42227-0834
05			23	42227-0779	A-42227-0779	05			23	42227-0835	A-42227-0835
06			24	42227-0780	A-42227-0780	06	42227-0818	A-42227-0818	24	42227-0836	A-42227-0836
07			25	42227-0781	A-42227-0781	07	42227-0819	A-42227-0819	25	42227-0837	A-42227-0837
08			26	42227-0782	A-42227-0782	08	68352-0001	A-42227-0820	26	42227-0838	A-42227-0838
09			27	42227-0783	A-42227-0783	09	42227-0821	A-42227-0821	27	42227-0839	A-42227-0839
10			28	42227-0784	A-42227-0784	10	42227-0822	A-42227-0822	28	42227-0840	A-42227-0840
11			29	42227-0785	A-42227-0785	11	42227-0823	A-42227-0823	29	42227-0841	A-42227-0841
12			30	42227-0786	A-42227-0786	12	42227-0824	A-42227-0824	30	42227-0842	A-42227-0842
13			31	42227-0787	A-42227-0787	13	42227-0825	A-42227-0825	31	42227-0843	A-42227-0843
14			32	42227-0788	A-42227-0788	14	42227-0826	A-42227-0826	32	42227-0844	A-42227-0844
15			33	42227-0789	A-42227-0789	15	42227-0827	A-42227-0827	33	42227-0845	A-42227-0845
16			34	42227-0790	A-42227-0790	16	42227-0828	A-42227-0828	34	42227-0846	A-42227-0846
17			35	42227-0791	A-42227-0791	17	42227-0829	A-42227-0829	35	42227-0847	A-42227-0847
18			36	42227-0792	A-42227-0792	18	42227-0830	A-42227-0830	36	42227-0848	A-42227-0848
19						19	42227-0831	A-42227-0831			
REV:						TITLE:				SHEET No.	
K3						.100 FRICTION LOCK BREAKAWAY HEADER ASSY.				- 9 -	
DOCUMENT NUMBER:				CREATED / REVISED BY:		CHECKED BY:		APPROVED BY:			
SD- 42227 -002				ADERR 04/22/2005		SSOUSEK 04/25/2005		FSMITH 04/26/2005			
TEMPLATE FILENAME: PRODUCT_SPEC[SIZE_A](V.1).DOC											

A-42227-0873/0900						A-42227-0934/0967					
HEADER NUMBER:			41411			HEADER NUMBER:			41411		
PIN NUMBER:			42663-AXA154			PIN NUMBER:			42663-AXA154		
PIN LENGTH: L			.540/13.72			PIN LENGTH: L			.540/13.72		
MATING LENGTH: M			.295/7.49			MATING LENGTH: M			.280/7.11		
GOLD POINT: G			N/A			GOLD POINT: G			N/A		
PC TAIL LENGTH: P			.120/3.05			PC TAIL LENGTH: P			.135/3.43		
TIN: T			OVERALL			TIN: T			OVERALL		
CKTS:			9-36			CKTS:			3-36		
KINKS:			NO			KINKS:			NO		
REMOVED BACKWALLS:			YES			REMOVED BACKWALLS:			YES		
VOIDED CKTS:			9			VOIDED CKTS:			NONE		
PACKAGING:			BULK 40873-0056			PACKAGING:			BULK 40873-0056		
CKTS	MATERIAL NUMBER	ENG NUMBER	CKTS	MATERIAL NUMBER	ENG NUMBER	CKTS	MATERIAL NUMBER	ENG NUMBER	CKTS	MATERIAL NUMBER	ENG NUMBER
02			20	42227-0884	A-42227-0884	02			20	42227-0951	A-42227-0951
03			21	42227-0885	A-42227-0885	03	42227-0934	A-42227-0934	21	42227-0952	A-42227-0952
04			22	42227-0886	A-42227-0886	04	42227-0935	A-42227-0935	22	42227-0953	A-42227-0953
05			23	42227-0887	A-42227-0887	05	42227-0936	A-42227-0936	23	42227-0954	A-42227-0954
06			24	42227-0888	A-42227-0888	06	42227-0937	A-42227-0937	24	42227-0955	A-42227-0955
07			25	42227-0889	A-42227-0889	07	42227-0938	A-42227-0938	25	42227-0956	A-42227-0956
08			26	42227-0890	A-42227-0890	08	42227-0939	A-42227-0939	26	42227-0957	A-42227-0957
09	42227-0873	A-42227-0873	27	42227-0891	A-42227-0891	09	42227-0940	A-42227-0940	27	42227-0958	A-42227-0958
10	42227-0874	A-42227-0874	28	42227-0892	A-42227-0892	10	42227-0941	A-42227-0941	28	42227-0959	A-42227-0959
11	42227-0875	A-42227-0875	29	42227-0893	A-42227-0893	11	42227-0942	A-42227-0942	29	42227-0960	A-42227-0960
12	42227-0876	A-42227-0876	30	42227-0894	A-42227-0894	12	42227-0943	A-42227-0943	30	42227-0961	A-42227-0961
13	42227-0877	A-42227-0877	31	42227-0895	A-42227-0895	13	42227-0944	A-42227-0944	31	42227-0962	A-42227-0962
14	42227-0878	A-42227-0878	32	42227-0896	A-42227-0896	14	42227-0945	A-42227-0945	32	42227-0963	A-42227-0963
15	42227-0879	A-42227-0879	33	42227-0897	A-42227-0897	15	42227-0946	A-42227-0946	33	42227-0964	A-42227-0964
16	42227-0880	A-42227-0880	34	42227-0898	A-42227-0898	16	42227-0947	A-42227-0947	34	42227-0965	A-42227-0965
17	42227-0881	A-42227-0881	35	42227-0899	A-42227-0899	17	42227-0948	A-42227-0948	35	42227-0966	A-42227-0966
18	42227-0882	A-42227-0882	36	42227-0900	A-42227-0900	18	42227-0949	A-42227-0949	36	42227-0967	A-42227-0967
19	42227-0883	A-42227-0883				19	42227-0950	A-42227-0950			
REV:						TITLE:				SHEET No.	
K3						.100 FRICTION LOCK BREAKAWAY HEADER ASSY.				- 10 -	
DOCUMENT NUMBER:				CREATED / REVISED BY:		CHECKED BY:		APPROVED BY:			
SD- 42227 -002				ADERR 04/22/2005		SSOUSEK 04/25/2005		FSMITH 04/26/2005			
TEMPLATE FILENAME: PRODUCT_SPEC[SIZE_A](V.1).DOC											

A-42227-0968/1001						A-42227-1002/1036					
HEADER NUMBER:			41411			HEADER NUMBER:			41411		
PIN NUMBER:			42663-CCA154			PIN NUMBER:			42663-BKB228		
PIN LENGTH: L			.670/17.02			PIN LENGTH: L			.600/15.24		
MATING LENGTH: M			.295/7.49			MATING LENGTH: M			.295/7.49		
GOLD POINT: G			N/A			GOLD POINT: G			.180/4.57		
PC TAIL LENGTH: P			.250/6.35			PC TAIL LENGTH: P			.180/4.57		
TIN: T			OVERALL			TIN: T			.135/3.43		
CKTS:			3-36			CKTS:			2-36		
KINKS:			NO			KINKS:			NO		
REMOVED BACKWALLS:			YES			REMOVED BACKWALLS:			NO		
VOIDED CKTS:			NONE			VOIDED CKTS:			NONE		
PACKAGING:			BULK 40873-0056			PACKAGING:			BULK 40873-0056		
CKTS	MATERIAL NUMBER	ENG NUMBER	CKTS	MATERIAL NUMBER	ENG NUMBER	CKTS	MATERIAL NUMBER	ENG NUMBER	CKTS	MATERIAL NUMBER	ENG NUMBER
02			20	42227-0985	A-42227-0985	02	42227-1002	A-42227-1002	20	42227-1020	A-42227-1020
03	42227-0968	A-42227-0968	21	42227-0986	A-42227-0986	03	42227-1003	A-42227-1003	21	42227-1021	A-42227-1021
04	42227-0969	A-42227-0969	22	42227-0987	A-42227-0987	04	42227-1004	A-42227-1004	22	42227-1022	A-42227-1022
05	42227-0970	A-42227-0970	23	42227-0988	A-42227-0988	05	42227-1005	A-42227-1005	23	42227-1023	A-42227-1023
06	42227-0971	A-42227-0971	24	42227-0989	A-42227-0989	06	42227-1006	A-42227-1006	24	42227-1024	A-42227-1024
07	42227-0972	A-42227-0972	25	42227-0990	A-42227-0990	07	42227-1007	A-42227-1007	25	42227-1025	A-42227-1025
08	42227-0973	A-42227-0973	26	42227-0991	A-42227-0991	08	42227-1008	A-42227-1008	26	42227-1026	A-42227-1026
09	42227-0974	A-42227-0974	27	42227-0992	A-42227-0992	09	42227-1009	A-42227-1009	27	42227-1027	A-42227-1027
10	42227-0975	A-42227-0975	28	42227-0993	A-42227-0993	10	42227-1010	A-42227-1010	28	42227-1028	A-42227-1028
11	42227-0976	A-42227-0976	29	42227-0994	A-42227-0994	11	42227-1011	A-42227-1011	29	42227-1029	A-42227-1029
12	42227-0977	A-42227-0977	30	42227-0995	A-42227-0995	12	42227-1012	A-42227-1012	30	42227-1030	A-42227-1030
13	42227-0978	A-42227-0978	31	42227-0996	A-42227-0996	13	42227-1013	A-42227-1013	31	42227-1031	A-42227-1031
14	42227-0979	A-42227-0979	32	42227-0997	A-42227-0997	14	42227-1014	A-42227-1014	32	42227-1032	A-42227-1032
15	42227-0980	A-42227-0980	33	42227-0998	A-42227-0998	15	42227-1015	A-42227-1015	33	42227-1033	A-42227-1033
16	42227-0981	A-42227-0981	34	42227-0999	A-42227-0999	16	42227-1016	A-42227-1016	34	42227-1034	A-42227-1034
17	42227-0982	A-42227-0982	35	42227-1000	A-42227-1000	17	42227-1017	A-42227-1017	35	42227-1035	A-42227-1035
18	42227-0983	A-42227-0983	36	42227-1001	A-42227-1001	18	42227-1018	A-42227-1018	36	42227-1036	A-42227-1036
19	42227-0984	A-42227-0984				19	42227-1019	A-42227-1019			
REV:						TITLE:				SHEET No.	
K3						.100 FRICTION LOCK BREAKAWAY HEADER ASSY.				- 11 -	
DOCUMENT NUMBER:				CREATED / REVISED BY:		CHECKED BY:		APPROVED BY:			
SD- 42227 -002				ADERR 04/22/2005		SSOUSEK 04/25/2005		FSMITH 04/26/2005			
TEMPLATE FILENAME: PRODUCT_SPEC[SIZE_A](V.1).DOC											

A-42227-1037/1071						A-42227-1072/1106					
HEADER NUMBER:			41411			HEADER NUMBER:			41411		
PIN NUMBER:			42663-BKB228			PIN NUMBER:			42663-AXB208		
PIN LENGTH: L			.600/15.24			PIN LENGTH: L			.540 / 13.72		
MATING LENGTH: M			.295/7.49			MATING LENGTH: M			.280 / 7.11		
GOLD POINT: G			.180/4.57			GOLD POINT: G			.140 / 3.56		
PC TAIL LENGTH: P			.180/4.57			PC TAIL LENGTH: P			.135 / 3.43		
TIN: T			.135/3.43			TIN: T			.135 / 3.43		
CKTS:			2-36			CKTS:			3-36		
KINKS:			NO			KINKS:			NO		
REMOVED BACKWALLS:			YES			REMOVED BACKWALLS:			YES		
VOIDED CKTS:			NONE			VOIDED CKTS:			3		
PACKAGING:			BULK 40873-0056			PACKAGING:			BULK 40873-0056		
CKTS	MATERIAL NUMBER	ENG NUMBER	CKTS	MATERIAL NUMBER	ENG NUMBER	CKTS	MATERIAL NUMBER	ENG NUMBER	CKTS	MATERIAL NUMBER	ENG NUMBER
02	42227-1037	A-42227-1037	20	42227-1055	A-42227-1055	02			20		
03	42227-1038	A-42227-1038	21	42227-1056	A-42227-1056	03			21		
04	42227-1039	A-42227-1039	22	42227-1057	A-42227-1057	04			22		
05	42227-1040	A-42227-1040	23	42227-1058	A-42227-1058	05			23		
06	42227-1041	A-42227-1041	24	42227-1059	A-42227-1059	06			24		
07	42227-1042	A-42227-1042	25	42227-1060	A-42227-1060	07			25		
08	42227-1043	A-42227-1043	26	42227-1061	A-42227-1061	08			26		
09	42227-1044	A-42227-1044	27	42227-1062	A-42227-1062	09			27		
10	42227-1045	A-42227-1045	28	42227-1063	A-42227-1063	10			28		
11	42227-1046	A-42227-1046	29	42227-1064	A-42227-1064	11			29		
12	42227-1047	A-42227-1047	30	42227-1065	A-42227-1065	12			30		
13	42227-1048	A-42227-1048	31	42227-1066	A-42227-1066	13			31		
14	42227-1049	A-42227-1049	32	42227-1067	A-42227-1067	14			32		
15	42227-1050	A-42227-1050	33	42227-1068	A-42227-1068	15			33		
16	42227-1051	A-42227-1051	34	42227-1069	A-42227-1069	16			34		
17	42227-1052	A-42227-1052	35	42227-1070	A-42227-1070	17			35		
18	42227-1053	A-42227-1053	36	42227-1071	A-42227-1071	18	42227-1088	A-42227-1088	36		
19	42227-1054	A-42227-1054				19					

REV:		TITLE:	.100 FRICTION LOCK BREAKAWAY HEADER ASSY.	SHEET No.
K3				- 12 -
DOCUMENT NUMBER:		CREATED / REVISED BY:		CHECKED BY:
SD- 42227 -002		ADERR 04/22/2005		SSOUSEK 04/25/2005
		APPROVED BY:		
		FSMITH 04/26/2005		

TEMPLATE FILENAME: PRODUCT_SPEC[SIZE_A](V.1).DOC