**COLOR DISPLAY OPTIONS**



Rocker operators are assembled to the switches by simply snapping them into recesses in the switch operator sockets.

Transmitted color — Color is displayed whether lamp is On or Off. Choice of 1-piece rockers (types 10 or 20) or rockers with clear cap and colored translucent insert (types 11 or 12).

Dead front hidden color/hidden legend — Rocker appears black with lamp Off. Legend and color appear when illuminated (types 30 or 40).

Projected color — Translucent white rocker with transparent colored insert (types 50 or 60). White rocker appears colored when illuminated.

**AML54 ROCKER OPERATOR ORDER GUIDE** (All possible color combinations may not be available.)

For AML14, AML24, AML34 incandescent or non-lighted display.

**AML54-F** **10** **R**

| Rocker Operator Type | Display/Legend Type | Rocker Color – See Note Below | |
|---|---|---|---|
| | | **Full rocker, 1/2 rocker, or one side of two-piece rockers** | **Other side of two-piece rockers** |
| **AML54-F**<br> <br>Full Rocker<br>**AML54-E**<br> <br>1/2 Rocker<br>**AML54-T**<br>  <br>Two-Piece Rocker | **Transmitted Color**<br>**10** No legend<br>**20** With legend on cap<br>**Transmitted Color** (Clear cap and color insert) †<br>**11** No legend<br>**21** With legend on insert<br>**Dead Front †** (Smoky gray cap and color insert)<br>**30** No legend<br>**40** With legend on insert<br>***Projected Color † (White cap and color insert)<br>**50** No legend<br>**60** With legend on cap | **R** Red<br>**Y** Yellow<br>**G** Green<br>**B** Blue<br>***W** White<br>**K*** Black<br>**L*** Gray<br>**A**** Amber | **R** Red<br>**Y** Yellow<br>**G** Green<br>**B** Blue<br>***W** White<br>**K*** Black<br>**L*** Gray<br>**A**** Amber |

NOTE: AML54-F10 and AML54-F20 are one-piece, one-color full rockers. Thus only one color code letter is necessary when ordering. Include a two letter code for all other AML54-E (and AML54-T) catalog listings.

*Not for lighted display.
**Not available with projected color or dead front.
***Insert is clear for projected color when "W" is used.
†Not available for use with AML34 power switches.

Example: **AML54-F10R**
Full rocker; with transmitted color, no legend; red.

**AML56 ROCKER OPERATOR ORDER GUIDE**

For AML36 neon display.

**AML56-N** **10** **R** **Y**

| Rocker Operator Type | Display/Legend Type | Lens Color | Rocker Color |
|---|---|---|---|
| **AML56-N**<br>  <br>Full Rocker with Colored Lens | **Transmitted Color**<br>**10** No Legend<br>**20** With Legend | **T** Clear<br>**R** Red<br>**Y** Yellow | **R** Red<br>**Y** Yellow<br>**G** Green<br>**B** Blue<br>**W** White<br>**K** Black |

AML56-N rockers have a colored lenticular lens window which extends over the neon lamp.

Example: **AML56-N10RY**
Full rocker; with transmitted color, no legend; yellow rocker and red lens.

Manuals

### AML56 ORDER GUIDE

For AML16 and AML26 LED display.

**AML56-T** **10** **R** **B**

| Rocker Operator Type | Display/Legend Type | Rocker Color – See Notes Below | |
|---|---|---|---|
| | | 1/2-rocker or LED side of two-piece rockers | Other side of two piece rockers |
| **AML56-E**<br> <br>1/2-Rocker*<br>(For one LED) | **Transmitted Color**<br>**10** No Legend<br>**20** With Legend | **R**<br>Red<br>**Y**<br>Yellow<br>**G**<br>Green<br>**B**<br>Blue<br>**W**<br>White<br>**K**<br>Black<br>**L**<br>Gray | **R**<br>Red<br>**Y**<br>Yellow<br>**G**<br>Green<br>**B**<br>Blue<br>**W**<br>White<br>**K**<br>Black<br>**L**<br>Gray |
| **AML56-T**<br>  <br>Two-Piece Rocker<br>(For one LED) | | | |
| **AML56-H**<br>  <br>Two-Piece Rocker<br>(For two LED's) | | | |

Example: **AML56-T10RB**
Two-piece rocker; with LED window in one side, transmitted color, no legend; red (LED side) and blue (non-LED side).

***** Notes:

[1] Only one color code letter is necessary for AML56-E 1/2-rockers. AML56-E, -T, and -H rockers have an open window which allows LEDs to be flush with the rocker surface.

[2] To order a 1/2-rocker without the LED ''window,'' specify an AML54-E listing from the previous page.

### HOW TO ORDER ROCKER LEGENDS

When specifying legended rockers, submit a legend order sheet to cover each catalog listing. These forms identify the maximum number of lines per area and the maximum characters per line, based on the type size you request. To insure proper legend orientation, rocker switch housings (when viewed from the panel front) should have the ''MICRO SWITCH'' identification facing UP or to the LEFT.

Rocker legend order sheets are shown on the following pages. Reproduce them on your office copier.

| Legend Sheet | Form No. |
|---|---|
| AML54 Rockers | FO-63566 |
| AML56 Rockers | FO-63564 |

Honeywell

# AML Rocker Legend Sheet/Product Specification

Page ____ of _____

Account NO 126-284

## Legend Order Guide

| Button Type Orientation | Figure No | Max Lines/Area 5/64 | 7/64 | 9/64 | 13/64 | 5/16 | Button Filter | Max Characters/Line 5/64 | 7/64 | 9/64 | 13/64 | 5/16 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| AREA 1 E | 1 | 2/2 | 2/2 | 2/1 | 1/1 | 1/0 | | 7/5 | 5/4 | 5/4 | 3/2 | 1/0 |
| AREA 1 E | 2 | 2/2 | 2/2 | 2/1 | 1/1 | 1/0 | | 7/5 | 5/4 | 5/4 | 3/2 | 1/0 |
| AREA 1 2 F | 3 | 2/2 | 2/2 | 2/1 | 1/1 | 1/0 | | 7/5 | 5/4 | 5/4 | 3/2 | 1/0 |
| AREA 1 2 T | 4 | 2/2 | 2/2 | 2/1 | 1/1 | 1/0 | | 7/5 | 5/4 | 5/4 | 3/2 | 1/0 |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |

Catalog Listing
**AML54 –**

Customer P.O. No. | Customer Dwg. No.

MICRO SWITCH Sales Order | Line Number | Schedule No.

Customer: _____

Address: _____

(city) (state)

**Instructions**

1. Fill in appropriate catalog listing - one listing/sheet.
2. Check proper figure #. Type size, Type color.
3. Fill in quantity required.
4. Indicate legends desired — Do not exceed maximums shown in legend order guide.

**Note**

1. For Proper Legend Orientation, AML housings (when viewed from front of panel) should have "MICRO SWITCH" logo oriented "UP" on square devices and "UP" or to the"LEFT" on rectangular devices.
2. Please use black ink in filling out this form to help us process your order.

Standard Legend Placement – Use Special Legends Section for other placements.

*NOT AVAILABLE WITH AML 34 SERIES

1. Transmitted Color—Legend on outer shell (Button
*2. Dead Front—Legend on insert
*3. Projected Color - Legend on outer shell (Button)
*4. Transmitted color with clear cap legend on insert.
5. All legends will be centered within the legendable areas.

**SPECIAL LEGENDS**

NOTE: Use this area to show special Legend Locations or Configurations NOT shown below. NON-STANDARD legends will involve additional charges and increased delivery time.

Fig. "A" Fig. "B"

## LEGEND ORDER CHART

| Customer Part No | Fig No | Type Size 5/64 | 7/64 | 9/64 | 13/64 | 5/16 | Ink Color Black | White | Button Qty | Area 1 Sequence: Left-to-Right or Top-to=Bottom 1st Line | 2nd Line | Area 2 1st Line | 2nd Line |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |

FO-63566-F

(Signature) (Date)

Modified Gothic lettering (A thru Z). numerals (0 thru 9) and Symbols below available in 5/64, 7/64, 9/64, 13/64 and 5/16.

A3 Modified Gothic

STANDARD SYMBOLS AVAILABLE

| | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| . | , | : | ; | ! | ? | ' | _ | " | / | ( | ) | * | & |
| $ | ¢ | # | % | ° | + | - | ± | ÷ | x | = | ≠ | > | < |
| → | ↑ | ↓ | ← | $C_R$ | 1/4 | 1/2 | 3/4 | 1/3 | 2/3 | @ | ∞ | | |



Manuals

Honeywell

# AML Rocker Legend Sheet/Product Specification

Page____of_____

Account NO 126-284

## Legend Order Guide

| Button Type Orientation | Figure No | Max Lines/Area 5/64 | 7/64 | 9/64 | 13/64 | 5/16 | | Max Characters/Line 5/64 | 7/64 | 9/64 | 13/64 | 5/16 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| AREA 1 E | 1 | 1 | 1 | 1 | 0 | 0 | | 7 | 5 | 5 | 3 | 0 |
| AREA 1 E | 2 | 1 | 1 | 1 | 0 | 0 | | 7 | 5 | 5 | 3 | 0 |
| AREA 1 / AREA 2 H | 3 | 1 / 1 | 1 / 1 | 1 / 1 | 0 / 0 | 0 / 0 | AREA 1 / AREA 2 | 7 / 7 | 5 / 5 | 5 / 5 | 3 / 3 | 0 / 0 |
| AREA 2 N | 4 | 2 | 2 | 2 | 1 | 1 | AREA 2 | 7 | 5 | 5 | 3 | 1 |
| AREA 1 / AREA 2 T | 5 | 1 / 2 | 1 / 2 | 1 / 2 | 1 / 1 | 0 / 1 | AREA 1 / AREA 2 | 7 / 7 | 5 / 5 | 5 / 5 | 3 / 3 | 0 / 1 |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |

Standard Legend Placement – 1. All legends will be centered within the legendable areas.
Use Special Legends Section
for other placements.

Catalog Listing
**AML56 –**

| Customer P.O. No. | | Customer Dwg. No. |
|---|---|---|
| MICRO SWITCH Sales Order | Line Number | Schedule No. |

Customer: _____

Address: _____

(city) (state)

**Instructions**

1. Fill in appropriate catalog listing - one listing/sheet.
2. Check proper figure #. Type size, Type color.
3. Fill in quantity required.
4. Indicate legends desired — Do not exceed maximums shown in legend order guide.

**Note**

1. For Proper Legend Orientation, AML housings (when viewed from front of panel) should have "MICRO SWITCH" logo oriented "UP" on square devices and "UP" or to the"LEFT" on rectangular devices.
2. Please use black ink in filling out this form to help us process your order.

**SPECIAL LEGENDS**

NOTE: Use this area to show special Legend Locations or Configurations NOT shown below. NON-STANDARD legends will involve additional charges and increased delivery time.

Fig. "A" Fig. "B"

## LEGEND ORDER CHART

| Customer Part No | Fig No | Type Size 5/64 | 7/64 | 9/64 | 13/64 | 5/16 | Ink Color Black | White | Button Qty | Area 1 Sequence: Left-to-Right or Top-to=Bottom 1st Line | 2nd Line | Area 2 1st Line | 2nd Line |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |

FO-00564-E

(Signature) (Date)

Modified Gothic lettering (A thru Z). numerals (0 thru 9) and Symbols below available in 5/64, 7/64, 9/64, 13/64 and 5/16.

A3
Modified Gothic

STANDARD SYMBOLS AVAILABLE

| | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| . | , | : | ; | ! | ? | ' | _ | " | / | ( | ) | * | & |
| $ | ¢ | # | % | ° | + | - | ± | ÷ | x | = | ≠ | > | < |
| → | ↑ | ↓ | ← | $C_R$ | 1/4 | 1/2 | 3/4 | 1/3 | 2/3 | @ | ∞ | | |