

# PRODUCT SPECIFICATION

**CKI: Carl Kammerling International Ltd.**

|                         |                               |
|-------------------------|-------------------------------|
| <b>Brand</b>            | Kasp                          |
| <b>Product Range</b>    | Plastic coated brass padlocks |
| <b>Catalogue number</b> | 124                           |
| <b>Date</b>             | 16/01/2008                    |

|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |                                                                                      |                                                                                     |                |            |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|----------------|------------|
| <b>Range Description</b><br>Brass padlocks with different coloured plastic coatings                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |                                                                                      |  |                |            |
| <b>Features</b><br><br>Health and safety regulations regarding the isolation of industrial power supplies demand colour coded padlocks be used in conjunction with a lock off hasp.<br>Kasp padlocks, available in 6 colours, enables different departments or maintenance teams to operate autonomously, fulfilling health and safety obligations <ul style="list-style-type: none"><li>• Double bolted locking mechanism – extra strength to resist torsion and pull attacks</li><li>• Solid brass body – added resistance to corrosion</li><li>• Anti pick mushroom pins – extra protection against picking</li><li>• Paracentric keyway extra protection against manipulation</li><li>• Brass shackle – Anti spark and added resistance to corrosion</li><li>• Plastic coated body – maximum resistance against corrosion</li></ul><br>For Lock off use hasps K20025 or K20038 |                                                                                      |                                                                                     |                |            |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |                                                                                      |                                                                                     |                |            |
| Item Number                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | Item Description                                                                     | EAN No                                                                              | Commodity code | Carton Qty |
| K12440BLAD                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | Premium brass padlock 40mm brass shackle and black plastic jacket – display packed   | 5013969900538                                                                       | 83011000       | 6          |
| K12440BLUD                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | Premium brass padlock 40mm brass shackle and blue plastic jacket – display packed    | 5013969900545                                                                       | 83011000       | 6          |
| K12440ORAD                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | Premium brass padlock 40mm brass shackle and orange plastic jacket – display packed  | 5013969900569                                                                       | 83011000       | 6          |
| K12440GRED                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | Premium brass padlock 40mm brass shackle and green plastic jacket – display packed   | 5013969900552                                                                       | 83011000       | 6          |
| K12440REDD                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | Premium brass padlock 40mm brass shackle with red plastic jacket – display packed    | 5013969900576                                                                       | 83011000       | 6          |
| K12440YELD                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | Premium brass padlock 40mm brass shackle with yellow plastic jacket – display packed | 5013969900583                                                                       | 83011000       | 6          |
| K12440BLAA1                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | Premium brass padlock 40mm brass shackle and black plastic jacket KA24401– boxed     | 5013969901702                                                                       | 83011000       | 12         |
| K12440BLUA1                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | Premium brass padlock 40mm brass shackle and blue plastic jacket KA24402 – boxed     | 5013969901719                                                                       | 83011000       | 12         |
| K12440ORAA1                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | Premium brass padlock 40mm brass shackle and orange plastic jacket KA24404– boxed    | 5013969901733                                                                       | 83011000       | 12         |
| K12440GREA1                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | Premium brass padlock 40mm brass shackle and                                         | 5013969901726                                                                       | 83011000       | 12         |

|             |                                                                                     |               |          |    |
|-------------|-------------------------------------------------------------------------------------|---------------|----------|----|
|             | green plastic jacket KA24403 – boxed                                                |               |          |    |
| K12440REDA1 | Premium brass padlock 40mm brass shackle with red plastic jacket KA24406 – boxed    | 5013969901757 | 83011000 | 12 |
| K12440YELA1 | Premium brass padlock 40mm brass shackle with yellow plastic jacket KA24405 – boxed | 5013969901740 | 83011000 | 12 |

| Technical product information                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | <b>Body</b> – Solid brass                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                 |                 |                    |                    |      |                 |                 |          |                 |             |    |     |       |                    |             |    |     |       |                    |             |    |     |       |                    |             |    |     |       |                    |             |    |     |       |                    |             |    |     |       |                    |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|-----------------|--------------------|--------------------|------|-----------------|-----------------|----------|-----------------|-------------|----|-----|-------|--------------------|-------------|----|-----|-------|--------------------|-------------|----|-----|-------|--------------------|-------------|----|-----|-------|--------------------|-------------|----|-----|-------|--------------------|-------------|----|-----|-------|--------------------|
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | <b>Locking mechanism-</b> Pin tumbler cylinder type                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |                 |                 |                    |                    |      |                 |                 |          |                 |             |    |     |       |                    |             |    |     |       |                    |             |    |     |       |                    |             |    |     |       |                    |             |    |     |       |                    |             |    |     |       |                    |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | <b>Security rating, key differs and Use environment:</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |                 |                 |                    |                    |      |                 |                 |          |                 |             |    |     |       |                    |             |    |     |       |                    |             |    |     |       |                    |             |    |     |       |                    |             |    |     |       |                    |             |    |     |       |                    |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | <table><tr><th>Item</th><th>Security rating</th><th>Key differs</th><th>Pins</th><th>Use Environment</th></tr><tr><td>K12540BBLAD</td><td>5</td><td>420</td><td>4</td><td>Normal outdoor use</td></tr><tr><td>K12540BBLUD</td><td>5</td><td>420</td><td>4</td><td>Normal outdoor use</td></tr><tr><td>K12540BORAD</td><td>5</td><td>420</td><td>4</td><td>Normal outdoor use</td></tr><tr><td>K12540BGRED</td><td>5</td><td>420</td><td>4</td><td>Normal outdoor use</td></tr><tr><td>K12540BREDD</td><td>5</td><td>420</td><td>4</td><td>Normal outdoor use</td></tr><tr><td>K12540BYELD</td><td>5</td><td>420</td><td>4</td><td>Normal outdoor use</td></tr></table> |                 |                 |                    |                    | Item | Security rating | Key differs     | Pins     | Use Environment | K12540BBLAD | 5  | 420 | 4     | Normal outdoor use | K12540BBLUD | 5  | 420 | 4     | Normal outdoor use | K12540BORAD | 5  | 420 | 4     | Normal outdoor use | K12540BGRED | 5  | 420 | 4     | Normal outdoor use | K12540BREDD | 5  | 420 | 4     | Normal outdoor use | K12540BYELD | 5  | 420 | 4     | Normal outdoor use |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | Item                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | Security rating | Key differs     | Pins               | Use Environment    |      |                 |                 |          |                 |             |    |     |       |                    |             |    |     |       |                    |             |    |     |       |                    |             |    |     |       |                    |             |    |     |       |                    |             |    |     |       |                    |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | K12540BBLAD                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | 5               | 420             | 4                  | Normal outdoor use |      |                 |                 |          |                 |             |    |     |       |                    |             |    |     |       |                    |             |    |     |       |                    |             |    |     |       |                    |             |    |     |       |                    |             |    |     |       |                    |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | K12540BBLUD                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | 5               | 420             | 4                  | Normal outdoor use |      |                 |                 |          |                 |             |    |     |       |                    |             |    |     |       |                    |             |    |     |       |                    |             |    |     |       |                    |             |    |     |       |                    |             |    |     |       |                    |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | K12540BORAD                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | 5               | 420             | 4                  | Normal outdoor use |      |                 |                 |          |                 |             |    |     |       |                    |             |    |     |       |                    |             |    |     |       |                    |             |    |     |       |                    |             |    |     |       |                    |             |    |     |       |                    |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | K12540BGRED                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | 5               | 420             | 4                  | Normal outdoor use |      |                 |                 |          |                 |             |    |     |       |                    |             |    |     |       |                    |             |    |     |       |                    |             |    |     |       |                    |             |    |     |       |                    |             |    |     |       |                    |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | K12540BREDD                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | 5               | 420             | 4                  | Normal outdoor use |      |                 |                 |          |                 |             |    |     |       |                    |             |    |     |       |                    |             |    |     |       |                    |             |    |     |       |                    |             |    |     |       |                    |             |    |     |       |                    |
| K12540BYELD                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | 5                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | 420             | 4               | Normal outdoor use |                    |      |                 |                 |          |                 |             |    |     |       |                    |             |    |     |       |                    |             |    |     |       |                    |             |    |     |       |                    |             |    |     |       |                    |             |    |     |       |                    |
| <b>Shackle Dimensions and materials:</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |                 |                 |                    |                    |      |                 |                 |          |                 |             |    |     |       |                    |             |    |     |       |                    |             |    |     |       |                    |             |    |     |       |                    |             |    |     |       |                    |             |    |     |       |                    |
| <table><tr><th>Dimensions mm</th><th>Dia</th><th>Internal width</th><th>Internal height</th><th>Material</th></tr><tr><td>K12540BBLAD</td><td>6.4</td><td>20</td><td>21</td><td>Brass</td></tr><tr><td>K12540BBLUD</td><td>6.4</td><td>20</td><td>21</td><td>Brass</td></tr><tr><td>K12540BORAD</td><td>6.4</td><td>20</td><td>21</td><td>Brass</td></tr><tr><td>K12540BGRED</td><td>6.4</td><td>20</td><td>21</td><td>Brass</td></tr><tr><td>K12540BREDD</td><td>6.4</td><td>20</td><td>21</td><td>Brass</td></tr><tr><td>K12540BYELD</td><td>6.4</td><td>20</td><td>21</td><td>Brass</td></tr></table> |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |                 |                 |                    | Dimensions mm      | Dia  | Internal width  | Internal height | Material | K12540BBLAD     | 6.4         | 20 | 21  | Brass | K12540BBLUD        | 6.4         | 20 | 21  | Brass | K12540BORAD        | 6.4         | 20 | 21  | Brass | K12540BGRED        | 6.4         | 20 | 21  | Brass | K12540BREDD        | 6.4         | 20 | 21  | Brass | K12540BYELD        | 6.4         | 20 | 21  | Brass |                    |
| Dimensions mm                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | Dia                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | Internal width  | Internal height | Material           |                    |      |                 |                 |          |                 |             |    |     |       |                    |             |    |     |       |                    |             |    |     |       |                    |             |    |     |       |                    |             |    |     |       |                    |             |    |     |       |                    |
| K12540BBLAD                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | 6.4                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | 20              | 21              | Brass              |                    |      |                 |                 |          |                 |             |    |     |       |                    |             |    |     |       |                    |             |    |     |       |                    |             |    |     |       |                    |             |    |     |       |                    |             |    |     |       |                    |
| K12540BBLUD                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | 6.4                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | 20              | 21              | Brass              |                    |      |                 |                 |          |                 |             |    |     |       |                    |             |    |     |       |                    |             |    |     |       |                    |             |    |     |       |                    |             |    |     |       |                    |             |    |     |       |                    |
| K12540BORAD                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | 6.4                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | 20              | 21              | Brass              |                    |      |                 |                 |          |                 |             |    |     |       |                    |             |    |     |       |                    |             |    |     |       |                    |             |    |     |       |                    |             |    |     |       |                    |             |    |     |       |                    |
| K12540BGRED                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | 6.4                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | 20              | 21              | Brass              |                    |      |                 |                 |          |                 |             |    |     |       |                    |             |    |     |       |                    |             |    |     |       |                    |             |    |     |       |                    |             |    |     |       |                    |             |    |     |       |                    |
| K12540BREDD                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | 6.4                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | 20              | 21              | Brass              |                    |      |                 |                 |          |                 |             |    |     |       |                    |             |    |     |       |                    |             |    |     |       |                    |             |    |     |       |                    |             |    |     |       |                    |             |    |     |       |                    |
| K12540BYELD                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | 6.4                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | 20              | 21              | Brass              |                    |      |                 |                 |          |                 |             |    |     |       |                    |             |    |     |       |                    |             |    |     |       |                    |             |    |     |       |                    |             |    |     |       |                    |             |    |     |       |                    |
| <b>Recommended applications-</b> Luggage, cupboards, lockers, toolboxes, sheds etc.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |                 |                 |                    |                    |      |                 |                 |          |                 |             |    |     |       |                    |             |    |     |       |                    |             |    |     |       |                    |             |    |     |       |                    |             |    |     |       |                    |             |    |     |       |                    |
| Standards compliance                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | None applicable                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |                 |                 |                    |                    |      |                 |                 |          |                 |             |    |     |       |                    |             |    |     |       |                    |             |    |     |       |                    |             |    |     |       |                    |             |    |     |       |                    |             |    |     |       |                    |
| User health and safety information                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | None applicable                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |                 |                 |                    |                    |      |                 |                 |          |                 |             |    |     |       |                    |             |    |     |       |                    |             |    |     |       |                    |             |    |     |       |                    |             |    |     |       |                    |             |    |     |       |                    |
| RoHS/WEEE compliance                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | This product range does not fall within the scope of RoHS or WEEE regulations                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |                 |                 |                    |                    |      |                 |                 |          |                 |             |    |     |       |                    |             |    |     |       |                    |             |    |     |       |                    |             |    |     |       |                    |             |    |     |       |                    |             |    |     |       |                    |
| Material safety data                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | None applicable                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |                 |                 |                    |                    |      |                 |                 |          |                 |             |    |     |       |                    |             |    |     |       |                    |             |    |     |       |                    |             |    |     |       |                    |             |    |     |       |                    |             |    |     |       |                    |
| Warranty                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | KASP padlocks are guaranteed against defects in manufacture and/or materials for 10 years<br>Damage caused through inappropriate use or attempted break in is not covered                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                 |                 |                    |                    |      |                 |                 |          |                 |             |    |     |       |                    |             |    |     |       |                    |             |    |     |       |                    |             |    |     |       |                    |             |    |     |       |                    |             |    |     |       |                    |
| Country of origin                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | China                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |                 |                 |                    |                    |      |                 |                 |          |                 |             |    |     |       |                    |             |    |     |       |                    |             |    |     |       |                    |             |    |     |       |                    |             |    |     |       |                    |             |    |     |       |                    |

## Dimensional details

|             | Product only |          |           |              | Product on primary packaging |          |           |                |
|-------------|--------------|----------|-----------|--------------|------------------------------|----------|-----------|----------------|
| Item        | Width mm     | Depth mm | Height mm | Net weight g | Width mm                     | Depth mm | Height mm | Gross weight g |
| K12440BLAD  | 42           | 17       | 60        | 131          | 140                          | 20       | 170       | 160            |
| K12440BLUD  | 42           | 17       | 60        | 131          | 140                          | 20       | 170       | 160            |
| K12440ORAD  | 42           | 17       | 60        | 131          | 140                          | 20       | 170       | 160            |
| K12440GRED  | 42           | 17       | 60        | 131          | 140                          | 20       | 170       | 160            |
| K12440REDD  | 42           | 17       | 60        | 131          | 140                          | 20       | 170       | 160            |
| K12440YELD  | 42           | 17       | 60        | 131          | 140                          | 20       | 170       | 160            |
| K12440BLAA1 | 42           | 17       | 60        | 131          | 43                           | 20       | 70        | 138            |
| K12440BLUA1 | 42           | 17       | 60        | 131          | 43                           | 20       | 70        | 138            |
| K12440ORAA1 | 42           | 17       | 60        | 131          | 43                           | 20       | 70        | 138            |
| K12440GREA1 | 42           | 17       | 60        | 131          | 43                           | 20       | 70        | 138            |
| K12440REDA1 | 42           | 17       | 60        | 131          | 43                           | 20       | 70        | 138            |
| K12440YELA1 | 42           | 17       | 60        | 131          | 43                           | 20       | 70        | 138            |

|             | Shelf box (secondary packaging) |          |           |                | Euro Pallet data<br>Wi x Hi |                     |
|-------------|---------------------------------|----------|-----------|----------------|-----------------------------|---------------------|
| Item        | Width mm                        | Depth mm | Height mm | Gross weight g | No of cartons on base       | Number of rows high |
| K12440BLAD  | 145                             | 185      | 75        | 1023           |                             |                     |
| K12440BLUD  | 145                             | 185      | 75        | 1023           |                             |                     |
| K12440ORAD  | 145                             | 185      | 75        | 1023           |                             |                     |
| K12440GRED  | 145                             | 185      | 75        | 1023           |                             |                     |
| K12440REDD  | 145                             | 185      | 75        | 1023           |                             |                     |
| K12440YELD  | 145                             | 185      | 75        | 1023           |                             |                     |
| K12440BLAA1 | 90                              | 130      | 72        | 1698           |                             |                     |
| K12440BLUA1 | 90                              | 130      | 72        | 1698           |                             |                     |
| K12440ORAA1 | 90                              | 130      | 72        | 1698           |                             |                     |
| K12440GREA1 | 90                              | 130      | 72        | 1698           |                             |                     |
| K12440REDA1 | 90                              | 130      | 72        | 1698           |                             |                     |
| K12440YELA1 | 90                              | 130      | 72        | 1698           |                             |                     |

## Packaging waste details

|              | Primary Packaging |         |        |              | Secondary packaging |     |        |     |
|--------------|-------------------|---------|--------|--------------|---------------------|-----|--------|-----|
| Item         | Plastic g         | Use     | Card g | Use          | Plastic g           | Use | Card g | Use |
| K12440BLAD   | 22                | Blister | 7      | Backing card |                     |     | 63     | Box |
| K12440BLUD   | 22                | Blister | 7      | Backing card |                     |     | 63     | Box |
| K12440ORAD   | 22                | Blister | 7      | Backing card |                     |     | 63     | Box |
| K12440GRED   | 22                | Blister | 7      | Backing card |                     |     | 63     | Box |
| K12440REDD   | 22                | Blister | 7      | Backing card |                     |     | 63     | Box |
| K12440YELD   | 22                | Blister | 7      | Backing card |                     |     | 63     | Box |
| K12440BLAA1  |                   |         | 6      | Box          |                     |     | 42     | Box |
| K12440BLUA1  |                   |         | 6      | Box          |                     |     | 42     | Box |
| K12440ORAA1  |                   |         | 6      | Box          |                     |     | 42     | Box |
| K12440GREAA1 |                   |         | 6      | Box          |                     |     | 42     | Box |
| K12440REDA1  |                   |         | 6      | Box          |                     |     | 42     | Box |
| K12440YELA1  |                   |         | 6      | Box          |                     |     | 42     | Box |