

FRONT 4-H-6,35-7

Order No.: 1890468

<http://eshop.phoenixcontact.de/phoenix/treeViewClick.do?UID=1890468>

Commercial data

GTIN (EAN)	4017918396787
Note	Made-to-order
sales group	E510
Pack	10 pcs.
Customs tariff	85369010
Weight/Piece	0.05643 KG

Product notes

WEEE/RoHS-compliant since:
03/11/2005



<http://www.download.phoenixcontact.com>
Please note that the data given here has been taken from the online catalog. For comprehensive information and data, please refer to the user documentation. The General Terms and Conditions of Use apply to Internet downloads.

Certificates / Approvals



Certification

CSA, CUL, UL

CSA

Nominal voltage U_N	300 V
Nominal current I_N	10 A
AWG/kcmil	22-10

CUL

Nominal voltage U_N	300 V
-----------------------	-------

Nominal current I_N	10 A
AWG/kcmil	24-10

UL

Nominal voltage U_N	300 V
Nominal current I_N	10 A
AWG/kcmil	24-10

Address

PHOENIX CONTACT Inc., USA
586 Fulling Mill Road
Middletown, PA 17057, USA
Phone (800) 888-7388
Fax (717) 944-1625
<http://www.phoenixcon.com>



© 2010 Phoenix Contact
Technical modifications reserved;