




REVISIONS				
SYM	ZONE	ECN, ERN NO.	DATE	APPRD.
F		UPDATED (NEW PAGE)	JAN08/08	
G		DUST COVER OPTION ADDED	JUL08/09	

THIS IS A CAD DRAWING. DO NOT MANUALLY REVISE.

LIGHT PIPE KIT
(SHIPPED LOOSE)
P/N U77-1212-2010P
(IF ORDER SEPARATELY)

PRESS FIT CAGE
P/N U77-A213X-X001
(IF ORDER SEPARATELY)
(SEE PAGE 3 FOR CAGE
PLATING AND OTHER
OPTIONS)




U77-C211X-XX11

OPTIONAL DUST COVER
(SHIPPED LOOSE)
P/N U77-A1110-8000P

LIGHT PIPE KIT
(SHIPPED LOOSE)
P/N U77-1412-2010P
(IF ORDER SEPARATELY)

PRESS FIT CAGE
P/N U77-A413X-X001
(IF ORDER SEPARATELY)
(SEE PAGE 3 FOR CAGE
PLATING AND OTHER
OPTIONS)



U77-C411X-XX11

AMPHENOL PART NUMBER CONFIGURATION

U77 - C X 1 1 X - X X 1 X

PORTS

2 = 1X2 (2 PORTS)
4 = 1X4 (4 PORTS)
6 = 1X6 (6 PORTS)

REAR PINS OPTION

0 = STANDARD
4 = REAR PRESS FIT PINS

PACKAGING FOR CAGE

1 = TRAY PACKAGING

DUST COVER OPTION


0 = NO DUST COVER
D = WITH DUST COVER

PLATING

1 = TIN PLATING
2 = NICKEL PLATING

LIGHT PIPE KIT
(SHIPPED LOOSE)
P/N U77-1612-2010P
(IF ORDER SEPARATELY)

PRESS FIT CAGE
P/N U77-A613X-X001
(IF ORDER SEPARATELY)
(SEE PAGE 3 FOR CAGE
PLATING AND OTHER
OPTIONS)



U77-C611X-XX11

MATERIAL (RoHS COMPLIANCE):

CAGE:
COPPER ALLOY

PLATING OPTION 1:

100µ" [2.54 µm] MIN. TIN
PLATING OVER 50 µ" (1.27 µm)
MIN. NICKEL UNDER PLATING.

PLATING OPTION 2:

100µ" [3.81 µm] MIN. NICKEL
PLATING.

LIGHT PIPE:
CLEAR POLYCARBONATE.

BRACKET FOR LIGHT PIPE:
STAINLESS STEEL.

DUST COVER:
THERMOPLASTIC, COLOR BLACK.

PACKAGING:
TRAY PACKAGING FOR ALL

TEMPERATURE RANGE:
-40°C TO +85°C


DRAWN	J.SI	DATE	2008/02/16
DESIGNED	J.SI	DATE	2008/02/16
CHECKED	X		X
DWG. APPRD.			
ENG. REL. NO.			
REF.	X		
DIMENSIONS ARE IN	CODE ID. NO.		
mm [INCHES]	03554		

Amphenol Canada Corp.


TITLE
SFP 1XN CAGE, PRESS FIT PINS
WITH LIGHT PIPE (SHIP LOOSE)
DUST COVER OPTION (SHIP LOOSE)

DWG	DRAWING NO.	REV.
A	P-U77-CX11X-XX1X	G
SCALE	1:1	WT. _____ SURF. _____ SHEET 1 OF 8


THIS DOCUMENT CONTAINS PROPRIETARY INFORMATION AND SUCH INFORMATION
MAY NOT BE DISCLOSED TO OTHERS FOR ANY PURPOSE OR USED FOR MANUFACTURING
PURPOSES WITHOUT WRITTEN PERMISSION FROM AMPHENOL CANADA CORP.




U77-C2110-X011



U77-C2114-X011




U77-C4114-X011



U77-C6114-X011

LIGHT PIPE KIT
SHIP LOOSE




THIS IS A CAD DRAWING. DO NOT MANUALLY REVISE.

REVISIONS				
SYM	ZONE	ECN, ERN NO.	DATE	APPRD.
E		UPDATED	2006/07/17	
F		UPDATED	JAN07/08	
G		DUST COVER OPTION ADDED	JUL08/09	


THIS DOCUMENT CONTAINS PROPRIETARY INFORMATION AND SUCH INFORMATION
MAY NOT BE DISCLOSED TO OTHERS FOR ANY PURPOSE OR USED FOR MANUFACTURING
PURPOSES WITHOUT WRITTEN PERMISSION FROM AMPHENOL CANADA CORP.

DRAWN	J.SI	DATE	2006/02/16
DESIGNED	J.SI	DATE	2006/02/16
CHECKED	X		X
DWG. APPRD.			
ENG. REL. NO.			
REF.	X		
DIMENSIONS ARE IN	mm	CODE ID. NO.	03554
	INCHES		



Amphenol Canada Corp.			
TITLE SFP 1XN CAGE, PRESS FIT PINS WITH LIGHT PIPE (SHIP LOOSE) DUST COVER OPTION (SHIP LOOSE)			
DWG	A	DRAWING NO.	P-U77-CX11X-XX1X
SCALE	1:1	WT.	
SURF.		SHEET	2 OF 8




U77-A2130-X001



U77-A2134-X001



U77-A4134-X001



U77-A6134-X001

REVISIONS				
SYM	ZONE	ECN, ERN NO.	DATE	APPRD.
F		UPDATED (NEW PAGE)	JAN07/08	
G		DUST COVER OPTION ADDED	JUL08/09	

THIS IS A CAD DRAWING. DO NOT MANUALLY REVISE.

CAGE P/N CONFIGURATION (IF ORDER SEPARATELY)

U77 - A X 1 3 X - X 0 0 X

PORTS
2 = 1X2 (2 PORTS)
4 = 1X4 (4 PORTS)
6 = 1X6 (6 PORTS)

REAR PINS OPTION
0 = STANDARD
4 = REAR PRESS FIT PINS

PACKAGING FOR CAGE
1 = TRAY PACKAGING

PLATING
1 = TIN PLATING
2 = NICKEL PLATING





DRAWN	J.SI	DATE	2006/02/16
DESIGNED	J.SI	DATE	2006/02/16
CHECKED	X		
DWG. APPRD.			
ENG. REL. NO.			
REF.	X		
DIMENSIONS ARE IN	mm	CODE ID. NO.	03554
	(INCHES)		

Amphenol Canada Corp.			
TITLE SFP 1XN CAGE, PRESS FIT PINS WITH LIGHT PIPE (SHIP LOOSE) DUST COVER OPTION (SHIP LOOSE)			
DWG	A	DRAWING NO.	P-U77-CX11X-XX1X
REV.	G		
SCALE	1:1	WT.	
SURF.			
SHEET	3	OF	8

THIS DOCUMENT CONTAINS PROPRIETARY INFORMATION AND SUCH INFORMATION MAY NOT BE DISCLOSED TO OTHERS FOR ANY PURPOSE OR USED FOR MANUFACTURING PURPOSES WITHOUT WRITTEN PERMISSION FROM AMPHENOL CANADA CORP.

REVISIONS				
SYM	ZONE	ECN, ERN NO.	DATE	APPRD.
E		UPDATED	2006/07/17	
F		UPDATED	JAN07/08	
G		DUST COVER OPTION ADDED	JUL08/09	

THIS IS A CAD DRAWING. DO NOT MANUALLY REVISE.



RECOMMENDED BEZEL DESIGN

THIS DOCUMENT CONTAINS PROPRIETARY INFORMATION AND SUCH INFORMATION MAY NOT BE DISCLOSED TO OTHERS FOR ANY PURPOSE OR USED FOR MANUFACTURING PURPOSES WITHOUT WRITTEN PERMISSION FROM AMPHENOL CANADA CORP.


DRAWN	J.SI	DATE	2006/02/16	Amphenol Canada Corp.	
DESIGNED	J.SI	DATE	2006/02/16		
CHECKED	X		X		
DWG. APPRD.				TITLE SFP 1XN CAGE, PRESS FIT PINS WITH LIGHT PIPE (SHIP LOOSE) DUST COVER OPTION (SHIP LOOSE)	
ENG. REL. NO.					
REF.	X			DWG	DRAWING NO.
DIMENSIONS ARE IN	mm	CODE ID. NO.	03554	A	P-U77-CX11X-XX1X
SCALE	1:1	WT.		SURF.	
					SHEET 4 OF 8

1. "BSC" DIMENSION ESTABLISHED BY CUSTOMER

THIS IS A CAD DRAWING. DO NOT MANUALLY REVISE.



DWG A	DRAWING NO. P-U77-CX11X-XX1X				REV. G
SCALE NTS	WT.	-----	SURF.	-----	SHEET 7 OF 8



REVISIONS				
SYM	ZONE	ECN, ERN NO.	DATE	APPRD.
E		UPDATED	2006/07/17	
F		UPDATED	JAN07/08	
G		DUST COVER OPTION ADDED	JUL08/09	

THIS IS A CAD DRAWING. DO NOT MANUALLY REVISE.

RECOMMENDED SFP HOST BOARD LAYOUT
(SEE PAGE 5, 6 AND 7 FOR OTHER DIMS)
(ON COMPONENTS SIDE MOUNTING)

THIS DOCUMENT CONTAINS PROPRIETARY INFORMATION AND SUCH INFORMATION
MAY NOT BE DISCLOSED TO OTHERS FOR ANY PURPOSE OR USED FOR MANUFACTURING
PURPOSES WITHOUT WRITTEN PERMISSION FROM AMPHENOL CANADA CORP.

DRAWN	J.SI	DATE	2006/02/16
DESIGNED	J.SI	DATE	2006/02/16
CHECKED	X		X
DWG. APPRD.			
ENG. REL. NO.			
REF.	X		
DIMENSIONS ARE IN	mm	CODE ID. NO.	03554
INCHES			
DWG.	A	DRAWING NO.	P-U77-CX11X-XX1X
SCALE	1:1	WT.	
SURF.		SHEET	8 OF 8

Amphenol Canada Corp.
TITLE
SFP 1XN CAGE, PRESS FIT PINS
WITH LIGHT PIPE (SHIP LOOSE)
DUST COVER OPTION (SHIP LOOSE)