
# **BU Series Accelerometers**





### **Product Features**

- Wide Frequency Range
- Hermetically Sealed
- Rugged Shockproof Case
- Low Noise
- Standard and Low Profile Sizes
- Internal FET Preamplifier

# **Applications**

- Communications
- General sensing
- Instrumentation

The BU Series of accelerometers feature broadband output in a versatile miniature case size.



# BU Series Accelerometers Specifications


Performance	
Frequency Response	Charted by response type
Sensitivity Tolerance	+/- 4.5dB @ 1000Hz
DC Supply	1.5 - 10.0 V
Current Drain	50 uA maximum
Output Impedance (in 2-wire circuit)	4900 to 5500 ohms

Mechanical		
Weight	0.28 grams (nominal)	
Dimensions	See outline drawings	
Case Material	80Ni20Fe	
Solder Content	Sn63Pb37	


Optional	Soldering Fix	ture
	Standard Case	Thin Case
Base	ET-3042	ET-3042
Nest Plate	ET-802	ET-811
Back Plate	ET-900	ET-900

## **Outline Drawings**

#### Standard Case




### Thin Case




## Wire Hookup

#### Standard 2-Wire Hookup



## Alternate 3-Wire Hookup



#### www.knowlesacoustics.com

AMERICAS: 1151 Maplewood Drive Itasca, Illinois 60143 U.S.A. Phone: 630-250-5930 Fax: 630-250-5932 EUROPE: York Road, Burgess Hill West Sussex, RH15 9TT UK Phone: 441-444-235432

Fax: 441-444-248724

KNOWLES ACOUSTICS

> JAPAN: 5/F YK BLDG. 2-16, Sangenjaya 2-Chome, Setagaya-Ku, Tokyo 154-0024 - Japan Phone: 81-3-5779-8503 Fax: 81-3-5779-8523

KOREA: #1212, Dongbu Root Sunae-dong, Bundang-ku Sungnam-shi, Kyunggi-do 463-825 - Korea Phone: 82-31-712-2223 Fax: 82-31-712-3314

ASIA: 5F, No. 129, Lane 235, Bauchiau Rd. Shindian City, Taipei 23145 Taiwan Phone: 886-2-8919-1799 Fax: 886-2-8919-1798 THE INFORMATION CONTAINED IN THIS LITERATURE IS BASED ON OUR EXPERIENCE TO DATE AND IS BELEVED TO BE RELIABLE AND IT IS SUBJECT TO CHANGE WITHOUT NOTICE. IT SITENDED AS A GUIDE FOR USE BY PERSONS HAVING TECHNICAL SKILL AT THEIR OWN DISCRETION AND RISK. WE DO NOT GUARANTEE FAVORABLE RESULTS OR ASSUME ANY LIBERLITY IN CONNECTION WITH ITS USE DIMENSIONS CONTAINED HERBIN ARE FOR EFFERENCE PURPOSES ONLY. FOR SPECIFIC DIMENSIONAL REQUIREMENTS CONSULT FACTORY. THIS PUBLICATION IS NOT DE TAKEN AS LICENSE TO OFERATE UNDER, OR RECOMMENDATION TO INFERIOR ANY EXISTING PATENTS. THIS SUPPRESEDES AND VOIDS ALL PREVIOUS LITERATURE.