

## Bus system cable - SAC-5P- 5,0-928/MINFS DN - 1417469

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://download.phoenixcontact.com>)



Bus system cable, DeviceNet, 5-position, PVC, Gray RAL 7001, Free cable end, on Socket straight 7/8"-16UNF, Cable length: 5 m

### Key commercial data

|                        |                                                                                                        |
|------------------------|--------------------------------------------------------------------------------------------------------|
| Packing unit           | 0                                                                                                      |
| Minimum order quantity | 1                                                                                                      |
| Catalog page           | Page 399 (PC-2011)                                                                                     |
| GTIN                   | <br>4 046356 536820 |
| Custom tariff number   | 85444290                                                                                               |
| Country of origin      | GERMANY                                                                                                |

### Technical data

#### General data

|                       |        |
|-----------------------|--------|
| Rated current at 40°C | 5.2 A  |
| Rated voltage         | 30 V   |
| Number of positions   | 5      |
| Volume resistance     | < 5 mΩ |
| Length of cable       | 5 m    |

#### General characteristics

|                          |                  |
|--------------------------|------------------|
| Coding                   | A - standard     |
| Surge voltage category   | II               |
| Pollution degree         | 3                |
| Degree of protection     | IP65/IP67/IP69K  |
| Contact material         | CuZn             |
| Contact surface material | Au               |
| Contact carrier material | PA 66            |
| Material of grip body    | TPU              |
| Material, knurls         | High-grade steel |
| Sealing material         | TPU              |
| Status display           | No               |

#### Conductor data

## Bus system cable - SAC-5P- 5,0-928/MINFS DN - 1417469

### Technical data

#### Conductor data

|                                               |                                 |
|-----------------------------------------------|---------------------------------|
| AWG signal line                               | 18                              |
| AWG power supply                              | 15                              |
| Wire colors                                   | Red-black, blue-white           |
| Shielding                                     | Tinned copper braided shield    |
| External sheath, color                        | Gray RAL 7001                   |
| External cable diameter D                     | 12.2 mm                         |
| Smallest bending radius, fixed installation   | 61 mm                           |
| Smallest bending radius, movable installation | 122 mm                          |
| Outer sheath, material                        | PVC                             |
| Conductor material                            | Tin-plated Cu litz wires        |
| Wave impedance                                | 120 $\Omega$ +/-10% (Data pair) |

### Classifications

#### eclass

|            |          |
|------------|----------|
| eCl@ss 4.0 | 27060307 |
| eCl@ss 4.1 | 27060307 |
| eCl@ss 5.0 | 27061801 |
| eCl@ss 5.1 | 27060307 |
| eCl@ss 6.0 | 27061801 |
| eCl@ss 7.0 | 27061801 |

#### etim

|          |          |
|----------|----------|
| ETIM 2.0 | EC000830 |
| ETIM 3.0 | EC000830 |
| ETIM 4.0 | EC001855 |


#### unspsc

|               |          |
|---------------|----------|
| UNSPSC 6.01   | 26121616 |
| UNSPSC 7.0901 | 26121616 |
| UNSPSC 11     | 26121604 |
| UNSPSC 12.01  | 26121616 |
| UNSPSC 13.2   | 26121616 |

### Drawings


## Bus system cable - SAC-5P- 5,0-928/MINFS DN - 1417469

Schematic diagram




Pin assignment, socket, 7/8"-16UNF, 5-pos., view of female side

Dimensioned drawing



7/8"-16UNF socket, straight

Circuit diagram



Contact assignment of 7/8"-16UNF socket