


NOTES

1.製品詳細寸法は製品単体図面を参照して下さい。
FOR DETAIL OF CONNECTOR DIMENSIONS,PLEASE SEE THE DRAWING OF CONNECTOR ITSELF(NOT PACKAGED).




2.梱包数量：1300個/リール
NUMBER OF CONNECTORS：1300 PIECES/REEL


3.リードテープ長さ
LEAD TAPE LENGTH



4.材料
MATERIAL
CARRIER TAPE：POLYPROPYLENE.
トップテープ：PET,PE,REF
TOP TAPE：PET,PE,REF.
リール：ポリスチレン<リサイクル材を含む>

5.ELV AND RoHS COMPLIANT.



THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION															
REVISED	EC NO: 111079 DRWN: QHE31 CHK'D: SAKIYAMA APPR: TKANEKO	2016/12/05 2016/12/05 2016/12/05	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION UNITS		SCALE		molex®						
					MM		NTS								
					DRWN BY		DATE		PICO-CRASP 1.0W/B 1-ROW R/A 6-15 CKT. INNER LOCK TYPE EMBOSSED TAPE PKG (GOLD VERSION)						
					KOMORI		2016/09/01								
					CHK'D BY		DATE								
					SAKIYAMA		2016/09/21								
					APPR BY		DATE		PRODUCT CUSTOMER DRAWING						
					TKANEKO		2016/09/21								
					DRAWING SIZE		THIRD ANGLE PROJECTION		SERIES	MATERIAL NUMBER			CUSTOMER		
					A3				202396	SEE SHEET2			GENERAL		
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS					DOCUMENT NUMBER			DOC TYPE	DOC PART	SHEET NUMBER					
					2023960607			PSD	000	1 OF 2					

