




1

2

3


4

5




DC MATE PLUG

Ø3.5±0.05



Ø A	1.0	1.3
XX	02	03
PLUG INNER Ø	$1.05^{+0.10}_{-0.00}$	$1.35^{+0.10}_{-0.00}$
PLUG OUTER Ø	3.5 ± 0.05	3.5 ± 0.05



□ : TERMINAL NO.

RoHS Compliant

G			
F			
E			
D			
C			
B	26-JAN-15	RIGHT VIEW	QL
A	29-OCT-14	PDF	AS
REV	DATE	FILE	BY

PROJECTION:

APPROVAL: JT_s

GENERAL TOLERANCE
 $X = \pm 0.50$
 $.X = \pm 0.30$
 $.XX = \pm 0.20$

UNIT: MM

SCALE:

SHEET: 1/3

DRAW: AS



DESCRIPTION: DC POWER JACK - RIGHT ANGLED - THT - 1.0 & 1.3Ø -WR-DC

SIZE

A4

WERI PART NO: 694 1xx 304 002

A

B

C

D


1

2

3

4

5



125 pcs/tray

21 trays/bundle
2625 pcs/bundle4 bundles/carton
10500 pcs/carton

A

B

C

D

RoHS Compliant			
G			
F			
E			
D			
C			
B			
A	29-OCT-14	PDF	AS
REV	DATE	FILE	BY

PROJECTION:	GENERAL TOLERANCE	WF	DESCRIPTION: DC POWER JACK - RIGHT ANGLED - THT - 1.0 & 1.3Ø -WR-DC	SIZE A4
	.X = $^{+/-} 0.2$			
	.XX = $^{+/-} 0.15$			
APPROVAL: JT	UNIT: MM			
	SCALE:			
	SHEET: 2/3			
	DRAW: AS			

1

2

3

4

5

Cautions and Warnings:

This electronic component is designed and developed with the intention for use in general electronics equipments.

Before incorporating the components into any equipments in the field such as aerospace, aviation, nuclear control, submarine, transportation, (automotive control, train control, ship control), transportation signal, disaster prevention, medical, public information network etc. where higher safety and reliability are especially required or if there is possibility of direct damage or injury to human body, Wurth Elektronik must be asked for a written approval.

In addition, even electronic component in general electronic equipments, when used in electrical circuits that require high safety, reliability functions or performance, the sufficient reliability evaluation-check for the safety must be performed before by the user before usage.

A

B

C

D

RoHS Compliant			
G			
F			
E			
D			
C			
B			
A	10-SEP-14	PDF	QL
REV	DATE	FILE	BY

PROJECTION:



GENERAL TOLERANCE

 $.X = +/_ 0.2$ $.XX = +/_ 0.15$ 

APPROVAL: JC

UNIT: MM

SCALE:

SHEET: 3/3

DRAW: QL

DESCRIPTION: DISCLAIMER

WERI PART NO: DISCLAIMER

SIZE

A4