

### Mono Faders for Audio Mixers Slide Potentiometers

Japan  
Malaysia

Type: **EVANF**



#### ■ Features

- Slim-type fader series: Width=9.0 mm, Height=8.0 mm
- Excellent cost performance for mid and low level audio mixers

#### ■ Recommended Applications

- Fade control for audio mixers (popular type)
- MTR (Multi-track recorders)
- Paper position sensors (detectors) for PPC

#### ■ Explanation of Part Numbers

|              |          |          |                |          |   |                          |   |   |                    |    |    |
|--------------|----------|----------|----------------|----------|---|--------------------------|---|---|--------------------|----|----|
| 1            | 2        | 3        | 4              | 5        | 6 | 7                        | 8 | 9 | 10                 | 11 | 12 |
| <b>E</b>     | <b>V</b> | <b>A</b> | <b>N</b>       | <b>F</b> |   |                          |   |   |                    |    |    |
| Product Code |          |          | Specifications |          |   | Lever Trims & Dimensions |   |   | Taper & Resistance |    |    |

#### ■ Specifications


|                               | Taper  |            |                |
|-------------------------------|--|------------|----------------|
|                               | 100.0 mm Type                                | Taper B    | Others         |
| Power Rating                  |  | 0.5 W      | 0.25 W         |
|                               | Max. Operating Voltage: 30 Vac               |            |                |
| Resistance *                  | 5 k $\Omega$ , 10 k $\Omega$ , 20 k $\Omega$ | $\pm 20$ % | +40 %<br>-20 % |
| Taper *                       | A, B, D, Y                                   |            |                |
| Maximum Attenuation           | 100 dB min. (Except taper B)                 |            |                |
| Operating Force               | 0.1 N to 1.0 N                               |            |                |
| Operating Life                | 50000 cycles min.                            |            |                |
| Minimum Quantity/Packing Unit | 100 pcs. (Tray Pack)                         |            |                |
| Quantity/Carton               | 500 pcs.                                     |            |                |

Note: Customer's design for Lever Shape can be also negotiable.

Design and specifications are each subject to change without notice. Ask factory for the current technical specifications before purchase and/or use.  
Should a safety concern arise regarding this product, please be sure to contact us immediately.

■ Dimensions in mm (not to scale)

● 100.0 mm Travel, Single.....EVANF



# Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

Panasonic:

[EVA-NF3R15B14](#) [EVA-NF4R15A14](#) [EVA-NF4R15D14](#) [EVA-NF4R15Y14](#)