

New Product Announcement



C90 Screening Braid Adapters

Features

- Allows screening braid to be used with commercial MIL-DTL-5015 connectors
- Fully RoHS compliant
- Ranges of sizes to suit C90 series
- Alternative termination systems available (band & CF spring fixing)
- Full 360° attachment of shielding braid
- Heat shrink for additional security
- Coupling for easy application
- Spring termination may be assembled without special tooling

Benefits

- Easy attachment of screening braid
- Excellent shielding performance
- Mechanically strong product
- Specifically designed for industrial applications
- In stock for immediate delivery

Applications



- Industrial
- Oil & Gas
- Agricultural

- Construction
- Harsh Environments
- Rail / Transportation

Part Numbers

- Search Harwin.com for C90-001 and C90-002 series

Product Family	Terminations
C90-001-XX	Band Fixing
C90-002-XX	Spring Fixing

Harwin North America
Salem, New Hampshire, USA
E: misboston@harwin.com
T: +1 603 893 5376

Harwin Europe
Portsmouth, Hampshire, UK
E: mis@harwin.co.uk
T: +44 (0) 23 9237 0451

Email: technical@harwin.co.uk

Harwin Germany
Erbach
E: wpohl@harwin.com
T: +49 (0) 89 379 19 400

Harwin Asia
Singapore
E: mis@harwin.com.sg
T: +65 6 779 4909

Email: samples@harwin.co.uk

HARWIN

Website: www.harwin.com

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[Harwin](#):

[C90-001-10SL](#) [C90-001-12S](#) [C90-001-14S](#) [C90-002-10SL](#) [C90-002-12S](#) [C90-002-14S](#)