

10 9 8 7 6 5 4 3 2 1

F






E

D

C

B

A



NOTE:

1. MATERIAL:

HOUSING: - LCP, GLASS FILLED, UL94V-0
COLOR: BLACK
TERMINAL: - COPPER ALLOY, 0.64MM SQ

2. PLATING TYPE:

- 1) 15µin MIN. GOLD PLATE ON CONTACT AND 75µin MIN. TIN ON SOLDER TAIL OVER 50µin MIN. NICKEL OVERALL.
- 2) 30µin MIN. GOLD PLATE ON CONTACT AND 75µin MIN. TIN ON SOLDER TAIL OVER 50µin MIN. NICKEL OVERALL.
- 3) 100µin MIN. TIN OVERALL. 50µin MIN. NICKEL OVERALL.

3. THE ABOVE 14 CKT SHOWN IS FOR ILLUSTRATION ONLY..

4. PIN PUSHOUT FORCE: 1KG MIN. IN EITHER DIRECTION

5. PART TO BE PACKED IN TUBE.

6. IRREGULAR CIRCUIT CUTOFF WITHIN BREAKAWAY SECTION IS PERMISSIBLE. CUTTING OR CHIPPING OF THE MAIN BODY IS NOT ACCEPTABLE

7. RECOMMENDED PCB THICKNESS = 1.60 ± 0.10mm

8. PRODUCT SPECIFICATION: PS-87920-019

9. PACKAGING SPECIFICATION: PK-89990-519

REVISED		QUALITY SYMBOLS		GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE NTS		DESIGN UNITS METRIC		THIRD ANGLE PROJECTION	
EC NO: S2007-0544		▼=0		mm INCH		DRAWN BY DATE		TITLE CUSTOM HEADER C-GRID DUAL ROW HEADER RIGHT ANGLE THROUGH HOLE					
2006/12/13		▽=0		4 PLACES ± --- ± ---		YLQ1A0 2005/01/17							
2006/12/19				3 PLACES ± --- ± ---		CHECKED BY DATE							
DRWN:SKLIM01				2 PLACES ± 0.2 ± ---		PTLIM 2005/01/25		MOLEX MOLEX INCORPORATED					
CHKD:CWLM				1 PLACE ± --- ± ---		APPROVED BY DATE							
2006/12/27				ANGULAR ± 3 °		SCLW 2005/01/25							
APPR:KWLEE				DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		MATERIAL NO.		DOCUMENT NO.		SHEET NO.			
REV						SEE TABLE		SD-87911-027		1 OF 4			
						SIZE A3		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION					

9 8 7 6 5 4 3 2 1

	10	9	8	7	6	5	4	3	2	1																																																																																																																																																																																																																				
F	<table><tr><th rowspan="2">PART NO.</th><th rowspan="2">CKT SIZE</th><th rowspan="2">VOID POSITION</th><th rowspan="2">PLATING TYPE</th><th colspan="5">DIMENSION</th></tr><tr><th>A</th><th>B</th><th>M</th><th>P</th><th>E</th></tr><tr><td>87911-0411</td><td>4</td><td>-----</td><td>1</td><td>5.08</td><td>2.54</td><td>6.10</td><td>3.18</td><td>2.27</td></tr><tr><td>87911-0412</td><td>4</td><td>-----</td><td>2</td><td>5.08</td><td>2.54</td><td>6.10</td><td>3.18</td><td>2.27</td></tr><tr><td>87911-0413</td><td>4</td><td>-----</td><td>3</td><td>5.08</td><td>2.54</td><td>6.10</td><td>3.18</td><td>2.27</td></tr><tr><td>87911-0611</td><td>6</td><td>-----</td><td>1</td><td>7.62</td><td>5.08</td><td>6.10</td><td>3.18</td><td>2.27</td></tr><tr><td>87911-0612</td><td>6</td><td>-----</td><td>2</td><td>7.62</td><td>5.08</td><td>6.10</td><td>3.18</td><td>2.27</td></tr><tr><td>87911-0613</td><td>6</td><td>-----</td><td>3</td><td>7.62</td><td>5.08</td><td>6.10</td><td>3.18</td><td>2.27</td></tr><tr><td>87911-0811</td><td>8</td><td>-----</td><td>1</td><td>10.16</td><td>7.62</td><td>6.10</td><td>3.18</td><td>2.27</td></tr><tr><td>87911-0812</td><td>8</td><td>-----</td><td>2</td><td>10.16</td><td>7.62</td><td>6.10</td><td>3.18</td><td>2.27</td></tr><tr><td>87911-0813</td><td>8</td><td>-----</td><td>3</td><td>10.16</td><td>7.62</td><td>6.10</td><td>3.18</td><td>2.27</td></tr><tr><td>87911-0800</td><td>8</td><td>-----</td><td>1</td><td>10.16</td><td>7.62</td><td>6.10</td><td>2.79</td><td>2.29</td></tr><tr><td>87911-1011</td><td>10</td><td>-----</td><td>1</td><td>12.70</td><td>10.16</td><td>6.10</td><td>3.18</td><td>2.27</td></tr><tr><td>87911-1012</td><td>10</td><td>-----</td><td>2</td><td>12.70</td><td>10.16</td><td>6.10</td><td>3.18</td><td>2.27</td></tr><tr><td>87911-1013</td><td>10</td><td>-----</td><td>3</td><td>12.70</td><td>10.16</td><td>6.10</td><td>3.18</td><td>2.27</td></tr><tr><td>87911-1211</td><td>12</td><td>-----</td><td>1</td><td>15.24</td><td>12.70</td><td>6.10</td><td>3.18</td><td>2.27</td></tr><tr><td>87911-1212</td><td>12</td><td>-----</td><td>2</td><td>15.24</td><td>12.70</td><td>6.10</td><td>3.18</td><td>2.27</td></tr><tr><td>87911-1213</td><td>12</td><td>-----</td><td>3</td><td>15.24</td><td>12.70</td><td>6.10</td><td>3.18</td><td>2.27</td></tr><tr><td>87911-1411</td><td>14</td><td>-----</td><td>1</td><td>17.78</td><td>15.24</td><td>6.10</td><td>3.18</td><td>2.27</td></tr><tr><td>87911-1412</td><td>14</td><td>-----</td><td>2</td><td>17.78</td><td>15.24</td><td>6.10</td><td>3.18</td><td>2.27</td></tr><tr><td>87911-1413</td><td>14</td><td>-----</td><td>3</td><td>17.78</td><td>15.24</td><td>6.10</td><td>3.18</td><td>2.27</td></tr><tr><td>87911-1611</td><td>16</td><td>-----</td><td>1</td><td>20.32</td><td>17.78</td><td>6.10</td><td>3.18</td><td>2.27</td></tr><tr><td>87911-1612</td><td>16</td><td>-----</td><td>2</td><td>20.32</td><td>17.78</td><td>6.10</td><td>3.18</td><td>2.27</td></tr><tr><td>87911-1613</td><td>16</td><td>-----</td><td>3</td><td>20.32</td><td>17.78</td><td>6.10</td><td>3.18</td><td>2.27</td></tr></table>									PART NO.	CKT SIZE	VOID POSITION	PLATING TYPE	DIMENSION					A	B	M	P	E	87911-0411	4	-----	1	5.08	2.54	6.10	3.18	2.27	87911-0412	4	-----	2	5.08	2.54	6.10	3.18	2.27	87911-0413	4	-----	3	5.08	2.54	6.10	3.18	2.27	87911-0611	6	-----	1	7.62	5.08	6.10	3.18	2.27	87911-0612	6	-----	2	7.62	5.08	6.10	3.18	2.27	87911-0613	6	-----	3	7.62	5.08	6.10	3.18	2.27	87911-0811	8	-----	1	10.16	7.62	6.10	3.18	2.27	87911-0812	8	-----	2	10.16	7.62	6.10	3.18	2.27	87911-0813	8	-----	3	10.16	7.62	6.10	3.18	2.27	87911-0800	8	-----	1	10.16	7.62	6.10	2.79	2.29	87911-1011	10	-----	1	12.70	10.16	6.10	3.18	2.27	87911-1012	10	-----	2	12.70	10.16	6.10	3.18	2.27	87911-1013	10	-----	3	12.70	10.16	6.10	3.18	2.27	87911-1211	12	-----	1	15.24	12.70	6.10	3.18	2.27	87911-1212	12	-----	2	15.24	12.70	6.10	3.18	2.27	87911-1213	12	-----	3	15.24	12.70	6.10	3.18	2.27	87911-1411	14	-----	1	17.78	15.24	6.10	3.18	2.27	87911-1412	14	-----	2	17.78	15.24	6.10	3.18	2.27	87911-1413	14	-----	3	17.78	15.24	6.10	3.18	2.27	87911-1611	16	-----	1	20.32	17.78	6.10	3.18	2.27	87911-1612	16	-----	2	20.32	17.78	6.10	3.18	2.27	87911-1613	16	-----	3	20.32	17.78	6.10	3.18	2.27	F
PART NO.	CKT SIZE	VOID POSITION	PLATING TYPE	DIMENSION																																																																																																																																																																																																																										
				A	B	M	P	E																																																																																																																																																																																																																						
87911-0411	4	-----	1	5.08	2.54	6.10	3.18	2.27																																																																																																																																																																																																																						
87911-0412	4	-----	2	5.08	2.54	6.10	3.18	2.27																																																																																																																																																																																																																						
87911-0413	4	-----	3	5.08	2.54	6.10	3.18	2.27																																																																																																																																																																																																																						
87911-0611	6	-----	1	7.62	5.08	6.10	3.18	2.27																																																																																																																																																																																																																						
87911-0612	6	-----	2	7.62	5.08	6.10	3.18	2.27																																																																																																																																																																																																																						
87911-0613	6	-----	3	7.62	5.08	6.10	3.18	2.27																																																																																																																																																																																																																						
87911-0811	8	-----	1	10.16	7.62	6.10	3.18	2.27																																																																																																																																																																																																																						
87911-0812	8	-----	2	10.16	7.62	6.10	3.18	2.27																																																																																																																																																																																																																						
87911-0813	8	-----	3	10.16	7.62	6.10	3.18	2.27																																																																																																																																																																																																																						
87911-0800	8	-----	1	10.16	7.62	6.10	2.79	2.29																																																																																																																																																																																																																						
87911-1011	10	-----	1	12.70	10.16	6.10	3.18	2.27																																																																																																																																																																																																																						
87911-1012	10	-----	2	12.70	10.16	6.10	3.18	2.27																																																																																																																																																																																																																						
87911-1013	10	-----	3	12.70	10.16	6.10	3.18	2.27																																																																																																																																																																																																																						
87911-1211	12	-----	1	15.24	12.70	6.10	3.18	2.27																																																																																																																																																																																																																						
87911-1212	12	-----	2	15.24	12.70	6.10	3.18	2.27																																																																																																																																																																																																																						
87911-1213	12	-----	3	15.24	12.70	6.10	3.18	2.27																																																																																																																																																																																																																						
87911-1411	14	-----	1	17.78	15.24	6.10	3.18	2.27																																																																																																																																																																																																																						
87911-1412	14	-----	2	17.78	15.24	6.10	3.18	2.27																																																																																																																																																																																																																						
87911-1413	14	-----	3	17.78	15.24	6.10	3.18	2.27																																																																																																																																																																																																																						
87911-1611	16	-----	1	20.32	17.78	6.10	3.18	2.27																																																																																																																																																																																																																						
87911-1612	16	-----	2	20.32	17.78	6.10	3.18	2.27																																																																																																																																																																																																																						
87911-1613	16	-----	3	20.32	17.78	6.10	3.18	2.27																																																																																																																																																																																																																						
E										E																																																																																																																																																																																																																				
D										D																																																																																																																																																																																																																				
C										C																																																																																																																																																																																																																				
B										B																																																																																																																																																																																																																				
A	<table><tr><td rowspan="4">REVISED EC NO: S2007-0544 DRWNS:SKL IM01 CHKD:CWLAM APPR:KWLEE B</td><td rowspan="4">2006/12/13 2006/12/19 2006/12/27</td><td rowspan="4">DESCRIPTION REV</td><td>QUALITY SYMBOLS ▽=0 ▽C=0</td><td>GENERAL TOLERANCES (UNLESS SPECIFIED) mm INCH 4 PLACES ± --- ± --- 3 PLACES ± --- ± --- 2 PLACES ± 0.2 ± --- 1 PLACE ± --- ± --- ANGULAR ± 3 °</td><td>DIMENSION STYLE MM ONLY DRAWN BY DATE YLQIAO 2005/01/17 CHECKED BY DATE PTL IM 2005/01/25 APPROVED BY DATE SCLOW 2005/01/25</td><td>DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS</td><td>DIMENSION STYLE MM ONLY DRAWN BY DATE YLQIAO 2005/01/17 CHECKED BY DATE PTL IM 2005/01/25 APPROVED BY DATE SCLOW 2005/01/25</td><td>SCALE NTS</td><td>DESIGN UNITS METRIC</td><td>THIRD ANGLE PROJECTION</td><td rowspan="4">CUSTOM HEADER C-GRID DUAL ROW HEADER RIGHT ANGLE THROUGH HOLE MOLEX INCORPORATED SD-87911-027 SHEET NO. 2 OF 4</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>									REVISED EC NO: S2007-0544 DRWNS:SKL IM01 CHKD:CWLAM APPR:KWLEE B	2006/12/13 2006/12/19 2006/12/27	DESCRIPTION REV	QUALITY SYMBOLS ▽=0 ▽C=0	GENERAL TOLERANCES (UNLESS SPECIFIED) mm INCH 4 PLACES ± --- ± --- 3 PLACES ± --- ± --- 2 PLACES ± 0.2 ± --- 1 PLACE ± --- ± --- ANGULAR ± 3 °	DIMENSION STYLE MM ONLY DRAWN BY DATE YLQIAO 2005/01/17 CHECKED BY DATE PTL IM 2005/01/25 APPROVED BY DATE SCLOW 2005/01/25	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS	DIMENSION STYLE MM ONLY DRAWN BY DATE YLQIAO 2005/01/17 CHECKED BY DATE PTL IM 2005/01/25 APPROVED BY DATE SCLOW 2005/01/25	SCALE NTS	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION	CUSTOM HEADER C-GRID DUAL ROW HEADER RIGHT ANGLE THROUGH HOLE MOLEX INCORPORATED SD-87911-027 SHEET NO. 2 OF 4																																	A																																																																																																																																																																								
REVISED EC NO: S2007-0544 DRWNS:SKL IM01 CHKD:CWLAM APPR:KWLEE B	2006/12/13 2006/12/19 2006/12/27	DESCRIPTION REV	QUALITY SYMBOLS ▽=0 ▽C=0	GENERAL TOLERANCES (UNLESS SPECIFIED) mm INCH 4 PLACES ± --- ± --- 3 PLACES ± --- ± --- 2 PLACES ± 0.2 ± --- 1 PLACE ± --- ± --- ANGULAR ± 3 °	DIMENSION STYLE MM ONLY DRAWN BY DATE YLQIAO 2005/01/17 CHECKED BY DATE PTL IM 2005/01/25 APPROVED BY DATE SCLOW 2005/01/25	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS	DIMENSION STYLE MM ONLY DRAWN BY DATE YLQIAO 2005/01/17 CHECKED BY DATE PTL IM 2005/01/25 APPROVED BY DATE SCLOW 2005/01/25	SCALE NTS	DESIGN UNITS METRIC				THIRD ANGLE PROJECTION	CUSTOM HEADER C-GRID DUAL ROW HEADER RIGHT ANGLE THROUGH HOLE MOLEX INCORPORATED SD-87911-027 SHEET NO. 2 OF 4																																																																																																																																																																																																																
	9	8	7	6	5	4	3	2	1																																																																																																																																																																																																																					

	10	9	8	7	6	5	4	3	2	1																																																																																																																																																																																																																																																																											
F											F																																																																																																																																																																																																																																																																										
E											E																																																																																																																																																																																																																																																																										
D											D																																																																																																																																																																																																																																																																										
C											C																																																																																																																																																																																																																																																																										
B											B																																																																																																																																																																																																																																																																										
A											A																																																																																																																																																																																																																																																																										
<table><tr><th rowspan="2">PART NO.</th><th rowspan="2">CKT SIZE</th><th rowspan="2">VOID POSITION</th><th rowspan="2">PLATING TYPE</th><th colspan="5">DIMENSION</th></tr><tr><th>A</th><th>B</th><th>M</th><th>P</th><th>E</th></tr><tr><td>87911-3211</td><td>32</td><td>-----</td><td>1</td><td>40.64</td><td>38.10</td><td>6.10</td><td>3.18</td><td>2.27</td><td colspan="3"></td></tr><tr><td>87911-3212</td><td>32</td><td>-----</td><td>2</td><td>40.64</td><td>38.10</td><td>6.10</td><td>3.18</td><td>2.27</td><td colspan="3"></td></tr><tr><td>87911-3213</td><td>32</td><td>-----</td><td>3</td><td>40.64</td><td>38.10</td><td>6.10</td><td>3.18</td><td>2.27</td><td colspan="3"></td></tr><tr><td>87911-3411</td><td>34</td><td>-----</td><td>1</td><td>43.18</td><td>40.64</td><td>6.10</td><td>3.18</td><td>2.27</td><td colspan="3"></td></tr><tr><td>87911-3412</td><td>34</td><td>-----</td><td>2</td><td>43.18</td><td>40.64</td><td>6.10</td><td>3.18</td><td>2.27</td><td colspan="3"></td></tr><tr><td>87911-3413</td><td>34</td><td>-----</td><td>3</td><td>43.18</td><td>40.64</td><td>6.10</td><td>3.18</td><td>2.27</td><td colspan="3"></td></tr><tr><td>87911-3611</td><td>36</td><td>-----</td><td>1</td><td>45.72</td><td>43.18</td><td>6.10</td><td>3.18</td><td>2.27</td><td colspan="3"></td></tr><tr><td>87911-3612</td><td>36</td><td>-----</td><td>2</td><td>45.72</td><td>43.18</td><td>6.10</td><td>3.18</td><td>2.27</td><td colspan="3"></td></tr><tr><td>87911-3613</td><td>36</td><td>-----</td><td>3</td><td>45.72</td><td>43.18</td><td>6.10</td><td>3.18</td><td>2.27</td><td colspan="3"></td></tr><tr><td>87911-3811</td><td>38</td><td>-----</td><td>1</td><td>48.26</td><td>45.72</td><td>6.10</td><td>3.18</td><td>2.27</td><td colspan="3"></td></tr><tr><td>87911-3812</td><td>38</td><td>-----</td><td>2</td><td>48.26</td><td>45.72</td><td>6.10</td><td>3.18</td><td>2.27</td><td colspan="3"></td></tr><tr><td>87911-3813</td><td>38</td><td>-----</td><td>3</td><td>48.26</td><td>45.72</td><td>6.10</td><td>3.18</td><td>2.27</td><td colspan="3"></td></tr><tr><td>87911-4011</td><td>40</td><td>-----</td><td>1</td><td>50.80</td><td>48.26</td><td>6.10</td><td>3.18</td><td>2.27</td><td colspan="3"></td></tr><tr><td>87911-4012</td><td>40</td><td>-----</td><td>2</td><td>50.80</td><td>48.26</td><td>6.10</td><td>3.18</td><td>2.27</td><td colspan="3"></td></tr><tr><td>87911-4013</td><td>40</td><td>-----</td><td>3</td><td>50.80</td><td>48.26</td><td>6.10</td><td>3.18</td><td>2.27</td><td colspan="3"></td></tr><tr><td>87911-4211</td><td>42</td><td>-----</td><td>1</td><td>53.34</td><td>50.80</td><td>6.10</td><td>3.18</td><td>2.27</td><td colspan="3"></td></tr><tr><td>87911-4212</td><td>42</td><td>-----</td><td>2</td><td>53.34</td><td>50.80</td><td>6.10</td><td>3.18</td><td>2.27</td><td colspan="3"></td></tr><tr><td>87911-4213</td><td>42</td><td>-----</td><td>3</td><td>53.34</td><td>50.80</td><td>6.10</td><td>3.18</td><td>2.27</td><td colspan="3"></td></tr><tr><td>87911-4411</td><td>44</td><td>-----</td><td>1</td><td>55.88</td><td>53.34</td><td>6.10</td><td>3.18</td><td>2.27</td><td colspan="3"></td></tr><tr><td>87911-4412</td><td>44</td><td>-----</td><td>2</td><td>55.88</td><td>53.34</td><td>6.10</td><td>3.18</td><td>2.27</td><td colspan="3"></td></tr><tr><td>87911-4413</td><td>44</td><td>-----</td><td>3</td><td>55.88</td><td>53.34</td><td>6.10</td><td>3.18</td><td>2.27</td><td colspan="3"></td></tr></table>												PART NO.	CKT SIZE	VOID POSITION	PLATING TYPE	DIMENSION					A	B	M	P	E	87911-3211	32	-----	1	40.64	38.10	6.10	3.18	2.27				87911-3212	32	-----	2	40.64	38.10	6.10	3.18	2.27				87911-3213	32	-----	3	40.64	38.10	6.10	3.18	2.27				87911-3411	34	-----	1	43.18	40.64	6.10	3.18	2.27				87911-3412	34	-----	2	43.18	40.64	6.10	3.18	2.27				87911-3413	34	-----	3	43.18	40.64	6.10	3.18	2.27				87911-3611	36	-----	1	45.72	43.18	6.10	3.18	2.27				87911-3612	36	-----	2	45.72	43.18	6.10	3.18	2.27				87911-3613	36	-----	3	45.72	43.18	6.10	3.18	2.27				87911-3811	38	-----	1	48.26	45.72	6.10	3.18	2.27				87911-3812	38	-----	2	48.26	45.72	6.10	3.18	2.27				87911-3813	38	-----	3	48.26	45.72	6.10	3.18	2.27				87911-4011	40	-----	1	50.80	48.26	6.10	3.18	2.27				87911-4012	40	-----	2	50.80	48.26	6.10	3.18	2.27				87911-4013	40	-----	3	50.80	48.26	6.10	3.18	2.27				87911-4211	42	-----	1	53.34	50.80	6.10	3.18	2.27				87911-4212	42	-----	2	53.34	50.80	6.10	3.18	2.27				87911-4213	42	-----	3	53.34	50.80	6.10	3.18	2.27				87911-4411	44	-----	1	55.88	53.34	6.10	3.18	2.27				87911-4412	44	-----	2	55.88	53.34	6.10	3.18	2.27				87911-4413	44	-----	3	55.88	53.34	6.10	3.18	2.27			
PART NO.	CKT SIZE	VOID POSITION	PLATING TYPE	DIMENSION																																																																																																																																																																																																																																																																																	
				A	B	M	P	E																																																																																																																																																																																																																																																																													
87911-3211	32	-----	1	40.64	38.10	6.10	3.18	2.27																																																																																																																																																																																																																																																																													
87911-3212	32	-----	2	40.64	38.10	6.10	3.18	2.27																																																																																																																																																																																																																																																																													
87911-3213	32	-----	3	40.64	38.10	6.10	3.18	2.27																																																																																																																																																																																																																																																																													
87911-3411	34	-----	1	43.18	40.64	6.10	3.18	2.27																																																																																																																																																																																																																																																																													
87911-3412	34	-----	2	43.18	40.64	6.10	3.18	2.27																																																																																																																																																																																																																																																																													
87911-3413	34	-----	3	43.18	40.64	6.10	3.18	2.27																																																																																																																																																																																																																																																																													
87911-3611	36	-----	1	45.72	43.18	6.10	3.18	2.27																																																																																																																																																																																																																																																																													
87911-3612	36	-----	2	45.72	43.18	6.10	3.18	2.27																																																																																																																																																																																																																																																																													
87911-3613	36	-----	3	45.72	43.18	6.10	3.18	2.27																																																																																																																																																																																																																																																																													
87911-3811	38	-----	1	48.26	45.72	6.10	3.18	2.27																																																																																																																																																																																																																																																																													
87911-3812	38	-----	2	48.26	45.72	6.10	3.18	2.27																																																																																																																																																																																																																																																																													
87911-3813	38	-----	3	48.26	45.72	6.10	3.18	2.27																																																																																																																																																																																																																																																																													
87911-4011	40	-----	1	50.80	48.26	6.10	3.18	2.27																																																																																																																																																																																																																																																																													
87911-4012	40	-----	2	50.80	48.26	6.10	3.18	2.27																																																																																																																																																																																																																																																																													
87911-4013	40	-----	3	50.80	48.26	6.10	3.18	2.27																																																																																																																																																																																																																																																																													
87911-4211	42	-----	1	53.34	50.80	6.10	3.18	2.27																																																																																																																																																																																																																																																																													
87911-4212	42	-----	2	53.34	50.80	6.10	3.18	2.27																																																																																																																																																																																																																																																																													
87911-4213	42	-----	3	53.34	50.80	6.10	3.18	2.27																																																																																																																																																																																																																																																																													
87911-4411	44	-----	1	55.88	53.34	6.10	3.18	2.27																																																																																																																																																																																																																																																																													
87911-4412	44	-----	2	55.88	53.34	6.10	3.18	2.27																																																																																																																																																																																																																																																																													
87911-4413	44	-----	3	55.88	53.34	6.10	3.18	2.27																																																																																																																																																																																																																																																																													
<table><tr><th rowspan="2">PART NO.</th><th rowspan="2">CKT SIZE</th><th rowspan="2">VOID POSITION</th><th rowspan="2">PLATING TYPE</th><th colspan="5">DIMENSION</th></tr><tr><th>A</th><th>B</th><th>M</th><th>P</th><th>E</th></tr><tr><td>87911-4611</td><td>46</td><td>-----</td><td>1</td><td>58.42</td><td>55.88</td><td>6.10</td><td>3.18</td><td>2.27</td><td colspan="3"></td></tr><tr><td>87911-4612</td><td>46</td><td>-----</td><td>2</td><td>58.42</td><td>55.88</td><td>6.10</td><td>3.18</td><td>2.27</td><td colspan="3"></td></tr><tr><td>87911-4613</td><td>46</td><td>-----</td><td>3</td><td>58.42</td><td>55.88</td><td>6.10</td><td>3.18</td><td>2.27</td><td colspan="3"></td></tr><tr><td>87911-4811</td><td>48</td><td>-----</td><td>1</td><td>60.96</td><td>58.42</td><td>6.10</td><td>3.18</td><td>2.27</td><td colspan="3"></td></tr><tr><td>87911-4812</td><td>48</td><td>-----</td><td>2</td><td>60.96</td><td>58.42</td><td>6.10</td><td>3.18</td><td>2.27</td><td colspan="3"></td></tr><tr><td>87911-4813</td><td>48</td><td>-----</td><td>3</td><td>60.96</td><td>58.42</td><td>6.10</td><td>3.18</td><td>2.27</td><td colspan="3"></td></tr><tr><td>87911-5011</td><td>50</td><td>-----</td><td>1</td><td>63.50</td><td>60.96</td><td>6.10</td><td>3.18</td><td>2.27</td><td colspan="3"></td></tr><tr><td>87911-5012</td><td>50</td><td>-----</td><td>2</td><td>63.50</td><td>60.96</td><td>6.10</td><td>3.18</td><td>2.27</td><td colspan="3"></td></tr><tr><td>87911-5013</td><td>50</td><td>-----</td><td>3</td><td>63.50</td><td>60.96</td><td>6.10</td><td>3.18</td><td>2.27</td><td colspan="3"></td></tr><tr><td>87911-5211</td><td>52</td><td>-----</td><td>1</td><td>66.04</td><td>63.50</td><td>6.10</td><td>3.18</td><td>2.27</td><td colspan="3"></td></tr><tr><td>87911-5212</td><td>52</td><td>-----</td><td>2</td><td>66.04</td><td>63.50</td><td>6.10</td><td>3.18</td><td>2.27</td><td colspan="3"></td></tr><tr><td>87911-5213</td><td>52</td><td>-----</td><td>3</td><td>66.04</td><td>63.50</td><td>6.10</td><td>3.18</td><td>2.27</td><td colspan="3"></td></tr><tr><td>87911-5411</td><td>54</td><td>-----</td><td>1</td><td>68.58</td><td>66.04</td><td>6.10</td><td>3.18</td><td>2.27</td><td colspan="3"></td></tr><tr><td>87911-5412</td><td>54</td><td>-----</td><td>2</td><td>68.58</td><td>66.04</td><td>6.10</td><td>3.18</td><td>2.27</td><td colspan="3"></td></tr><tr><td>87911-5413</td><td>54</td><td>-----</td><td>3</td><td>68.58</td><td>66.04</td><td>6.10</td><td>3.18</td><td>2.27</td><td colspan="3"></td></tr><tr><td>87911-5611</td><td>56</td><td>-----</td><td>1</td><td>71.12</td><td>68.58</td><td>6.10</td><td>3.18</td><td>2.27</td><td colspan="3"></td></tr><tr><td>87911-5612</td><td>56</td><td>-----</td><td>2</td><td>71.12</td><td>68.58</td><td>6.10</td><td>3.18</td><td>2.27</td><td colspan="3"></td></tr><tr><td>87911-5613</td><td>56</td><td>-----</td><td>3</td><td>71.12</td><td>68.58</td><td>6.10</td><td>3.18</td><td>2.27</td><td colspan="3"></td></tr><tr><td>87911-5811</td><td>58</td><td>-----</td><td>1</td><td>73.66</td><td>71.12</td><td>6.10</td><td>3.18</td><td>2.27</td><td colspan="3"></td></tr><tr><td>87911-5812</td><td>58</td><td>-----</td><td>2</td><td>73.66</td><td>71.12</td><td>6.10</td><td>3.18</td><td>2.27</td><td colspan="3"></td></tr><tr><td>87911-5813</td><td>58</td><td>-----</td><td>3</td><td>73.66</td><td>71.12</td><td>6.10</td><td>3.18</td><td>2.27</td><td colspan="3"></td></tr></table>												PART NO.	CKT SIZE	VOID POSITION	PLATING TYPE	DIMENSION					A	B	M	P	E	87911-4611	46	-----	1	58.42	55.88	6.10	3.18	2.27				87911-4612	46	-----	2	58.42	55.88	6.10	3.18	2.27				87911-4613	46	-----	3	58.42	55.88	6.10	3.18	2.27				87911-4811	48	-----	1	60.96	58.42	6.10	3.18	2.27				87911-4812	48	-----	2	60.96	58.42	6.10	3.18	2.27				87911-4813	48	-----	3	60.96	58.42	6.10	3.18	2.27				87911-5011	50	-----	1	63.50	60.96	6.10	3.18	2.27				87911-5012	50	-----	2	63.50	60.96	6.10	3.18	2.27				87911-5013	50	-----	3	63.50	60.96	6.10	3.18	2.27				87911-5211	52	-----	1	66.04	63.50	6.10	3.18	2.27				87911-5212	52	-----	2	66.04	63.50	6.10	3.18	2.27				87911-5213	52	-----	3	66.04	63.50	6.10	3.18	2.27				87911-5411	54	-----	1	68.58	66.04	6.10	3.18	2.27				87911-5412	54	-----	2	68.58	66.04	6.10	3.18	2.27				87911-5413	54	-----	3	68.58	66.04	6.10	3.18	2.27				87911-5611	56	-----	1	71.12	68.58	6.10	3.18	2.27				87911-5612	56	-----	2	71.12	68.58	6.10	3.18	2.27				87911-5613	56	-----	3	71.12	68.58	6.10	3.18	2.27				87911-5811	58	-----	1	73.66	71.12	6.10	3.18	2.27				87911-5812	58	-----	2	73.66	71.12	6.10	3.18	2.27				87911-5813	58	-----	3	73.66	71.12	6.10	3.18	2.27			
PART NO.	CKT SIZE	VOID POSITION	PLATING TYPE	DIMENSION																																																																																																																																																																																																																																																																																	
				A	B	M	P	E																																																																																																																																																																																																																																																																													
87911-4611	46	-----	1	58.42	55.88	6.10	3.18	2.27																																																																																																																																																																																																																																																																													
87911-4612	46	-----	2	58.42	55.88	6.10	3.18	2.27																																																																																																																																																																																																																																																																													
87911-4613	46	-----	3	58.42	55.88	6.10	3.18	2.27																																																																																																																																																																																																																																																																													
87911-4811	48	-----	1	60.96	58.42	6.10	3.18	2.27																																																																																																																																																																																																																																																																													
87911-4812	48	-----	2	60.96	58.42	6.10	3.18	2.27																																																																																																																																																																																																																																																																													
87911-4813	48	-----	3	60.96	58.42	6.10	3.18	2.27																																																																																																																																																																																																																																																																													
87911-5011	50	-----	1	63.50	60.96	6.10	3.18	2.27																																																																																																																																																																																																																																																																													
87911-5012	50	-----	2	63.50	60.96	6.10	3.18	2.27																																																																																																																																																																																																																																																																													
87911-5013	50	-----	3	63.50	60.96	6.10	3.18	2.27																																																																																																																																																																																																																																																																													
87911-5211	52	-----	1	66.04	63.50	6.10	3.18	2.27																																																																																																																																																																																																																																																																													
87911-5212	52	-----	2	66.04	63.50	6.10	3.18	2.27																																																																																																																																																																																																																																																																													
87911-5213	52	-----	3	66.04	63.50	6.10	3.18	2.27																																																																																																																																																																																																																																																																													
87911-5411	54	-----	1	68.58	66.04	6.10	3.18	2.27																																																																																																																																																																																																																																																																													
87911-5412	54	-----	2	68.58	66.04	6.10	3.18	2.27																																																																																																																																																																																																																																																																													
87911-5413	54	-----	3	68.58	66.04	6.10	3.18	2.27																																																																																																																																																																																																																																																																													
87911-5611	56	-----	1	71.12	68.58	6.10	3.18	2.27																																																																																																																																																																																																																																																																													
87911-5612	56	-----	2	71.12	68.58	6.10	3.18	2.27																																																																																																																																																																																																																																																																													
87911-5613	56	-----	3	71.12	68.58	6.10	3.18	2.27																																																																																																																																																																																																																																																																													
87911-5811	58	-----	1	73.66	71.12	6.10	3.18	2.27																																																																																																																																																																																																																																																																													
87911-5812	58	-----	2	73.66	71.12	6.10	3.18	2.27																																																																																																																																																																																																																																																																													
87911-5813	58	-----	3	73.66	71.12	6.10	3.18	2.27																																																																																																																																																																																																																																																																													
<table><tr><td rowspan="10">REVISED EC NO: S2007-0544 DRWNSKL IM01 CHKD: CWL AM APPR: KWLEE B</td><td rowspan="10">2006/12/13 2006/12/19 2006/12/27</td><td rowspan="10">DESCRIPTION REV</td><td>QUALITY SYMBOLS ▽=0 ▽=0</td><td>GENERAL TOLERANCES (UNLESS SPECIFIED) mm INCH 4 PLACES ± --- ± --- 3 PLACES ± --- ± --- 2 PLACES ± 0.2 ± --- 1 PLACE ± --- ± --- ANGULAR ± 3 °</td><td>DIMENSION STYLE MM ONLY DRAWN BY DATE YLQIAO 2005/01/17 CHECKED BY DATE PTL IM 2005/01/25 APPROVED BY DATE SCLW 2005/01/25</td><td>SCALE NTS</td><td>DESIGN UNITS METRIC</td><td>THIRD ANGLE PROJECTION</td><td colspan="2">CUSTOM HEADER C-GRID DUAL ROW HEADER RIGHT ANGLE THROUGH HOLE MOLEX INCORPORATED</td></tr><tr><td colspan="2">DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS</td><td>MATERIAL NO.</td><td>DOCUMENT NO.</td><td>SHEET NO.</td></tr><tr><td colspan="2">SIZE A3</td><td colspan="3">THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION</td></tr></table>												REVISED EC NO: S2007-0544 DRWNSKL IM01 CHKD: CWL AM APPR: KWLEE B	2006/12/13 2006/12/19 2006/12/27	DESCRIPTION REV	QUALITY SYMBOLS ▽=0 ▽=0	GENERAL TOLERANCES (UNLESS SPECIFIED) mm INCH 4 PLACES ± --- ± --- 3 PLACES ± --- ± --- 2 PLACES ± 0.2 ± --- 1 PLACE ± --- ± --- ANGULAR ± 3 °	DIMENSION STYLE MM ONLY DRAWN BY DATE YLQIAO 2005/01/17 CHECKED BY DATE PTL IM 2005/01/25 APPROVED BY DATE SCLW 2005/01/25	SCALE NTS	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION	CUSTOM HEADER C-GRID DUAL ROW HEADER RIGHT ANGLE THROUGH HOLE MOLEX INCORPORATED		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		MATERIAL NO.	DOCUMENT NO.	SHEET NO.	SIZE A3		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																																																																																																																																																																																																																																																							
REVISED EC NO: S2007-0544 DRWNSKL IM01 CHKD: CWL AM APPR: KWLEE B	2006/12/13 2006/12/19 2006/12/27	DESCRIPTION REV	QUALITY SYMBOLS ▽=0 ▽=0	GENERAL TOLERANCES (UNLESS SPECIFIED) mm INCH 4 PLACES ± --- ± --- 3 PLACES ± --- ± --- 2 PLACES ± 0.2 ± --- 1 PLACE ± --- ± --- ANGULAR ± 3 °	DIMENSION STYLE MM ONLY DRAWN BY DATE YLQIAO 2005/01/17 CHECKED BY DATE PTL IM 2005/01/25 APPROVED BY DATE SCLW 2005/01/25	SCALE NTS	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION	CUSTOM HEADER C-GRID DUAL ROW HEADER RIGHT ANGLE THROUGH HOLE MOLEX INCORPORATED																																																																																																																																																																																																																																																																												
			DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		MATERIAL NO.	DOCUMENT NO.	SHEET NO.																																																																																																																																																																																																																																																																														
			SIZE A3		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																																																																																																																																																																																																																																																																																
			tb_frame_A3_P_AM_T Rev. E 2006/04/15																																																																																																																																																																																																																																																																																		

	10	9	8	7	6	5	4	3	2	1																																																																																																																																																																																																																																																						
F	<table><tr><th rowspan="2">PART NO.</th><th rowspan="2">CKT SIZE</th><th rowspan="2">VOID POSITION</th><th rowspan="2">PLATING TYPE</th><th colspan="5">DIMENSION</th></tr><tr><th>A</th><th>B</th><th>M</th><th>P</th><th>E</th></tr><tr><td>87911-6011</td><td>60</td><td>-----</td><td>1</td><td>76.20</td><td>73.66</td><td>6.10</td><td>3.18</td><td>2.27</td><td></td><td></td></tr><tr><td>87911-6012</td><td>60</td><td>-----</td><td>2</td><td>76.20</td><td>73.66</td><td>6.10</td><td>3.18</td><td>2.27</td><td></td><td></td></tr><tr><td>87911-6013</td><td>60</td><td>-----</td><td>3</td><td>76.20</td><td>73.66</td><td>6.10</td><td>3.18</td><td>2.27</td><td></td><td></td></tr><tr><td>87911-6211</td><td>62</td><td>-----</td><td>1</td><td>78.74</td><td>76.20</td><td>6.10</td><td>3.18</td><td>2.27</td><td></td><td></td></tr><tr><td>87911-6212</td><td>62</td><td>-----</td><td>2</td><td>78.74</td><td>76.20</td><td>6.10</td><td>3.18</td><td>2.27</td><td></td><td></td></tr><tr><td>87911-6213</td><td>62</td><td>-----</td><td>3</td><td>78.74</td><td>76.20</td><td>6.10</td><td>3.18</td><td>2.27</td><td></td><td></td></tr><tr><td>87911-6411</td><td>64</td><td>-----</td><td>1</td><td>81.28</td><td>78.74</td><td>6.10</td><td>3.18</td><td>2.27</td><td></td><td></td></tr><tr><td>87911-6412</td><td>64</td><td>-----</td><td>2</td><td>81.28</td><td>78.74</td><td>6.10</td><td>3.18</td><td>2.27</td><td></td><td></td></tr><tr><td>87911-6413</td><td>64</td><td>-----</td><td>3</td><td>81.28</td><td>78.74</td><td>6.10</td><td>3.18</td><td>2.27</td><td></td><td></td></tr><tr><td>87911-6611</td><td>66</td><td>-----</td><td>1</td><td>83.82</td><td>81.28</td><td>6.10</td><td>3.18</td><td>2.27</td><td></td><td></td></tr><tr><td>87911-6612</td><td>66</td><td>-----</td><td>2</td><td>83.82</td><td>81.28</td><td>6.10</td><td>3.18</td><td>2.27</td><td></td><td></td></tr><tr><td>87911-6613</td><td>66</td><td>-----</td><td>3</td><td>83.82</td><td>81.28</td><td>6.10</td><td>3.18</td><td>2.27</td><td></td><td></td></tr><tr><td>87911-6811</td><td>68</td><td>-----</td><td>1</td><td>86.36</td><td>83.82</td><td>6.10</td><td>3.18</td><td>2.27</td><td></td><td></td></tr><tr><td>87911-6812</td><td>68</td><td>-----</td><td>2</td><td>86.36</td><td>83.82</td><td>6.10</td><td>3.18</td><td>2.27</td><td></td><td></td></tr><tr><td>87911-6813</td><td>68</td><td>-----</td><td>3</td><td>86.36</td><td>83.82</td><td>6.10</td><td>3.18</td><td>2.27</td><td></td><td></td></tr><tr><td>87911-7011</td><td>70</td><td>-----</td><td>1</td><td>88.90</td><td>86.36</td><td>6.10</td><td>3.18</td><td>2.27</td><td></td><td></td></tr><tr><td>87911-7012</td><td>70</td><td>-----</td><td>2</td><td>88.90</td><td>86.36</td><td>6.10</td><td>3.18</td><td>2.27</td><td></td><td></td></tr><tr><td>87911-7013</td><td>70</td><td>-----</td><td>3</td><td>88.90</td><td>86.36</td><td>6.10</td><td>3.18</td><td>2.27</td><td></td><td></td></tr><tr><td>87911-7211</td><td>72</td><td>-----</td><td>1</td><td>91.44</td><td>88.90</td><td>6.10</td><td>3.18</td><td>2.27</td><td></td><td></td></tr><tr><td>87911-7212</td><td>72</td><td>-----</td><td>2</td><td>91.44</td><td>88.90</td><td>6.10</td><td>3.18</td><td>2.27</td><td></td><td></td></tr><tr><td>87911-7213</td><td>72</td><td>-----</td><td>3</td><td>91.44</td><td>88.90</td><td>6.10</td><td>3.18</td><td>2.27</td><td></td><td></td></tr></table>										PART NO.	CKT SIZE	VOID POSITION	PLATING TYPE	DIMENSION					A	B	M	P	E	87911-6011	60	-----	1	76.20	73.66	6.10	3.18	2.27			87911-6012	60	-----	2	76.20	73.66	6.10	3.18	2.27			87911-6013	60	-----	3	76.20	73.66	6.10	3.18	2.27			87911-6211	62	-----	1	78.74	76.20	6.10	3.18	2.27			87911-6212	62	-----	2	78.74	76.20	6.10	3.18	2.27			87911-6213	62	-----	3	78.74	76.20	6.10	3.18	2.27			87911-6411	64	-----	1	81.28	78.74	6.10	3.18	2.27			87911-6412	64	-----	2	81.28	78.74	6.10	3.18	2.27			87911-6413	64	-----	3	81.28	78.74	6.10	3.18	2.27			87911-6611	66	-----	1	83.82	81.28	6.10	3.18	2.27			87911-6612	66	-----	2	83.82	81.28	6.10	3.18	2.27			87911-6613	66	-----	3	83.82	81.28	6.10	3.18	2.27			87911-6811	68	-----	1	86.36	83.82	6.10	3.18	2.27			87911-6812	68	-----	2	86.36	83.82	6.10	3.18	2.27			87911-6813	68	-----	3	86.36	83.82	6.10	3.18	2.27			87911-7011	70	-----	1	88.90	86.36	6.10	3.18	2.27			87911-7012	70	-----	2	88.90	86.36	6.10	3.18	2.27			87911-7013	70	-----	3	88.90	86.36	6.10	3.18	2.27			87911-7211	72	-----	1	91.44	88.90	6.10	3.18	2.27			87911-7212	72	-----	2	91.44	88.90	6.10	3.18	2.27			87911-7213	72	-----	3	91.44	88.90	6.10	3.18	2.27			F
PART NO.	CKT SIZE	VOID POSITION	PLATING TYPE	DIMENSION																																																																																																																																																																																																																																																												
				A	B	M	P	E																																																																																																																																																																																																																																																								
87911-6011	60	-----	1	76.20	73.66	6.10	3.18	2.27																																																																																																																																																																																																																																																								
87911-6012	60	-----	2	76.20	73.66	6.10	3.18	2.27																																																																																																																																																																																																																																																								
87911-6013	60	-----	3	76.20	73.66	6.10	3.18	2.27																																																																																																																																																																																																																																																								
87911-6211	62	-----	1	78.74	76.20	6.10	3.18	2.27																																																																																																																																																																																																																																																								
87911-6212	62	-----	2	78.74	76.20	6.10	3.18	2.27																																																																																																																																																																																																																																																								
87911-6213	62	-----	3	78.74	76.20	6.10	3.18	2.27																																																																																																																																																																																																																																																								
87911-6411	64	-----	1	81.28	78.74	6.10	3.18	2.27																																																																																																																																																																																																																																																								
87911-6412	64	-----	2	81.28	78.74	6.10	3.18	2.27																																																																																																																																																																																																																																																								
87911-6413	64	-----	3	81.28	78.74	6.10	3.18	2.27																																																																																																																																																																																																																																																								
87911-6611	66	-----	1	83.82	81.28	6.10	3.18	2.27																																																																																																																																																																																																																																																								
87911-6612	66	-----	2	83.82	81.28	6.10	3.18	2.27																																																																																																																																																																																																																																																								
87911-6613	66	-----	3	83.82	81.28	6.10	3.18	2.27																																																																																																																																																																																																																																																								
87911-6811	68	-----	1	86.36	83.82	6.10	3.18	2.27																																																																																																																																																																																																																																																								
87911-6812	68	-----	2	86.36	83.82	6.10	3.18	2.27																																																																																																																																																																																																																																																								
87911-6813	68	-----	3	86.36	83.82	6.10	3.18	2.27																																																																																																																																																																																																																																																								
87911-7011	70	-----	1	88.90	86.36	6.10	3.18	2.27																																																																																																																																																																																																																																																								
87911-7012	70	-----	2	88.90	86.36	6.10	3.18	2.27																																																																																																																																																																																																																																																								
87911-7013	70	-----	3	88.90	86.36	6.10	3.18	2.27																																																																																																																																																																																																																																																								
87911-7211	72	-----	1	91.44	88.90	6.10	3.18	2.27																																																																																																																																																																																																																																																								
87911-7212	72	-----	2	91.44	88.90	6.10	3.18	2.27																																																																																																																																																																																																																																																								
87911-7213	72	-----	3	91.44	88.90	6.10	3.18	2.27																																																																																																																																																																																																																																																								
E											E																																																																																																																																																																																																																																																					
D											D																																																																																																																																																																																																																																																					
C											C																																																																																																																																																																																																																																																					
B											B																																																																																																																																																																																																																																																					
A	REVISED EC NO: S2007-0544 DRWNS:SKLIM01 2006/12/13 CHKD:CWLAM 2006/12/19 APPR:KWLEE 2006/12/27 QUALITY SYMBOLS ▽=0 ▽C=0 DESCRIPTION REV GENERAL TOLERANCES (UNLESS SPECIFIED) <table><tr><th></th><th>mm</th><th>INCH</th></tr><tr><td>4 PLACES</td><td>± ---</td><td>± ---</td></tr><tr><td>3 PLACES</td><td>± ---</td><td>± ---</td></tr><tr><td>2 PLACES</td><td>± 0.2</td><td>± ---</td></tr><tr><td>1 PLACE</td><td>± ---</td><td>± ---</td></tr><tr><td colspan="3">ANGULAR ± 3 °</td></tr></table> DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS DIMENSION STYLE MM ONLY <table><tr><td>DRAWN BY</td><td>DATE</td></tr><tr><td>YLQIAO</td><td>2005/01/17</td></tr><tr><td>CHECKED BY</td><td>DATE</td></tr><tr><td>PTLIM</td><td>2005/01/25</td></tr><tr><td>APPROVED BY</td><td>DATE</td></tr><tr><td>SCLOW</td><td>2005/01/25</td></tr><tr><td>MATERIAL NO.</td><td></td></tr></table> SEE TABLE SCALE NTS DESIGN UNITS METRIC THIRD ANGLE PROJECTION TITLE CUSTOM HEADER C-GRID DUAL ROW HEADER RIGHT ANGLE THROUGH HOLE MOLEX INCORPORATED DOCUMENT NO. SD-87911-027 SHEET NO. 4 OF 4 THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION											mm	INCH	4 PLACES	± ---	± ---	3 PLACES	± ---	± ---	2 PLACES	± 0.2	± ---	1 PLACE	± ---	± ---	ANGULAR ± 3 °			DRAWN BY	DATE	YLQIAO	2005/01/17	CHECKED BY	DATE	PTLIM	2005/01/25	APPROVED BY	DATE	SCLOW	2005/01/25	MATERIAL NO.		A																																																																																																																																																																																																																					
	mm	INCH																																																																																																																																																																																																																																																														
4 PLACES	± ---	± ---																																																																																																																																																																																																																																																														
3 PLACES	± ---	± ---																																																																																																																																																																																																																																																														
2 PLACES	± 0.2	± ---																																																																																																																																																																																																																																																														
1 PLACE	± ---	± ---																																																																																																																																																																																																																																																														
ANGULAR ± 3 °																																																																																																																																																																																																																																																																
DRAWN BY	DATE																																																																																																																																																																																																																																																															
YLQIAO	2005/01/17																																																																																																																																																																																																																																																															
CHECKED BY	DATE																																																																																																																																																																																																																																																															
PTLIM	2005/01/25																																																																																																																																																																																																																																																															
APPROVED BY	DATE																																																																																																																																																																																																																																																															
SCLOW	2005/01/25																																																																																																																																																																																																																																																															
MATERIAL NO.																																																																																																																																																																																																																																																																
	9	8	7	6	5	4	3	2	1																																																																																																																																																																																																																																																							