

# Datenblatt

Valid as from 23.07.2012 to 30.09.2012



## Article

EAN: 4007123602209  
Art.No: 1170840

Catalogue: Electrical&Lighting 2012  
Page: 205

## Packing

Qty/Box: 1

## Technical data

Measures(H/W/D): cm  
weight g/n 1.710/1.376 Kg  
Origin: K

## Cost

Quantity 1 Pcs  
Cost per unit: EUR

### Solar LED-Strahler SOL 80 ALU <IP44> mit Bewegungsmelder, sep.Solarmodul

Solar LED Light SOL 80 ALU IP 44 with PIR sensor

For outdoor use, IP 44.

Solar LED spotlights can be used independently of the power grid because they generate their own environmentally friendly solar electricity.

Solar LED light with PIR sensor and separate solar module

Spotlight and solar module in a compact, well-designed aluminium casing.

8 high performance LEDs for illumination of large areas.

Pivoting solar lamp.

PIR sensor with max. 130° detection angle and max. range 10 m.

Switch-on time adjustable to a max. of approx. 1 minute.

Response intensity adjustable by a twilight switch.

With integrated overcharge and total discharge protection to ensure conti

Hugo Brennenstuhl  
GmbH & Co.  
Kommanditgesellschaft

Seestr. 1-3  
72074 Tübingen

Germany

Telefon : +49 (0) 70 71-8 80 10  
Telefax : +49 (0) 70 71-8 76 57

www.brennenstuhl.com  
info@brennenstuhl.de

ILN-Nr. 40 07123 00000 5  
USt.-IdNr.: DE 146890047

Kommanditgesellschaft, Sitz Tübingen  
Registergericht Stuttgart, HRA 380573  
Persönlich haftende Gesellschafter:  
H. Brennenstuhl GmbH, Sitz Tübingen  
Registergericht Stuttgart, HRB 380156  
Hugo Brennenstuhl  
Geschäftsführer: Hugo Brennenstuhl,  
Dr. Dehler-Brennenstuhl  
Dipl.-Kfm. Sebastian Brennenstuhl

Bad.-Württ. Bank Tübingen  
(BLZ 600 501 01) 7477502158

Deutsche Bank Tübingen  
(BLZ 640 700 85) 150 327 500

Kreissparkasse Tübingen  
(BLZ 641 500 20) 67 232

Volksbank Tübingen  
(BLZ 641 901 10) 25 722 000

Postbank Stuttgart  
(BLZ 600 100 70) 445 11 - 701

# Datenblatt

Valid as from 23.07.2012 to 30.09.2012

uous charging of the batteries. LEDs: 8 x 0,5 W  
 Luminous flux: appr. 350 lm Cable length: 4,75 m  
 Country of Orig.: People's Republic of China  
 Nim. Code Digit 94054099



## Article

EAN: 4007123249824  
 Art.No: 1170710

Catalogue: Electrical&Lighting 2012  
 Page: 204

## Packing

Qty/Box: 1

## Technical data

Measures(H/W/D): cm  
 weight g/n 1.800/1.665 Kg  
 Origin: K

## Cost

Quantity 1 Pcs  
 Cost per unit: EUR

### Solar LED-Strahler SOL 80 <IP44> mit Bewegungsmelder, weiss

Solar LED Light SOL 80 IP 44

Solar lamp with motion detector and separate solar module.

Pivoting solar lamp.

Pivoting infrared motion detector with max. 180° detection angle and max. range 12m.

Switch-on time adjustable to a max. of approx. 1 minute.

Can operate independent of the mains.

Response intensity adjustable by a twilight switch.

Sensitivity adjustable.

80 bright LEDs for illumination of large areas.

Hugo Brennenstuhl  
 GmbH & Co.  
 Kommanditgesellschaft

Seestr. 1-3  
 72074 Tübingen

Germany

Telefon : +49 (0) 70 71-8 80 10  
 Telefax : +49 (0) 70 71-8 76 57

www.brennenstuhl.com  
 info@brennenstuhl.de

ILN-Nr. 40 07123 00000 5  
 USt.-IdNr.: DE 146890047

Kommanditgesellschaft, Sitz Tübingen  
 Registergericht Stuttgart, HRA 380573  
 Persönlich haftende Gesellschafter:  
 H. Brennenstuhl GmbH, Sitz Tübingen  
 Registergericht Stuttgart, HRB 380156  
 Hugo Brennenstuhl  
 Geschäftsführer: Hugo Brennenstuhl,  
 Dr. Dehler-Brennenstuhl  
 Dipl.-Kfm. Sebastian Brennenstuhl

Bad.-Württ. Bank Tübingen  
 (BLZ 600 501 01) 7477502158

Deutsche Bank Tübingen  
 (BLZ 640 700 85) 150 327 500

Kreissparkasse Tübingen  
 (BLZ 641 500 20) 67 232

Volksbank Tübingen  
 (BLZ 641 901 10) 25 722 000

Postbank Stuttgart  
 (BLZ 600 100 70) 445 11 - 701

# Datenblatt

Valid as from 23.07.2012 to 30.09.2012

Inclusive of lead-gel battery.  
 With integrated over-charge and total discharge protection.  
 Practical and suitable for outside use, IP 44.  
 80 LEDs, Cable length: 4,75 m.  
 Country of Orig.: People's Republic of China  
 Nim. Code Digit 94054099



## Article

EAN: 4007123576111  
 Art.No: 1170810

Catalogue: Electrical&Lighting 2012  
 Page: 204

## Packing

Qty/Box: 1

## Technical data

Measures(H/W/D): cm  
 weight g/n 1.800/1.665 Kg  
 Origin: K

## Cost

Quantity 1 Pcs  
 Cost per unit: EUR

## Solar LED-Strahler SOL 80 <IP44> mit Bewegungsmelder, schwarz

Solar LED Light SOL 80 IP 44  
 Solar lamp with motion detector and separate solar module.  
 Pivoting solar lamp.  
 Pivoting infrared motion detector with max. 180° detection angle  
 and max. range 12m.  
 Switch-on time adjustable to a max. of approx. 1 minute.  
 Can operate independent of the mains.  
 Response intensity adjustable by a twilight switch.

Hugo Brennenstuhl  
 GmbH & Co.  
 Kommanditgesellschaft

Seestr. 1-3  
 72074 Tübingen

Germany

Telefon : +49 (0) 70 71-8 80 10  
 Telefax : +49 (0) 70 71-8 76 57

www.brennenstuhl.com  
 info@brennenstuhl.de

ILN-Nr. 40 07123 00000 5  
 USt.-IdNr.: DE 146890047

Kommanditgesellschaft, Sitz Tübingen  
 Registergericht Stuttgart, HRA 380573  
 Persönlich haftende Gesellschafter:  
 H. Brennenstuhl GmbH, Sitz Tübingen  
 Registergericht Stuttgart, HRB 380156  
 Hugo Brennenstuhl  
 Geschäftsführer: Hugo Brennenstuhl,  
 Dr. Dehler-Brennenstuhl  
 Dipl.-Kfm. Sebastian Brennenstuhl

Bad.-Württ. Bank Tübingen  
 (BLZ 600 501 01) 7477502158

Deutsche Bank Tübingen  
 (BLZ 640 700 85) 150 327 500

Kreissparkasse Tübingen  
 (BLZ 641 500 20) 67 232

Volksbank Tübingen  
 (BLZ 641 901 10) 25 722 000

Postbank Stuttgart  
 (BLZ 600 100 70) 445 11 - 701

# Datenblatt

Valid as from 23.07.2012 to 30.09.2012

Sensitivity adjustable.  
 80 bright LEDs for illumination of large areas.  
 Inclusive of lead-gel battery.  
 With integrated over-charge and total discharge protection.  
 Practical and suitable for outside use, IP 44.  
 80 LEDs, Cable length: 4,75 m.  
 black  
 Country of Orig.: People's Republic of China  
 Nim. Code Digit 94054099



|                       |                          |
|-----------------------|--------------------------|
| <b>Article</b>        |                          |
| EAN:                  | 4007123249879            |
| Art.No:               | 1170720                  |
|                       |                          |
| Catalogue:            | Electrical&Lighting 2012 |
| Page:                 | 206                      |
|                       |                          |
| <b>Packing</b>        |                          |
| Qty/Box:              | 1                        |
|                       |                          |
| <b>Technical data</b> |                          |
| Measures(H/W/D):      | cm                       |
| weight g/n            | 0.628/0.584 Kg           |
| Origin:               | K                        |
|                       |                          |
| <b>Cost</b>           |                          |
| Quantity              | 1 Pcs                    |
| Cost per unit:        | EUR                      |

**Solar LED-Wandleuchte SOL 04 <IP44> mit Bewegungsmelder, weiss**  
 Solar LED External Light SOL 04 IP 44  
 Compact solar lamp with integrated solar module and infrared motion detector.  
 Detection angle approx. 100°, max. range 7 m.  
 Light switches itself on automatically for approx. 1 minute

Hugo Brennenstuhl  
 GmbH & Co.  
 Kommanditgesellschaft  
 Seestr. 1-3  
 72074 Tübingen  
 Germany

Telefon : +49 (0) 70 71-8 80 10  
 Telefax : +49 (0) 70 71-8 76 57  
 www.brennenstuhl.com  
 info@brennenstuhl.de  
 ILN-Nr. 40 07123 00000 5  
 USt.-IdNr.: DE 146890047

Kommanditgesellschaft, Sitz Tübingen  
 Registergericht Stuttgart, HRA 380573  
 Persönlich haftende Gesellschafter:  
 H. Brennenstuhl GmbH, Sitz Tübingen  
 Registergericht Stuttgart, HRB 380156  
 Hugo Brennenstuhl  
 Geschäftsführer: Hugo Brennenstuhl,  
 Dr. Dehler-Brennenstuhl  
 Dipl.-Kfm. Sebastian Brennenstuhl

Bad.-Württ. Bank Tübingen  
 (BLZ 600 501 01) 7477502158  
 Deutsche Bank Tübingen  
 (BLZ 640 700 85) 150 327 500  
 Kreissparkasse Tübingen  
 (BLZ 641 500 20) 67 232

Volksbank Tübingen  
 (BLZ 641 901 10) 25 722 000  
 Postbank Stuttgart  
 (BLZ 600 100 70) 445 11 - 701

# Datenblatt

Valid as from 23.07.2012 to 30.09.2012

when the detection area is breached.  
 Can operate independent of the mains.  
 With twilight sensor.  
 All in a housing, no wiring necessary.  
 4 super-bright LEDs, good light for orientation.  
 Includes 3 NI-MH batteries.  
 Practical and suitable for outside use, IP 44.  
 4 LEDs.  
 Country of Orig.: People's Republic of China  
 Nim. Code Digit 94054099



|                       |                          |
|-----------------------|--------------------------|
| <b>Article</b>        |                          |
| EAN:                  | 4007123576104            |
| Art.No:               | 1170820                  |
|                       |                          |
| Catalogue:            | Electrical&Lighting 2012 |
| Page:                 | 206                      |
|                       |                          |
| <b>Packing</b>        |                          |
| Qty/Box:              | 1                        |
|                       |                          |
| <b>Technical data</b> |                          |
| Measures(H/W/D):      | cm                       |
| weight g/n            | 0.628/0.584 Kg           |
| Origin:               | K                        |
|                       |                          |
| <b>Cost</b>           |                          |
| Quantity              | 1 Pcs                    |
| Cost per unit:        | EUR                      |

## Solar LED-Wandleuchte SOL 04 <IP44> mit Bewegungsmelder, schwarz

Solar LED External Light SOL 04 IP 44

Compact solar lamp with integrated solar module and infrared motion detector.

Detection angle approx. 100°, max. range 7 m.

Hugo Brennenstuhl  
GmbH & Co.  
Kommanditgesellschaft

Seestr. 1-3  
72074 Tübingen

Germany

Telefon : +49 (0) 70 71-8 80 10  
Telefax : +49 (0) 70 71-8 76 57

www.brennenstuhl.com  
info@brennenstuhl.de

ILN-Nr. 40 07123 00000 5  
USt.-IdNr.: DE 146890047

Kommanditgesellschaft, Sitz Tübingen  
Registergericht Stuttgart, HRA 380573  
Persönlich haftende Gesellschafter:  
H. Brennenstuhl GmbH, Sitz Tübingen  
Registergericht Stuttgart, HRB 380156  
Hugo Brennenstuhl  
Geschäftsführer: Hugo Brennenstuhl,  
Dr. Dehler-Brennenstuhl  
Dipl.-Kfm. Sebastian Brennenstuhl

Bad.-Württ. Bank Tübingen  
(BLZ 600 501 01) 7477502158

Deutsche Bank Tübingen  
(BLZ 640 700 85) 150 327 500

Kreissparkasse Tübingen  
(BLZ 641 500 20) 67 232

Volksbank Tübingen  
(BLZ 641 901 10) 25 722 000

Postbank Stuttgart  
(BLZ 600 100 70) 445 11 - 701

# Datenblatt

Valid as from 23.07.2012 to 30.09.2012

Light switches itself on automatically for approx. 1 minute  
 when the detection area is breached.  
 Can operate independent of the mains.  
 With twilight sensor.  
 All in a housing, no wiring necessary.  
 4 super-bright LEDs, good light for orientation.  
 Includes 3 NI-MH batteries.  
 Practical and suitable for outside use, IP 44.  
 4 LEDs. black  
 Country of Orig.: People's Republic of China  
 Nim. Code Digit 94054099



## Article

EAN: 4007123164592  
 Art.No: 1179810

Catalogue: Electrical&Lighting 2012  
 Page: 208

## Packing

Qty/Box: 1

## Technical data

Measures(H/W/D): cm  
 weight g/n 1.062/0.868 Kg  
 Origin: K

## Cost

Quantity 1 Pcs  
 Cost per unit: EUR

## Hausnummer mit Solarleuchte Edelstahl

Solar Power SH 4000

Easily read backlit house number plate of attractive design.

Four powerful LEDs illuminate the number automatically

Hugo Brennenstuhl  
 GmbH & Co.  
 Kommanditgesellschaft

Seestr. 1-3  
 72074 Tübingen

Germany

Telefon : +49 (0) 70 71-8 80 10  
 Telefax : +49 (0) 70 71-8 76 57

www.brennenstuhl.com  
 info@brennenstuhl.de

ILN-Nr. 40 07123 00000 5  
 USt.-IdNr.: DE 146890047

Kommanditgesellschaft, Sitz Tübingen  
 Registergericht Stuttgart, HRA 380573  
 Persönlich haftende Gesellschafter:  
 H. Brennenstuhl GmbH, Sitz Tübingen  
 Registergericht Stuttgart, HRB 380156  
 Hugo Brennenstuhl  
 Geschäftsführer: Hugo Brennenstuhl,  
 Dr. Dehler-Brennenstuhl  
 Dipl.-Kfm. Sebastian Brennenstuhl

Bad.-Württ. Bank Tübingen  
 (BLZ 600 501 01) 7477502158

Deutsche Bank Tübingen  
 (BLZ 640 700 85) 150 327 500

Kreissparkasse Tübingen  
 (BLZ 641 500 20) 67 232

Volksbank Tübingen  
 (BLZ 641 901 10) 25 722 000

Postbank Stuttgart  
 (BLZ 600 100 70) 445 11 - 701



# Datenblatt

Valid as from 23.07.2012 to 30.09.2012

when it gets dark!  
No power supply required.  
Operates on solar power delivered by an efficient, integral  
NI-MH mignon battery.  
Four energy-saving LEDs giving countless hours of well lit  
visibility for the house number in the dark.  
Housing made of stainless steel or sheet steel, powder-coated white.  
Large, waterproof solar panel charges the battery.  
Pack includes three of each number from 0-9 and a set of letters  
from A-D, all large and self-adhesive for sticking to  
the illuminated surface.  
Measurements: 230 x 220 x 65 mm + Height of characters: 80 mm  
Colour: Stainless steel  
Country of Orig.: People's Republic of China  
Nim. Code Digit 94056080

Firma:  
Strasse:  
PLZ/Ort:

Date:  
Customer-No.:  
Delivery date:

\*\*\*\* DECLARATION OF ORIGIN \*\*\*\*

E = MADE IN EUROPEAN UNION (EEC ORIGIN)

EUROPEAN ECONOMIC AREA (EEA ORIGIN) FOR EXPORTS TO EEA

F = Products are of preferential origin.

K = Products not of preferential origin.

F,K => Country of origin: (refer to position).

Payment within 14 Days less 2,00%

within 30 Days Net

Please Note: your account will not be considered  
settled until your cheque has been cashed

For further queries please contact our representative covering your area

Werner Laich

Mobile 07071/880155186

Email [wlaich@brennenstuhl.de](mailto:wlaich@brennenstuhl.de)

Hugo Brennenstuhl  
GmbH & Co.  
Kommanditgesellschaft

Seestr. 1-3  
72074 Tübingen

Germany

Telefon : +49 (0) 70 71-8 80 10  
Telefax : +49 (0) 70 71-8 76 57

[www.brennenstuhl.com](http://www.brennenstuhl.com)  
[info@brennenstuhl.de](mailto:info@brennenstuhl.de)

ILN-Nr. 40 07123 00000 5  
USt.-IdNr.: DE 146890047

Kommanditgesellschaft, Sitz Tübingen  
Registergericht Stuttgart, HRA 380573  
Persönlich haftende Gesellschafter:  
H. Brennenstuhl GmbH, Sitz Tübingen  
Registergericht Stuttgart, HRB 380156  
Hugo Brennenstuhl  
Geschäftsführer: Hugo Brennenstuhl,  
Dr. Dehler-Brennenstuhl  
Dipl.-Kfm. Sebastian Brennenstuhl

Bad.-Württ. Bank Tübingen  
(BLZ 600 501 01) 7477502158

Deutsche Bank Tübingen  
(BLZ 640 700 85) 150 327 500

Kreissparkasse Tübingen  
(BLZ 641 500 20) 67 232

Volksbank Tübingen  
(BLZ 641 901 10) 25 722 000

Postbank Stuttgart  
(BLZ 600 100 70) 445 11 - 701