










RECOMMENDED PC BOARD LAYOUT

-	-	-	SEE SHEET 2/9	10	2	3-1986874-2
-	-	-	SEE SHEET 2/9	55	11	1-1986874-1
-	-	-	SEE SHEET 2/9	10	2	1986874-2
I	N/A	3.5	-	35	7	3-282836-7
I	N/A	3.5	SEE SHEET 2	15	3	3-282836-5
I	N/A	3.5	-	30	6	3-282836-4
I	N/A	3.5	-	25	5	3-282836-3
I	N/A	3.5	-	20	4	3-282836-2
I	N/A	3.5	-	10	2	3-282836-1
I	N/A	3.5	-	40	8	3-282836-0
I	N/A	3.5	-	45	9	2-282836-8
0	N/A	N/A	SEE SHEET 2	30	6	2-282836-7
0	N/A	N/A	-	125	25	2-282836-6
0	N/A	N/A	-	120	24	2-282836-5
0	N/A	N/A	-	115	23	2-282836-4
0	N/A	N/A	-	110	22	2-282836-3
0	N/A	N/A	-	105	21	2-282836-2
0	N/A	N/A	-	100	20	2-282836-1
0	N/A	N/A	-	95	19	2-282836-0
0	N/A	N/A	-	90	18	1-282836-9
0	N/A	N/A	-	85	17	1-282836-8
0	N/A	N/A	-	80	16	1-282836-7
0	N/A	N/A	-	75	15	1-282836-6
0	N/A	N/A	-	70	14	1-282836-5
0	N/A	N/A	-	65	13	1-282836-4
0	N/A	N/A	SEE SHEET 2	10	2	1-282836-3
0	N/A	N/A	-	60	12	1-282836-2
0	N/A	N/A	-	55	11	1-282836-1
0	N/A	N/A	-	50	10	1-282836-0
0	N/A	N/A	-	45	9	282836-9
0	N/A	N/A	-	40	8	282836-8
0	N/A	N/A	-	35	7	282836-7
0	N/A	N/A	-	30	6	282836-6
0	N/A	N/A	-	25	5	282836-5
0	N/A	N/A	-	20	4	282836-4
0	N/A	N/A	-	15	3	282836-3
0	N/A	N/A	-	10	2	282836-2
2	5.0	1.1	-	10	2	282836-1
QTY	S	H	MARKING 	L	NO OF POSN	PART NUMBER
PEG						



THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN S. WELDON 28SEP2007		 TE Connectivity	
		CHK C. RICHARD 28SEP2007			
DIMENSIONS: mm		TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ±.2 1 PLC ±0.15 2 PLC ±0.15 3 PLC ±0.000 4 PLC ±0.000 ANGLES ±2° FINISH		NAME TERMINAL BLOCK, PCB MOUNT, SIDE WIRE ENTRY, STACKING WITH INTERLOCK, 5.00mm PITCH	
		APVD C. RICHARD 28SEP2007 PRODUCT SPEC - APPLICATION SPEC -		SIZE A2	
MATERIAL 		WEIGHT -		CAGE CODE 00779	
		Customer Drawing		DRAWING NO C-282836	
				RESTRICTED TO -	
				SCALE 4:1	
				SHEET OF 3	
				REV H10	

REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
	-	SEE SHEET I	-	-	-




2-282836-7 AS SHOWN

- 1 MATERIAL AND FINISH
HOUSING: PA 6-6, U; 94V-0 RATED, COLOR: GREEN.
CLAMP: BRASS, NICKEL PLATED.
TERMINAL: BRASS, TIN PLATED.
CLAMPING SCREW: M3, BRASS, NICKEL PLATED.
- 2 SUITABLE FOR 1.6-2.4mm PC BOARD THICKNESS.
- 3 END-TO-END STACKABLE W/INTERLOCK WITHOUT LOSS
OF CENTERLINE SPACING.
- 4 WIRE SIZE RANGE: 16-30 AWG
- 5 RECOGNIZED UNDER THE COMPONENT PROGRAM OF
UNDERWRITERS LABORATORIES INC. FILE No E60677.
- 6 IMQ CERTIFICATE WITH SURVEILLANCE IN CONFORMITY
WITH IEC 998-1/998-1-1.
- 7 NOT CUMULATIVE TOLERANCE.
- 8 INK MARKING, WHITE COLOR, UNLESS OTHERWISE SPECIFIED.
NUMERICAL SEQUENCE FROM LEFT TO RIGHT, UNLESS OTHERWISE SPECIFIED.
- 9 INK MARKING, BLACK COLOR



3-282836-5 AS SHOWN




2-282836-8 AS SHOWN


THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN S. WELDON	28SEP2007		 TE Connectivity	
		CHK C. RICHARD	28SEP2007			
DIMENSIONS: mm		TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD C. RICHARD	NAME	
		0 PLC ±.		PRODUCT SPEC	TERMINAL BLOCK, PCB MOUNT, SIDE WIRE ENTRY, STACKING WITH INTERLOCK, 5.00mm PITCH	
		1 PLC ±0.2		-		
		2 PLC ±0.15		APPLICATION SPEC		
		3 PLC ±0.000		-		
		4 PLC ±0.000				
		ANGLES ±.				
MATERIAL		FINISH		WEIGHT	SIZE	CAGE CODE
		-		-	A2	00779
		-			C	282836
Customer Drawing				SCALE	SHEET	REV
				5:1	2 of 3	H10

THIS DRAWING IS UNPUBLISHED.	RELEASED FOR PUBLICATION	20
© COPYRIGHT 20	BY -	ALL RIGHTS RESERVED.


REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
	-	SEE SHEET 1	-	-	-




3-1986874-2 AS SHOWN



1986874-2 AS SHOWN



1-1986874-1 AS SHOWN

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN S. WELDON 28SEP2007	 TE Connectivity			
DIMENSIONS:		CHK C. RICHARD 28SEP2007				
mm	TOLERANCES UNLESS OTHERWISE SPECIFIED:	APVD C. RICHARD 28SEP2007	NAME			
	0 PLC ±-	PRODUCT SPEC	TERMINAL BLOCK, PCB MOUNT, SIDE WIRE ENTRY, STACKING WITH INTERLOCK, 5.00mm PITCH			
	1 PLC ±0.2	APPLICATION SPEC				
MATERIAL	2 PLC ±0.15	-	SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
	3 PLC ±0.000	-	A2	00779	C-282836	-
FINISH		WEIGHT	Customer Drawing			
-		-	SCALE	5:1	SHEET	3 OF 3
-		-	REV H10			